



17-24-22E

ACO-1 Well History

Side TWO  
 OPERATOR Hillenburg Oil Company LEASE NAME Mc Call SEC 17 TWP 24 RGE 22 ~~NO~~  
 WELL NO 12

FILL IN WELL INFORMATION AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run. <input type="checkbox"/> Check if samples sent Geological Survey.				
Topsoil	3	3		
Clay	10	13		
Lime	9	22		
Shale	148	170		
Lime	7	177		
Shale	78	255		
Lime	21	276	Bled Oil	
Shale	3	279		
Lime	4	283		
Shale	31	314		
Lime	1	315		
Shale	11	326		
Lime	16	342	Oswego	
Shale	7	349		
Lime	5	354	Ft. Scott	
Shale	109	463		
Lime	2	465	Ardmore	
Shale	73	538		
Sdy. Shale	13	551	Cored 20/ft.	
Oil Sand	8	559		
Shale	63	622		
Producing method (flowing, pumping, gas lift, etc.) <u>Slim Hole Completion</u>	T.D. 622 S.N.			

State Geological Survey  
 WICHITA BRANCH

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) ~~XXXXXX~~

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Secks	Type and percent additives
Protect fresh water	6 1/4	2 7/8		622	Portland A	97	2% gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Secks cement	Shets per ft.	Size & type	Depth interval
			21		552 to 562

TUBING RECORD

Size	Setting depth	Pecker set at

17-2422E

State Geological Survey  
WICHITA BRANCH



### HILLENBURG OIL COMPANY

P.O. Box 94  
Bronson, KS 66716

(316) 939-4321

Mc Call #12  
Bourbon County Kansas

6 1/4 Hole, 4 1/2 Drill Pipe, 5 1/2 Pump Liners, 8 Stroke, Varel Button Bit #2967  
July 26, 1983

<u>Depth</u>	<u>Time</u>	<u>Remarks</u>			
Kelly	22	3	Topsoil	3	
1	42	10	Clay	13	
2	62	9	Lime	22	
3	82	148	Shale	170	
4	102	7	Lime	177	
5	122	78	Shale	255	
6	142	21	Lime	276	Bled Oil
7	162	3	Shale	279	
8	182	4	Lime	283	
9	202	31	Shale	314	
10	222	1	Lime	315	
11	242	11	Shale	326	
12	262	16	Lime	342	Oswego
13	282	7	Shale	349	
14	302	5	Lime	354	Ft. Scott
15	322	109	Shale	463	
16	342	2	Lime	465	Ardmore
17	362	73	Shale	538	
18	382				
19	402	13	Sdy Shale	551	Cored 20/ft.
20	422	8	Oil Sand	559	
21	442	63	Shale	622	
			T.D. 622		

07/26/83 Driller #1 Moved, set surface, drilled to 482  
Driller #2 Drilled from 482 to 622 Cored 20/ft. 8/ft. oil sand  
07/27/83 Driller #1 Run Pipe