

# WELL RECORD

SEP 28 1966

Well No. **2** Farm **LORNER** Producer **GRA, INC.**

Location **150' SWL 1000 SWL SE 1/4 of** Sec. **23E 1** Twp. **25 N** Rg. **21 E**

Elevation \_\_\_\_\_ State **Kansas** County **Bourbon**


Kind (Oil, Gas, Water, Dry Hole) \_\_\_\_\_ Contractor **GRA-UI Exploration Co.**

Producing formation \_\_\_\_\_ Bottom \_\_\_\_\_

Shot with \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_

Packer Set at \_\_\_\_\_ Size \_\_\_\_\_

Liner \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ Perforated from \_\_\_\_\_ to \_\_\_\_\_



## LOG

Thick-ness	Strata	Depth	Thick-ness	Strata	Depth
22.40	Surface	22.40			
54.00	lime	77		Core #1	
1	Coal	78		(624-629') 26'	
10	shale	88	20.5	SPK. gas sd. shale	64.20
28	lime	116			
2	Coal	118	6.3	Oil Sand	72.6
4	lime	122	.3	Coal	73.2
2	lime	124	6.9	shale	80
4	shale	128			
13	lime	141			
14	shale	145		CORE #2	
20	lime	165		(620'-627') 7'	
112	shale	307	7	shale	657
9	lime	316			
2	Coal	318	12	shale	710
7	lime	325			
15	shale	340			
23	lime	363			
14	shale	377			
14	lime	391			
8	shale	399			
22	lime	513			
132	shale	645			
9	Gas & sand shale	654			

Total Depth **710'**

Open Hole \_\_\_\_\_

Casing **8 5/8"** at **22.40'**

Casing \_\_\_\_\_ at \_\_\_\_\_

Casing **704' of 4 1/2"** at \_\_\_\_\_ cemented to top by Halliburton

Cement \_\_\_\_\_

Tubing \_\_\_\_\_

Rods \_\_\_\_\_

Additional Information  
**All measurements taken from ground level.**