Sec, TS., RE.	/2. ZS ZIE Year Well Reported AAPG-CSD Serial No					
KANSAS WELL	COMPLETION REPORT					
Margaret Oros, Chairman, AAPG-CSD District 12, State Geolog enclosed stamped, self-addressed envelope. (The information	the owner or operator should complete the form and sail it to gical Survey of Kansas, Lindley Rail, Lawrence, Kansas 66044, in the on given in the IBM print-out is taken from the "Intents-to-Drill" Corporation Commission of Kansas, 500 Insurance Building, Wichita,					
URA INC	REF. NO.CA 48					
P.U.BOX 98	DATED 12-14-66 FOR WATER SUPP					
	DRILL CO ACE HI EXPLORATION TOOLS-ROTARY					
	SP QU25 FT ALT. 2 TD 01050 FT					
FARM NO. AND NAME WSW 1 WOODWARD	LOCATION SW SEC 12 25S 21E 1935' N OF SL 1980' E OF WL					

Date Drilling Began: Date Drilling Completed: Oil or gas test was completed as a dry hole:	location of					
Hole was not drilled:	Elevation: Derrick floor					
Total depth of hole:	Kelly Bushing Ground					
Plug back total depth:	Electric or other					
If OWWO, give new footage drilled:	logs were run: YesNoNoNo					
Field Name:	Drill Stem Test Run: Yes No					
Name of Company purchasing oil or gas:						
Initial Potential or Production:	Barrels of oil/day;					
Barrels of water/day;						
Oil GravityOAPI;	Pay Depth (Bottom)					
	Name of Pay Zone					

Please use other side of sheet for additional information. Copy of driller's log, electric logs, and other well information would be

appreciated.

The AAPC'S Committee on Statistics of Drilling (CSD) on January 1, 1966 began compiling data on wells reported drilled in the U. S., Canada, and Mexico. The Oil and Gas Journal has contracted to publish weekly statistical summaries of the data. These will be used by the International Uil Scouls Assoc. American Petroleum Inst., U. S. Bureau of Mines. and other groups, and will be considered the official source of drilling information by the U. S. Department of the Interior.

Many of the wells drilled in southeastern Ransas are not presently scouted. Because of this the CSD District 12 Chairman is sending this Well Completion Report form to all operators who have stated their intent to drill a well. The information received will also be placed on open file in the Oil and Gas Division offices of the State Geological Survey of Kansas. The cooperation of all of the operators is returning the completed form will be greatly appreciated.

To: CRA Prod., KC cc: Assoc. Oil & Gas
Roy Wood
Well File

WELL RECORD

00	cation 1970 Kul	1970) NS	L 3 W/4	Sec. 12	Ty	wp. 🙎 💆	Rg.
Elevation 1046					State Kanasa County Sourbon			
Kind (Oil, Gas, Water, Dry Hole)					Contractor	100-il	%xplor«ti	on Co.
r	oducing formation			Top		Во	ottom	
'n	ot with	,	qts.		from		to	2345673
	cker Set at		410.	7713	110111			
			term to the second	Kind			Size	APR 1963 C. R. A., INC.
ir	ner from	n		to	Perforated	from	to	C. R. A., INC. Wellington, Kansas
		LC	G			Total Dept	h 1034	APR 1966 C. R. A., INC. Wellington, Kansas
1				1	<u> </u>	Open Hole		Con a service of the
	Strata	Depth	Thick- ness	Strata	Depth	Casing	TO ₄	at 202021
j	La.w/oh.brko.	64*	241	Sh.&sdy.sha	10 706	Casing	34.0	
	Mac	123	128	Shalebedy.s			kun 892° e	at And
	Shale w/lime		6	M100. 1100	U40	Casing		top thy Hallibur
	at.ka.	140	10	Miso. Im.wi	200 mile (Cement		
	Line w/sh le	1900	44.4			Tubing		
	otko.	170	36	Miss. Limo-	, 150 Mg	, ubing	-	
	<u> Dhelo</u>	281		from 875'to	866*)	Rods		
	<u>Ume w/shale</u>	298				Additional	Information	en e
	Sbole	380	71	Miss. lime-	. 917			to taken from
	Mae w/stke.	405		(odor from		- Groun	d level.	
i	Shale	449		386 60 89) 1')			
	LL mo	464						
	© h a le	475	63	Ares Tras		Run D	MII Stem	Tost.
	Line	481	54		3074			
	Sh. Andy. shale		· 					
	Line	533						
	Sh. Asdy. shale	576 578						
	Line Sh.&edy.shale			·				
	Sd. shaloysl.						And the state of	
	odor gas	638						
	36 good					10.0		
	odor ga s	650						ŧ .
	Shale	651						
	3 6 8000 000	,			İ			
	bloading oil	002				-	:	
	•							

