1	-		\sim		KA	NSAS			\sim	20	0-96-96	
	WELL COMPLET) ION REPORT	ANE) _{&}	tate Ge	alagical	ی	wey	J .	20 -	. 26S R.2	
١	DRILLER'S LOG				49 WICH	ITA BRAN	CH	•	'		żseżneż	
اد	API No. 15	173 County		20,24	mber	TIT R 0	ntiv	•				
	Operator					1050			\dashv $^{\circ}$	ounty <u>Se</u>		
Sanders Oil Company 640 Acres												
l	Address 910 Sutton Place, Wichita, KS 67202									160		
ı	Well No. Lease Name											
#1 Lange									1			
330 feet from KK (S) line 330 feet from (E) XW line								}-}-~-				
ı	Principal Contractor		Geologist							160	60	
	Dunbar Drilli Spud Dote	Date Completed		Total	Lawrence Depth	P.B.T.D.				Loc	cate well correctly	
V	4/19/80	6/14/80		3	085'					lev.: Gr	1417	
Directional Deviation Oil and/or Gas Purchaser)F	кв1422				
					CASING	RECORD						
١	Report of all strin	gs set — surface, i	nterme	diate,	production, et	e.						
1	Purpose of string	Size hole drilled	hole drilled Size casi		Weight ibs/ft.	Setting depth	tting depth Type cem		ent	Socks	Type and percent additives	
	Surface	11"	8 5	/8"	20#	203'	Со	Common		65	2% CaCl	
							_	·				
)												
	LINER RECORD 4							PERFORA	REFORATION RECORD			
	Top, ft. Bottom, ft. So			Socks co	ement	Shots	Shots per ft.			& type	Depth interval	
,		TUBING RECO	RD									
1	Size	Setting depth	1	Packer :	set at							
1				<u></u>								
		A	CID, F	RACT	URE, SHOT,	CEMENT SQ	UEĘŹ	E RECO	RD			
Amount and kind of material used							Depth interval treated					
)												
_											,	
INITIAL PRODUCTION												
	Date of first production											
								Ica- at and				
	RATE OF PRODUCTION PER 24 HOURS	Oil		bb	Gas ols.		MCF	Water		bbis.	Gas-oil ratio	
)	Disposition of ges (vente	d, used on lease or s	old)					Produc	ing interve			
		W. 17						<u> </u>				

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator			e e e e e e e e e e e e e e e e e e e	JUL & O RETT	DESCRIPTION OF CO	Mr.: OIL, GAS,
Sanders Oil Compa Well No.	ny Lease Name		State	Goldgia BR	Dry Hole	·
#1	·	Lange		MICHITA		
\$ 20 T 26S R 2 E				· .		
Show all important zones of	WELL LOC porosity and contents thereof	; cored interv	ols, and all dri	III-stem tests, in-	SHOW GEOLOGICAL MARI OR OTHER DESCRIPTIVE	KERS, LOGS RUN, INFORMATION.
cluding depth interval tested, FORMATION DESCI	cushion used, time tool open, RIPTION, CONTENTS, ETC.	flowing and s	hut-in pressure TOP	s, and recoveries. BOTTOM	NAME	DEPTH
Lansing Kansas City Burgess Mississippian	2158 (-736) 2516 (-1094) 2961 (-1539) 2989 (-1567)					
No DST's	•					
			•			,
•						
•						
	•		t. *			
	USE ADDITIONAL SH	IEETS. IF N	ECESEARY	COMPLETE A	ELL RECORD	ι
Date Received	3	(Chas W.	Sanders P	Signature resident Title	
		·	June 13,	1980	Date	

DUNBAR DRILLING INC.

5252 NORTH BROADWAY
WIGHITA, KANSAS 67219
(316) 832-0501

State WICHITA BRANCH
June 22

COMPANY

CHAS. SANDERS OIL COMPANY

Lange

FARM

WELL

No. 1

LOCATION

SE SE NE Section 20-26S-2E Sedgwick County, Kansas

CASING RECORD

8 5/8" @ 203'/set with spudder

Dry & Abandoned

COMMENCED

6/7/80

COMPLETED

6/14/80

DRILLING CONTRACTOR

DUNBAR DRILLING INC. 5252 NORTH BROADWAY WICHITA, KANSAS 67219

DRILLERS LOG

0-7	soil
380	shale
685	shale *
906	shale
1275	shale
1580	shale
1819	shale with lime streaks
2064	shale
2247	shale
2393	lime & shale
2493	shale & lime
2624	lime & shale
2734	Kansas City
2830	shale & lime
2933	1ime
3018	Mississippian
3085	Mississippian
3085	R. T. D.