

Operator Name Charles N. Hutton, Sr. Lease Name Reinhart Well # 1

Sec. 22 Twp. 27 Rge. 19 East West County NEQSHO

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No

Formation Description
 Log Sample

Name Top Bottom

CASING RECORD New Used
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs/Ft.	Setting Depth	Type of Cement	#Sacks Used	Type and Percent Additives
surface	10 1/2"	7"	24	20.80'	Type I	10	none

PERFORATION RECORD		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
Shots Per Foot	Specify Footage of Each Interval Perforated		Depth

TUBING RECORD Size Set At Packer at Liner Run Yes No

Date of First Production Producing Method Flowing Pumping Gas Lift Other (explain).....

Estimated Production Per 24 Hours	Oil	Gas	Water	Gas-Oil Ratio	Gravity
	Bbls.	MCF	Bbls	CFPB	

Thickness of Strata	Formation	Total Depth
1	Shale	525
3	Sand	528
2	Shale	530
51	SAND	581
3	LIME	584
38	SHALE	622
3	LIME	625
50	SHALE	675
1	LIME	676
43	SHALE	719
3	LIME	722
32	SHALE	754
1	COAL	755
7	SHALE	762
8	SHALE	770
11	SHALE	781
2	COAL	783
22	SHALE	805
5	SAND	810
13-15	SHALE	823
10	SHALE	833
4	SAND	837
31	SHALE	868
3	COAL	871
43	SHALE	914
9	SAND	923

Remarks
light
Gray no odor or show
Dark
+ SHALE
ARD MORE
DARK + SANDY
SANDY
SAND
DARK
SAND odor
SANDY
SANDY
Shale slight odor
w/LIME str.
Shale ODOR TUCKER
Good odor BURGESS

Thickness of Strata	Formation	Total Depth
5	LIME	928
8	DRlg. BREAK	936
11 22	LIME	947
7	DRlg. BREAK	954
13'	LIME	967
2	OSAGE CHAT	969
48	OSAGE LIME	1017
20	OSAGE LIME	1037
33	SHALE	1070
10 26	LIME	1180
36	SHALE	1216
184	LIME	1400
	T.D.	1400

Plugged 4-29-88

10 Sacks on Bottom

10 Sacks @ 900

5 Sacks @ 825

10 Sacks @ 500

80 Sacks 350 to top

Remarks

"MISS"

Good odor

"MISS"

ODOR

"MISS"

CHAT

NORTH VIEW

CAMPTON

SANDY "KINDERHOOK"

ARBUCKLE