


FORMATION

TEST

REPORT



Home Office:

Wichita, Kansas 67201

P.O. Box 1599

Phone (316) 262-5861

Company \_\_\_\_\_  
DUNNE EQUITIES, INC. \_\_\_\_\_  
Lease and Well No. \_\_\_\_\_  
#2 "D" HASKINS \_\_\_\_\_  
Sec. \_\_\_\_\_  
17 Twp. \_\_\_\_\_  
28S Rge. \_\_\_\_\_  
4E \_\_\_\_\_  
Jest No. \_\_\_\_\_  
Date \_\_\_\_\_

WESTERN TESTING CO. INC.  
SUBSURFACE PRESSURE SURVEY

DATE: 12/12/83 TICKET #3053  
CUSTOMER: DUNNE EQUITIES INC. LEASE: "D" HASKINS  
WELL: 2 TEST: 1 GEOLOGIST: JOHNSON  
ELEVATION (KB): 1213 FORMATION: ARB  
SECTION: 17 TOWNSHIP: 28S  
RANGE: 4E COUNTY: BUTLER STATE: KANSAS  
GAUGE SN #5673 RANGE: 5400 CLOCK: 12

INTERVAL TEST FROM: 2433 FT TO: 2440 FT TOTAL DEPTH: 2440 FT  
DEPTH OF SELECTIVE ZONE: FT  
PACKER DEPTH: 2433 FT SIZE: 6 5/8 IN PACKER DEPTH: FT SIZE: IN  
PACKER DEPTH: FT SIZE: IN PACKER DEPTH: FT SIZE: IN

DRILLING CONTRACTOR: WHITE & ELLIS #3  
MUD TYPE: CHEM VISCOSITY: 54  
WEIGHT: 9.4 WATER LOSS (CC): 11.2  
CHLORIDES (P.P.M.): 1800  
JARS - MAKE: SERIAL NUMBER:  
DID WELL FLOW? NO REVERSED OUT? NO  
DRILL COLLAR LENGTH: 180 FT I.D.: 2.25 IN  
WEIGHT PIPE LENGTH: FT I.D.: IN  
DRILL PIPE LENGTH: 2238 FT I.D.: 3.8 IN  
TEST TOOL LENGTH: 15 FT TOOL SIZE: 5 1/2 O.D. IN  
ANCHOR LENGTH: 7 FT SIZE: 5 1/2 O.D. IN  
SURFACE CHOKE SIZE: 3/4 IN BOTTOM CHOKE SIZE: 3/4 IN  
MAIN HOLE SIZE: 7 7/8 IN TOOL JOINT SIZE: 4 1/2 XH IN

BLOW: INITIAL & FINAL FLOW PERIODS WEAK  
BUILDING TO STRONG STEADY BLOWS.

RECOVERED: 460 FT OF: SALT WATER  
RECOVERED: FT OF: CHLORIDES 23000 P.P.M.  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:  
RECOVERED: FT OF:


REMARKS:

TIME SET PACKER(S): 1:35 P.M. TIME STARTED OFF BOTTOM: 4:05 P.M.  
WELL TEMPERATURE: 107 °F  
INITIAL HYDROSTATIC PRESSURE: (A) 1240 PSI  
INITIAL FLOW PERIOD MIN: 30 (B) 15 PSI TO (C) 94 PSI  
INITIAL CLOSED IN PERIOD MIN: 33 (D) 930 PSI  
FINAL FLOW PERIOD MIN: 45 (E) 169 PSI TO (F) 214 PSI  
FINAL CLOSED IN PERIOD MIN: 45 (G) 937 PSI  
FINAL HYDROSTATIC PRESSURE (H) 1214 PSI



TKT # 3053

I



TKT # 3053

5023  
DSTH

0

