



OILFIELD RESEARCH LABORATORIES

536 NORTH HIGHLAND - CHANUTE, KANSAS 66720 - PHONE (316) 431-2650

January 5, 1980

Stan Cannan
2601 Swan Lane
Ft. Collins, Colorado 80524

Gentlemen:

Attached hereto are the results of tests run on the rotary core samples taken from the Kroehke Lease, Well No. 2, and submitted to our laboratory on December 26, 1979.

The core was sampled and the samples sealed in plastic bags by a representative of the client. In examining this core, it is assumed that each sample represents one foot of core.

Your business is greatly appreciated.

Very truly yours,

OILFIELD RESEARCH LABORATORIES

Benjamin R. Pearman
Benjamin R. Pearman

BRP/tem
5 c to Ft. Collins, Colorado

- REGISTERED ENGINEERS -

CORE ANALYSIS - WATER ANALYSIS - REPRESSURING ENGINEERING - SURVEYING & MAPPING - PROPERTY EVALUATION & OPERATION

OILFIELD RESEARCH LABORATORIES

LOG

Name Stan Cannan Lease Kroehke Well No. 2

Depth Interval,
Feet

Description

594.0 - 595.0

Brown very calcareous sandstone.

598.0 - 599.0

Brown slightly calcareous sandstone.

601.0 - 602.0

Dark brown slightly calcareous sandstone.

Oilfield Research Laboratories
RESULTS OF PERMEABILITY AND POROSITY TESTS
TABLE I A

Company Stan Cannan Lease Kroehke Well No. 2

Sample No.	Depth Feet	Permeability Millidarcys	Feet of Core		Permeability Capacity Ft. x Md.	Percent Porosity
			Ft.	Cum. Ft.		
1	594.5	0.82	1.0	1.0	0.82	12.8
2	598.5	19.	1.0	2.0	19.00	17.2
3	601.5	56.	1.0	3.0	56.00	20.0