

WELL RECORD

Geological Dept

G. F. Fleshman Lease, Well #1

13950

Drilling commenced June 23rd, 1924. Drilling completed Oct. 29th, 1924.
NE 1/4 Sec. 27-29S-1E, Sedgwick County, Kansas. 300' fr S Line & 300' fr W Line
Well drilled by W. M. Neely Oil & Gas Co., Wichita, Kansas.

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Soil	0	10	
Quick sand	10	15	
Quick sand	15	30	
Quick sand	30	40	
Gravel	40	60	
Blue mud	60	85	
Sand	85	90	
Lime	90	93	
Blue slate	93	140	
Blue slate	140	150	
Lime	150	160	
Red rock	160	165	
Slate	165	185	
Lime	185	190	
Lime	190	195	
Slate	195	225	
Red rock	225	230	
Lime	230	240	
Slate	240	245	
Lime	245	265	
Lime	265	275	
Slate w shells	275	325	
Slate	325	350	
Slate	350	375	
Lime	375	400	
Slate	400	415	
Red rock	415	420	
Lime	420	470	
Lime	470	565	
Lime	565	585	
Shale	585	595	
Red rock	595	600	
Shale	600	625	
Red rock	625	630	
Lime	630	675	
Lime	675	680	
Red rock	680	695	
Lime	695	710	
Slate	710	715	
Red rock	715	720	
Lime	720	745	
Lime	745	755	
Shale	755	765	
Lime	765	810	
Shale	810	820	
Shale	820	825	
Lime	825	840	
Lime	840	880	
Slate	880	890	
Lime	890	910	
Lime	910	925	
Shale	925	935	
Lime	935	1005	
Lime	1005	1015	
Slate	1015	1025	
Lime	1025	1055	
Slate	1055	1080	
Slate	1080	1090	
Lime	1090	1100	
Slate	1100	1160	
Lime	1160	1165	
Lime	1165	1175	

Elev. 1235

WELL RECORD

G. F. Fleshman Lease, Well #1

Continued

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>	
Shale	1175	1220	Running 12 $\frac{1}{2}$ " casing.	
Slate	1220	1250		
Lime	1250	1253		
Lime	1253	1275		
Slate	1275	1280		
Lime	1280	1285		
Slate	1285	1305		
Lime	1305	1310		
Slate	1310	1345		
Slate	1345	1350		
Lime	1350	1355		
Slate	1355	1365		
Lime	1365	1400		
Broken lime	1400	1465		
Slate	1465	1470		
Slate	1470	1565		
Lime	1565	1590		
Lime	1590	1622		1 Bailer water @ 1575
Slate	1620	1640		
Lime	1640	1665		
Slate	1665	1690		
Lime	1690	1710		
Lime	1710	1765		
Shale	1765	1785		
Lime	1785	1815		
Lime	1815	1820		
Slate	1820	1840		
Red rock	1840	1845		
Shale	1845	1865		
Lime	1865	1900		
Lime	1900	1940	Run 10" casing. 1942'	
Lime	1940	1975		
Lime	1975	2055	9 B Water per hr 1995-2015	
Lime	2055	2115		
Slate	2115	2120		
Slate	2120	2140		
Slate	2140	2155		
Lime	2155	2165		
Slate	2165	2190		
Lime	2190	2210		
Slate	2210	2245	Run 2122' of 8 $\frac{1}{4}$ " casing.	
Water sand	2245	2260	H.F. Water @ 2240'	
Sand	2260	2263		
Slate	2263	2280	U. R. 8 $\frac{1}{4}$ " to 2266' 5"	
Slate	2280	2355		
Sandy shale	2355	2365	2 Blrs water @ 2360'	
Shale	2365	2370	H.F. Water @ 2430'	
Shale	2370	2430		
Shale	2430	2500		
Water sand	2500	2530		
Slate	2530	2535		
Slate	2535	2540	U. R. 8 $\frac{1}{4}$ " casing.	
Slate	2540	2555		
Lime	2555	2565		
Lime	2565	2575	U. R. 8 $\frac{1}{4}$ " to 2542'	
Slate	2575	2680		
Slate	2680	2740		
Lime	2740	2765		
Sandy lime	2765	2780		
Lime	2780	2785	3 Brlw water @ 2770'	
Lime	2785	2805	H.F. Water 2805'	
Sand	2805	2815		
Sandy lime	2815	2830		
Black lime	2830	2833		
Lime	2833	2865		
Lime	2865	2890		
Lime	2890	2905		

WELL RECORD

G. F. Fleshman Lease, Well #1

Continued

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Lime	2905	2925	
Lime	2925	2940	
Lime	2940	2965	
Lime	2965	2970	
Slate	2970	2985	
Slate	2985	2995	Run 2991' of 6 5/8" csg.
Lime	2995	3005	
Slate	3005	3025	Bailing water
Shale	3025	3030	
Red rock	3030	3035	
Slate	3035	3045	
Lime	3045	3065	
Slate	3065	3075	
Slate	3075	3080	
Lime	3080	3110	
Slate	3110	3145	
Lime	3145	3155	
Lime	3155	3160	
Slate	3160	3165	
Lime	3165	3170	
Slate	3170	3185	
Lime	3185	3210	
Lime	3210	3220	
Slate	3220	3240	
Lime	3240	3245	
Slate	3245	3255	
Lime	3255	3260	
Slate	3260	3270	
Lime	3270	3280	
Redrock	3280	3290	
Lime	3290	3295	
Slate	3295	3300	
Lime	3300	3355	
Black Lime	3355	3358	
Lime	3358	3360	Top Miss Lime.
Lime	3360	3385	
Lime	3385	3550	
Black shale	3550	3560	
White Lime	3560	3630	
Shale	3630	3705	
Oil sand	3705	3715	
Shale	3715	3718	
Sand	3718	3727	
Green shale	3727	3736	
Sand	3736	3742	Water Total Depth Abandoned.

CASING RECORD

PUT IN

PULLED

LEFT IN

20"	60'
15 1/2"	140'
12 1/2"	1223'
10"	1942'
8 1/2"	2542'
6 5/8"	2991'