

WESTERN TESTING CO. INC.
SUBSURFACE PRESSURE SURVEY

DATE: 10/4/83
CUSTOMER: CAMIO OIL COMPANY
WELL: 1 TEST: 2
ELEVATION (KB): 1234 FORMATION: SIMPSON
SECTION: 35 TOWNSHIP: 29S
RANGE: 1E COUNTY: SEDGWICK STATE: KANSAS
GAUGE SN #2605 RANGE: 4150 CLOCK: 12

INTERVAL TEST FROM: 3562 FT TO: 3590 FT TOTAL DEPTH: 3590 FT
DEPTH OF SELECTIVE ZONE: FT
PACKER DEPTH: 3567 FT SIZE: 6 5/8 IN PACKER DEPTH: 3557 FT SIZE: 6 5/8 IN
PACKER DEPTH: FT SIZE: IN PACKER DEPTH: FT SIZE: IN

DRILLING CONTRACTOR: REYNOLDS #4
MUD TYPE: CHEMICAL VISCOSITY: 41
WEIGHT: 9.5 WATER LOSS (CC): 12.0
CHLORIDES (P.P.M.): 3500
JARS - MAKE: NO SERIAL NUMBER:
DID WELL FLOW? NO REVERSED OUT? NO
DRILL COLLAR LENGTH: 300 FT I.D.: 2.25 IN
WEIGHT PIPE LENGTH: FT I.D.: IN
DRILL PIPE LENGTH: 3247 FT I.D.: 3.8 IN
TEST TOOL LENGTH: 15 FT TOOL SIZE: 5 1/2 O.D. IN
ANCHOR LENGTH: 28 FT SIZE: 5 1/2 O.D. IN
SURFACE CHOKE SIZE: 3/4 IN BOTTOM CHOKE SIZE: 3/4 IN
MAIN HOLE SIZE: 7 7/8 IN TOOL JOINT SIZE: 4 1/2 X.H. IN

BLOW: SURGE AS TOOL OPENED - NO BLOW.

RECOVERED: 5 FT OF: MUD
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:
RECOVERED: FT OF:

REMARKS:

TIME SET PACKER(S): 1:00 A.M. TIME STARTED OFF BOTTOM: 3:00 A.M.
WELL TEMPERATURE: 117 °F
INITIAL HYDROSTATIC PRESSURE: (A) 1746 PSI
INITIAL FLOW PERIOD MIN: 30 (B) 11 PSI TO (C) 11 PSI
INITIAL CLOSED IN PERIOD MIN: 30 (D) 1023 PSI
FINAL FLOW PERIOD MIN: 30 (E) 30 PSI TO (F) 30 PSI
FINAL CLOSED IN PERIOD MIN: 30 (G) 897 PSI
FINAL HYDROSTATIC PRESSURE (H) 1746 PSI

TCE# 19179

2405

I

