

Company Camio Oil Co. Lease & Well No. Goss #1
 Elevation 1234 Kelly Bush. Formation Simpson Effective Pay - Ft. Ticket No. 8110
 Date 5-2-81 Sec. 35 Twp. 29 S Range 1E County Sedgwick State Kansas
 Test Approved by F.W. Morgan Western Representative Kenny Kirkendall

Formation Test No. 1 Interval Tested from 3556 ft. to 3588 ft. Total Depth 3588 ft.
 Packer Depth 3556 ft. Size 6 3/4 in. Packer Depth 3551 ft. Size 6 3/4 in.
 Packer Depth - ft. Size - in. Packer Depth - ft. Size - in.
 Depth of Selective Zone Set -

Top Recorder Depth (Inside) 3561 ft. Recorder Number 2605 Cap. 4150
 Bottom Recorder Depth (Outside) 3566 ft. Recorder Number 12064 Cap. 4650
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. ----

Drilling Contractor White & Ellis Drlg. (#3) Drill Collar Length 180 I. D. - in.
 Mud Type Chem. Viscosity 47 Weight Pipe Length - I. D. - in.
 Weight 9.6 Water Loss 12 cc. Drill Pipe Length 3350 I. D. - in.
 Chlorides 2500 P.P.M. Test Tool Length 18 ft. Tool Size 5 1/2 in.
 Jars: Make No Serial Number - Anchor Length 32 ft. Size 5 1/2 in.
 Did Well Flow? No Reversed Out - Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Main Hole Size 7 7/8 in. Tool Joint Size - in.

Blow: Very weak blow died in 3 minutes, flushed tool, good surge, no blow.

Recovered 20 ft. of drilling mud
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks:

Time Set Packer(s) 5:05 ^{A.M.}/_{-P.M.} Time Started Off Bottom 6:05 ^{A.M.}/_{-P.M.} Maximum Temperature 115
 Initial Hydrostatic Pressure 1832 P.S.I. (A)
 Initial Flow Period 35 Minutes (B) 27 P.S.I. to (C) 21 P.S.I.
 Initial Closed In Period 33 Minutes (D) 1311 P.S.I.
 Final Flow Period - Minutes (E) - P.S.I. to (F) - P.S.I.
 Final Closed In Period - Minutes (G) - P.S.I.
 Final Hydrostatic Pressure 1791 P.S.I. (H)

WESTERN TESTING CO., INC.

Pressure Data

Date 5/2/81 Recorder No. 2605 Capacity 4150 Test Ticket No. 8110
 Clock No. - Elevation 1234 Kelly Bushing Location 3561 Ft. 115 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>1832</u> P.S.I.	Open Tool	<u>5:05A</u> M	
B First Initial Flow Pressure	<u>27</u> P.S.I.	First Flow Pressure	<u>30</u> Mins.	<u>35</u> Mins.
C First Final Flow Pressure	<u>21</u> P.S.I.	Initial Closed-in Pressure	<u>30</u> Mins.	<u>33</u> Mins.
D Initial Closed-in Pressure	<u>1311</u> P.S.I.	Second Flow Pressure	- Mins.	- Mins.
E Second Initial Flow Pressure	- P.S.I.	Final Closed-in Pressure	- Mins.	- Mins.
F Second Final Flow Pressure	- P.S.I.			
G Final Closed-in Pressure	- P.S.I.			
H Final Hydrostatic Mud	<u>1791</u> P.S.I.			

PRESSURE BREAKDOWN

First Flow Pressure
 Breakdown: 7 Inc.
 of 5 mins. and a
 final inc. of 0 Min.

Initial Shut-In
 Breakdown: 11 Inc.
 of 3 mins. and a
 final inc. of 0 Min.

Second Flow Pressure
 Breakdown: 0 Inc.
 of 5 mins. and a
 final inc. of 0 Min.

Final Shut-In
 Breakdown: 0 Inc.
 of 3 mins. and a
 final inc. of 0 Min.

Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1 <u>0</u>	<u>27</u>	<u>0</u>	<u>21</u>				
P 2 <u>5</u>	<u>27</u>	<u>3</u>	<u>585</u>				
P 3 <u>10</u>	<u>25</u>	<u>6</u>	<u>809</u>				
P 4 <u>15</u> Flushed Tool		<u>9</u>	<u>965</u>				
P 5 <u>20</u> Flushed Tool		<u>12</u>	<u>1068</u>				
P 6 <u>25</u>	<u>21</u>	<u>15</u>	<u>1139</u>				
P 7 <u>30</u>	<u>21</u>	<u>18</u>	<u>1193</u>				
P 8 <u>35</u>	<u>21</u>	<u>21</u>	<u>1226</u>				
P 9		<u>24</u>	<u>1257</u>				
P10		<u>27</u>	<u>1286</u>				
P11		<u>30</u>	<u>1302</u>				
P12		<u>33</u>	<u>1311</u>				
P13							
P14							
P15							
P16							
P17							
P18							
P19							
P20							

TRT # 8110

2605

I

