

5-31-11E

md

** = PT*

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ten days after the completion of the well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, SWD, GWWO, Injection. Type and complete ALL sections. Applications must be filed for dual completion, commingling, SWD and injection, T.A.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). KCC # (316) 263-3238. (Mules 82-2-105 & 82-2-125)

(OR LADS FOR KCC 4/2009)

OPERATOR John A. Masek d/b/a Masek Oil Co.

API NO. 15-049-21424-375

ADDRESS P.O. Box 442

COUNTY Elk

Coffeyville, Kansas 67337

FIELD _____

**CONTACT PERSON Monty Norris

PROD. FORMATION _____

PHONE (316)-948-3946

LEASE Osborn

PURCHASER _____

WELL NO. 14-5

ADDRESS _____

WELL LOCATION _____

DRILLING CONTRACTOR JM Drilling Company

660 Ft. from South Line and

ADDRESS P.O. Box 442

660 Ft. from West Line of

Coffeyville, Kansas 67337

the SEC. 5 TWP. 31 KCE-11E

WELL PLAT

PLUGGING CONTRACTOR Consolidated Oil Well Services

ADDRESS P.O. Box 442

Chanute, Kansas 66720

TOTAL DEPTH 2355' PBTD _____

SPUD DATE 3/8/82 DATE COMPLETED 3/11/82

ELEV: GR 1059' DF _____ KB _____

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS

Amount of surface pipe set and cemented 314' OF 7" DV Tool Used? _____

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

KCC
KCS
(Office Use)

RECEIVED
STATE CORPORATION COMMISSION

MAY 20 1982

REGISTRATION DIVISION
Wichita, Kansas

AFFIDAVIT

STATE OF Kansas, COUNTY OF Montgomery SS, I, _____

Monty Norris OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS Production Manager (FOR)(OF) Masek Oil Company

OPERATOR OF THE Osborn LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. 14-5 ON

SAID LEASE HAS BEEN COMPLETED AS OF THE 22 DAY OF April, 19 82, AND THAT

ALL INFORMATION ENTERED HEREIN WITH RESPECT TO SAID WELL IS TRUE AND CORRECT.

FURTHER AFFIANT SAITH NOT.

RECEIVED
STATE CORPORATION COMMISSION

md

311-18-2

5-31-11e

SIDE TWO

WELL LOG

Show all important zones of porosity and contents thereof, cased intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---------------------------------------|-------|--------|------|-------|
| Stalnaker | 806' | | | |
| Lansing | 812' | | | |
| Kansas City | 972' | | | |
| Layton | 1041' | | | |
| Lenapah | 1240' | | | |
| Wayside | 1252' | | | |
| Altamont | 1294' | | | |
| Weiser | 1391' | | | |
| Pawnee | 1462' | | | |
| Peru | 1505' | | | |
| Oswego | 1558' | | | |
| Squirrel | 1759' | | | |
| Bartlesville | 1813' | | | |
| Mississippi | 1923' | | | |
| A buckle | 2255' | | | |
| | 2355' | | | |

Report of all strings set — surface, intermediate, production, etc. **CASING RECORD** (New) or (Used)

| Purpose of string | Size hole drilled | Size casing set in O.D. | Weight lbs/ft | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|-------------------------|---------------|---------------|-------------|-------|----------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

LINER RECORD

PERFORATION RECORD

| Top, ft | Bottom, ft | Sacks cement | Shots per ft. | Size & type | Depth interval |
|---------|------------|--------------|---------------|-------------|----------------|
| | | | | | |

| TUBING RECORD | | |
|----------------------|---------------|--------------|
| Size | Setting depth | Packs set at |
| | | |

ACID FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
| | |