## DEC WICHTA OIL & GAS CONSERVATION DIVISION WELL COMPLETION WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form Must Be Typed

)perator: License #32756 API No. 15 - 099-23263-00-00 County: Labette Double 7 Oil & Gas lame: NW NE NE 21003 Wallace Rd. \_\_\_\_ Sec. 21 Twp. 31s. R. 21 X East West .ddrass: Parsons Ks. 67357 :ity/State/Zip: . 495 \_\_\_\_ feet from S / N (circle one) Line of Section 825 'urchaser:\_ \_ feet from E / W (clrcle one) Line of Section perator Contact Person: Bruce Schulz Footages Calculated from Nearest Outside Section Corner: hone: (620) 316-423-0951 (circle one) (NE) SE iontractor: Name:\_\_ Lease Name: Barnes Well #:\_\_ icense:\_\_ Field Name:\_\_\_\_\_\_ Vellsite Geologist: \_\_\_\_ Producing Formation: Bartlesville esignate Type of Completion: Elevation: Ground:\_\_\_\_\_ Kelly Bushing:\_\_\_\_ New Well Re-Entry Workover Total Depth: 1.65 Plug Back Total Depth: \_\_\_\_Voil \_\_\_\_ SWD \_\_\_\_ SIOW \_\_\_\_\_ Temp. Abd. Amount of Surface Pipe Set and Comented at 20 Feet \_\_\_ Gas \_\_\_ ENHR \_\_\_\_ SIGW Multiple Stage Cementing Collar Used? Yes No \_\_ Other (Core, WSW, Expl., Cathodic, etc) \_\_ Drv If yes, show depth set \_\_\_\_\_ Workover/Re-entry: Old Well Info as follows: If Alternate II completion, cement circulated from\_\_\_\_O feet depth to <u>165</u> w/ <u>16</u> sx cmt. )perator: \_ Vell Name: Drilling Fluid Management Plan \_\_\_\_\_ Original Total Depth: \_\_\_ riginal Comp. Date: \_\_\_\_ (Data must be collected from the Reserve Pit) \_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_ Conv. to Enhr./SWD Chloride content\_\_\_\_ \_\_\_\_ ppm Fluid volume\_\_\_\_\_\_ bbls \_\_\_ Plug Back\_\_\_ \_\_\_\_\_Plug Back Total Depth Dewalering method used <u>Empty</u>, & Fill \_\_ Commingled Docket No.\_\_\_ Location of fluid disposal if hauled offsite: \_\_\_\_ Dual Completion Docket No... Operator Name: \_ Other (SWD or Enhr.?) Docket No.\_\_\_ \_\_\_\_\_License No.:\_\_\_\_ oud Date or Recompletion Date County: \_\_\_\_\_ Docket No.: \_\_\_ INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements ierein are complete and correct to the best of my knowledge. KCC Office Use ONLY \_ Date: 12-10-03 \_\_\_\_\_ Letter of Confidentiality Attached Subscribed and sworn to before me this 15 day of themely If Donled, Yes Date:\_\_ Wireline Log Received 2603 Notary Public: Negath. Pollice

Date Commission Expires: 2/2/2004

\_\_\_\_ Geologist Report Received

\_\_\_\_ UIC Distribution

perator Name: DBub	1e 7_0il_	& Gas				Barnes	<u> </u>	Well #:		
c 21 Twp 31	_s. R. 2/	☐ East	₩est	County	r:	bette		<del></del>		
STRUCTIONS: Show sted, time tool open ar mperature, fluid recove ectric Wireline Logs su	nd closed, flowing ery, and flow rates	and shut-li If gas to s	n pressures, urface test, a	whether st long with f	nut-in pres	sure reached :	static level, hydrosi	tatic pressu	res, bottom hole	
rill Stem Tests Taken  (Attach Additional Sheets)  (amples Sent to Geological Survey			No No	- Lo		og Formation (Top), Depth and Datum		d Datum	☐ Sample	
			: ☑No		Name	•		Тор	Datum	
ores Taken ectric Log Run (Submit Copy)	☐ Yes ☐ No									
t All E. Logs Run:						•				
				RECORD	Nov	_				
Purpose of String	Size Hole Drilled	Size	Casing in O.D.)	Wei	ight	Setting Depth	Type of Cement	# Sacjs Used	Type and Perc	
Surface Drill Well	1 1 1 m	20'	61/4 ' '			20'	Portland	5	NO	
Longstring	5 ½		2"			165'	//	16	NO	
,										
			ADDITIONAL	CEMENT	NG / SQU	EEZE RECORD	)			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Top Bottom		of Cement	nent #Sacks Used		Type and Percent Additives				
Shots Per Foot		ON RECORD - Bridge Plugs Sel/Type Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
	<u> </u>									
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No		I	
Date of First, Resumerd P	roduction, SWD or E	nhr.	Producing Me	thod,	Flowing				her <i>(Explain)</i>	
Estimated Production Per 24 Hours	OII	Bbls.	Gas	Mcf	Wate	or 8	Ibls. G	ns-Oil Ratio	Grav	
Disposition of Gas	METHOD OF C	<del></del>	N			Production Inter	rvel			
Vented Sold (If vented, Sumi	Used on Lease It ACO-18.)		Open Hole		ıt. 🔲 C	Dually Comp.	Commingled			