

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. _____

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238. No Log

LICENSE # 7186 EXPIRATION DATE _____

OPERATOR Docking Development Co. API NO. 15-191-20-212

ADDRESS P. O. Bx 928 COUNTY Sumner

Arkansas Cit, Ks 67005 FIELD _____

** CONTACT PERSON O. L. Bartleson PROD. FORMATION Simpson
PHONE 316-326-2585

PURCHASER _____ LEASE Donley

ADDRESS _____ WELL NO. 1

WELL LOCATION SE/4


DRILLING White & Ellis Drilling Inc. 55 Ft. from West Line and

CONTRACTOR Bx 448 230 Ft. from North Line of (E)
ADDRESS Eldorado, Ks 67042 the SE/4 (Qtr.) SEC 14 TWP 32S RGE 2E (W).

PLUGGING _____
CONTRACTOR _____
ADDRESS _____

WELL PLAT

(Office Use Only)



KCC _____
KGS _____

SWD/REP _____
PLG. _____

TOTAL DEPTH 2937 PBTD _____

SPUD DATE 6-8-70 DATE COMPLETED 6-16-70

ELEV: GR 14 DF _____ KB _____

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE C-16,493

Amount of surface pipe set and cemented 250' DV Tool Used? _____

THIS AFFIDAVIT APPLIES TO: (Circle ONE) Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Frank Broadfoot, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Docking Development Co.,

SIDE TWO D&K Development Co.

ACO-1 WELL HISTORY (R)

OPERATOR

LEASE Donley

SEC. 14 TWP. 32s RGE. 2e (R)

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO.

1

Show all important zones of porosity and contents thereof; record intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
☒ Check if no Drill Stem Tests Run.				
<u>FORMATION</u>				
Cellar	0	7		
Lime & Shale	250			
Lime & Shale Stks	375			
Lime & Shale	800			
Shale & Lime Stks	1092			
Lime	1120			
Sand	1130			
Shale & Sand	1264			
Lime	1535			
Lime & Shale	2005			
Lime	2018			
Sand	2040			
Shale & Sand	2080			
Sandy Shale	2200			
Shale & Lime	2215			
Lime & Shale	2335			
Shale	2420			
Lime	2620			
Shale	2715			
Lime	2830			
Shale	2895			
Conglomerate & Arb.	2937			
<u>TOPS</u>				
Topeka	1264			
Kansas City	2420			
Arbuckle	2895			
If additional space is needed use Page 2, Side 2				

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		8-5/8		250	Portland	165	
Production		5-1/2		2929	Portland	235	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Packer set at			

NOV CASING RECORD

8 5/8" 250' Cemented
w/165 sacks

5 1/2" 2929' Cemented
w/235 sacks

Total Depth 2937'

Location: 330' S & 55' E of Cen.

Section: 14-32-2E

Sumner County, Kansas

Farm: Donley #1

Well Owner: D. L. Donley

Contractor: WHITE & ELLIS DRILLING, INC.

Commenced: 6-8-70

Completed: 6-16-70

KELLY BUSHING MEASUREMENT 5' ABOVE GROUND LEVEL

FORMATION	DEPTH
Cellar	0-7
Lime & Shale	250
Lime & Shale Stks	375
Lime & Shale	800
Shale & Lime Stks	1092
Lime	1120
Sand	1130
Shale & Sand	1264
Lime	1535
Lime & Shale	1890
Shale & Lime	2005
Lime	2018
Sand	2040
Shale & Sand	2080
Sandy Shale	2200
Shale & Lime	2215
Lime & Shale	2335
Shale	2420
Lime	2620
Shale	2715
Lime	2830
Shale	2895
Conglomerate & Arb.	2937

TOPS

Topeka	1264
Kansas City	2420
Arbuckle	2895