

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. \_\_\_\_\_

SIDE ONE

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238. No Log

LICENSE # 7186 EXPIRATION DATE \_\_\_\_\_

OPERATOR Docking Development Co. API NO. 15-191-20-23e

ADDRESS P. O. Bx. 928 COUNTY Sumner

Arkansas City, Ks. 67005 FIELD \_\_\_\_\_

\*\* CONTACT PERSON O. L. Bartleson PROD. FORMATION Simpson

PHONE 316-326-2485

PURCHASER \_\_\_\_\_ LEASE Donley

ADDRESS \_\_\_\_\_ WELL NO. " 2

DRILLING White & Ellis Drlg. Inc. 330 Ft. from West Line and

CONTRACTOR \_\_\_\_\_ 990 Ft. from North Line of (E)

ADDRESS Bx. 448 Eldorado, Ks 67042 the SE/4 (Qtr.) SEC 14 TWP 32s RGE 2e (W).

PLUGGING \_\_\_\_\_

CONTRACTOR \_\_\_\_\_

ADDRESS \_\_\_\_\_

TOTAL DEPTH 2942 PBTD \_\_\_\_\_

SPUD DATE 8-13-70 DATE COMPLETED 8-20-70

ELEV: GR NA DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE C-16,493

Amount of surface pipe set and cemented 262 DV Tool Used? \_\_\_\_\_

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other \_\_\_\_\_

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

WELL PLAT


(Office Use Only)

KCC \_\_\_\_\_  
KGS \_\_\_\_\_

SWD/REP \_\_\_\_\_  
PLG. \_\_\_\_\_

A F F I D A V I T

Frank Broadfoot, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Docking Development Co

OPERATOR

LEASE Donley

SEC. 14 TWP 32s RGE. 2e <sup>(XX)</sup>

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 2

Shew all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
X Check if no Drill Stem Tests Run.				
<u>FORMATION</u>				
Cellar & Sod				
Sand				
Shale & Lime				
Lime & Shale				
Lime				
Shale & Lime				
Shale & Lime Stks.				
Lime & Shale				
Sand & Shale				
Shale & Lime				
Lime & Shale				
Shale & Sand				
Lime				
Lime & Shale				
Shale				
Sand				
Shale & Sand				
Lime & Shale				
Shale				
Lime				
Lime & Sand				
Lime				
Shale				
Lime & Shale Stks				
Shale				
Sand				
<u>TOPS</u>				
Stalnaker		2055		
Kansas City		2422		
Simpson		2937		

If additional space is needed use Page 2, Side 2

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (In O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		8-5/8		262	Portland	165	
Production		5-1/2		2937	Portland	100	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
TUBING RECORD					
Size	Setting depth	Packer set at			

## CASING RECORD

8 5/8" 262' Cemented  
w/165 sacks

5 1/2" 2937' Cemented  
w/100 sacks

Total Depth 2942'

Location: Cen. S 1/2 NW SE

Section: 14-32-2E

Sumner County, Kansas

Farm: Donley #2

Well Owner: D. L. Donley

Contractor: WHITE &amp; ELLIS DRILLING, INC.

Commenced: 8-13-70

Completed: 8-20-70

## KELLY BUSHING MEASUREMENT 5' ABOVE GROUND LEVEL

<u>FORMATION</u>	<u>DEPTH</u>
Cellar & Sod	0-20
Sand	30
Shale & Lime	140
Lime & Shale	262
Lime	500
Shale & Lime	775
Shale & Lime Stks.	1100
Lime & Shale	1172
Sand & Shale	1230
Shale & Lime	1260
Lime & Shale	1600
Shale & Sand	1762
Lime	1788
Lime & Shale	1998
Shale	2055
Sand	2076
Shale & Sand	2208
Lime & Shale	2344
Shale	2476
Lime	2480
Lime & Sand	2522
Lime	2698
Shale	2770
Lime & Shale Stks.	2910
Shale	2937
Sand	2942

TOPS

Stalnaker	2055
Kansas City	2422
Simpson	2937