

# KANSAS DRILLERS LOG

API No. 15 — Sumner 191 — 20579  
County Number

S. 14 T. 32 R. 2 E

Loc. \_\_\_\_\_

County Sumner

Operator  
**D. L. Donley**  
Address  
**Box 274 Oxford, Kansas 67119**

Well No. # **11** Lease Name **Rothwell**


Footage Location  
feet from (N) (S) line feet from (E) (W) line

Principal Contractor **B & N Drilling Company** Geologist \_\_\_\_\_

Spud Date **3/11/76** Total Depth **1274'** P.B.T.D. \_\_\_\_\_

Date Completed **3/15/76** Oil Purchaser \_\_\_\_\_

640 Acres  
N



Locate well correctly

Elev.: Gr. \_\_\_\_\_

DF \_\_\_\_\_ KB \_\_\_\_\_

## CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

| Purpose of string | Size hole drilled | Size casing set (in O.D.) | Weight lbs/ft. | Setting depth | Type cement | Sacks | Type and percent additives |
|-------------------|-------------------|---------------------------|----------------|---------------|-------------|-------|----------------------------|
| Surface           | 9"                | 7"                        |                |               |             |       |                            |
| Production        | 6½"               | 4½"                       |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |
|                   |                   |                           |                |               |             |       |                            |

## LINER RECORD

| Top, ft. | Bottom, ft. | Sacks cement |
|----------|-------------|--------------|
|----------|-------------|--------------|

## PERFORATION RECORD

| Shots per ft. | Size & type | Depth interval |
|---------------|-------------|----------------|
|---------------|-------------|----------------|

## TUBING RECORD

| Size | Setting depth | Packer set at |
|------|---------------|---------------|
|------|---------------|---------------|

## ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

| Amount and kind of material used | Depth interval treated |
|----------------------------------|------------------------|
|                                  |                        |
|                                  |                        |
|                                  |                        |

## INITIAL PRODUCTION

|                                                    |                                                     |         |                       |               |      |
|----------------------------------------------------|-----------------------------------------------------|---------|-----------------------|---------------|------|
| Date of first production                           | Producing method (flowing, pumping, gas lift, etc.) |         |                       |               |      |
| RATE OF PRODUCTION PER 24 HOURS                    | Oil bbls.                                           | Gas MCF | Water bbls.           | Gas-oil ratio | CFPB |
| Disposition of gas (vented, used on lease or sold) |                                                     |         | Producing interval(s) |               |      |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

|                          |                        |                                                             |
|--------------------------|------------------------|-------------------------------------------------------------|
| Operator<br>D. L. Donley |                        | DESIGNATE TYPE OF COMP.: OIL, GAS,<br>DRY HOLE, SWDW, ETC.: |
| Well No.<br># 11         | Lease Name<br>Rothwell |                                                             |
| S 14 T 32 R 2 E<br>XX    |                        |                                                             |

### WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,  
OR OTHER DESCRIPTIVE INFORMATION.

| FORMATION DESCRIPTION, CONTENTS, ETC. | TOP | BOTTOM | NAME | DEPTH |
|---------------------------------------|-----|--------|------|-------|
| soil                                  | 0   | 5      |      |       |
| shale                                 | 5   | 20     |      |       |
| lime/shale                            | 20  | 185    |      |       |
| lime                                  | 185 | 200    |      |       |
| shale/lime streaks                    | 200 | 265    |      |       |
| lime                                  | 265 | 290    |      |       |
| shale                                 | 290 | 298    |      |       |
| lime/shale streaks                    | 298 | 312    |      |       |
| red shale                             | 312 | 320    |      |       |
| lime                                  | 320 | 332    |      |       |
| shale/lime streaks                    | 332 | 342    |      |       |
| shale                                 | 342 | 350    |      |       |
| lime                                  | 350 | 364    |      |       |
| shale/lime streaks                    | 364 | 376    |      |       |
| shale                                 | 376 | 382    |      |       |
| shale/lime streaks                    | 382 | 404    |      |       |
| lime                                  | 404 | 405    |      |       |
| shale/lime streaks                    | 405 | 408    |      |       |
| shale                                 | 408 | 421    |      |       |
| shale/lime streaks                    | 421 | 437    |      |       |
| shale                                 | 437 | 443    |      |       |
| shale/lime streaks                    | 443 | 446    |      |       |
| shale                                 | 446 | 450    |      |       |
| lime                                  | 450 | 453    |      |       |
| shale/lime streaks                    | 453 | 460    |      |       |
| lime                                  | 460 | 466    |      |       |
| shale/lime streaks                    | 466 | 495    |      |       |
| lime                                  | 495 | 499    |      |       |
| shale/lime streaks                    | 499 | 512    |      |       |
| shale                                 | 512 | 535    |      |       |
| shale/lime streaks                    | 535 | 538    |      |       |
| lime                                  | 538 | 542    |      |       |
| shale/lime streaks                    | 542 | 545    |      |       |
| lime                                  | 545 | 564    |      |       |
| shale                                 | 564 | 567    |      |       |
| lime/shale streaks                    | 567 | 574    |      |       |
| lime                                  | 574 | 579    |      |       |
| shale/lime streaks                    | 579 | 583    |      |       |
| lime                                  | 583 | 588    |      |       |
| lime/shale streaks                    | 588 | 593    |      |       |

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

|               |           |
|---------------|-----------|
| Date Received | Signature |
|               | Title     |
|               | Date      |

D. L. Donley  
# 11 Rothwell  
14-32S-2E

|                    |      |      |
|--------------------|------|------|
| lime               | 593  | 606  |
| shale/lime streaks | 606  | 610  |
| lime               | 610  | 615  |
| shale/lime streaks | 615  | 625  |
| lime               | 625  | 642  |
| shale/lime         | 642  | 650  |
| lime               | 650  | 660  |
| shale/lime         | 660  | 664  |
| lime               | 664  | 675  |
| shale/lime         | 675  | 679  |
| lime               | 679  | 688  |
| lime/shale         | 688  | 690  |
| lime               | 690  | 691  |
| shale              | 691  | 692  |
| shale/lime streaks | 692  | 693  |
| lime               | 693  | 694  |
| lime/shale streaks | 694  | 697  |
| lime               | 697  | 700  |
| lime/shale streaks | 700  | 704  |
| lime               | 704  | 705  |
| lime/shale streaks | 705  | 708  |
| lime               | 708  | 722  |
| lime/shale         | 722  | 734  |
| shale              | 734  | 741  |
| lime               | 741  | 743  |
| shale              | 743  | 778  |
| lime               | 778  | 783  |
| shale              | 783  | 844  |
| shale/lime         | 844  | 871  |
| shale              | 871  | 983  |
| shalc/lime         | 983  | 995  |
| shale              | 995  | 1021 |
| lime               | 1021 | 1024 |
| shale/lime         | 1024 | 1038 |
| lime               | 1038 | 1230 |
| sand/shale         | 1230 | 1274 |