

IMPORTANT  
Kans. Geo. Survey request  
samples on this well.

19-33-8E

KANSAS DRILLERS LOG  
WICHITA BRANCH

S. 19 T. 33 R. 8 E  
W

API No. 15 — 035 — 22,317 ✓  
County Number

Loc. C E2 NE SE


Operator  
Frank Groves

County Cowley

Address  
Box 774, 801 East Madison Ave. Arkansas City, Ks. 67005

640 Acres  
N

Well No. #G-1 Lease Name E. J. Snyder G 1



Footage Location  
1320 feet from (X) (S) line 330 feet from (Y) (W) line

Principal Contractor Dunbar Drilling Co Geologist Frank Morgan

Spud Date 9-10-79 Total Depth 2480 P.B.T.D. 2461

Locate well correctly  
Elev.: Gr. 1281

Date Completed 10-20-79 Oil Purchaser none as yet

DF \_\_\_\_\_ KB 1286

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additions
Surface pipe 8 7/8		8 5/8	20 lbs	165	Regular	65	2sx C Chl.
Oil String	6 7/8	4 1/2	10 1/2	2478	POz Mix	175	Salt & Gel

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2	3 1/2 Dml's	2396-2399 2404-2408

Size	Setting depth	Packer set at
2in Upset	2390	

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Halliburton NE acid 15% HAI 50 & 15N 750 gallons	2396-2399 2404-2408
Halliburton MCA Acid HAI -55 500 gallons	2396-2399 2404-2408

INITIAL PRODUCTION

Date of first production 10-20-79	Producing method (flowing, pumping, gas lift, etc.) Pumping 5 barrels of oil trace of water
RATE OF PRODUCTION PER 24 HOURS Oil 5 bbls. Gas 10,000 MCF Water 1 barrel bbls. Gas-oil ratio 5 to 1 CFPB	
Disposition of gas (vented, used on lease or sold) Held in well and a little vented	Producing interval (s) 2396-2399 2404-2408

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator

DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:

Frank Groves Box 774 Arkansas City, Kansas

*oil*

Well No.

Lease Name

1

Snyder- Groves 1

S 19 T 33 R 8 E W

WELL LOG

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
0-165 Surface				
752 lime & Shale				
1059 lime & Shale				
1335 Shale & liie				
1523 Lime Shale				
Laning formation	1692	(-406)		
Layton Sand	1851	(565)		
Kansas City	2036	(-750)		
Dodds Creek sd	2063	(777)		
Base Kcc	2204	(918)		
Lenapaugh	2230	(-944)		
Altamont	2309	(-1023)		
Weiser Sd	2332	(-1052)		
Pawnee	2401	(1115)		
F. Scott	2440	(1154)		

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received

*Frank Groves*

Signature

*Operator*

Title

*12-20-79*

Date

10-33-8E

DUNBAR DRILLING INC.  
5252 NORTH BROADWAY  
WICHITA, KANSAS 67219  
(316) 832-0501

19-33-8E  
State Geological Survey  
WICHITA, BRANCH

September 26, 1979

COMPANY

FRANK GROVES

FARM

E. J. SNYDER

WELL

# G-1

LOCATION

C E/2 NE SE Section 19-33S-8E  
Cowley County, Kansas

CASING RECORD

8 5/8" @ 165'/McPherson Dring.  
4 1/2" @ 2485'/175 sax.

COMMENCED

9/17/79

COMPLETED

9/22/79

DRILLING CONTRACTOR

DUNBAR DRILLING INC.  
5252 NORTH BROADWAY  
WICHITA, KANSAS 67219

DRILLERS LOG

0-165	set surface
752	lime & shale
1059	lime & shale
1335	shale & lime
1523	lime & shale
1780	lime & shale
1990	lime & shale
2125	lime & shale
2434	shale & lime
2485	shale & lime
2485	R.T.D.

RECEIVED  
STATE GEOLOGICAL COMMISSION

SEP 27 1979

CONSERVATION DIVISION  
Wichita, Kansas