

17-345-1E

INITIAL MUD
PRESSUREFINAL MUD
PRESSURE

172.5

169.5

1050

135

180

RUNNING
INTOOL OPEN
1 HRPULLING
OUT
SHUT IN
15 MINJOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 14 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Portland	Pressure Element	4500 #
Packer Set At	3052'	Max. Temp.	----
Water Cushion	-----	Mud Wt.	9.4
Recovery	500' salt water.	Date Calibrated	4 - 6 - 53
Total Depth	3070'		

Surface Pressure	----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54246		

Herndon Drilling Company


Box 489

Tulsa, Oklahoma



INITIAL MUD
PRESSURE

FINAL MUD
PRESSURE



JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 14 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Portland	Pressure Element	4500 #
Packer Set At	3052'	Total Depth	3070'
Water Cushion	-----	Max. Temp.	----
Recovery	500' salt water.	Mud Wt.	9.4
		Date Calibrated	4 - 6 - 53


Surface Pressure	----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54246		

Herndon Drilling Company

Box 489

Tulsa, Oklahoma





JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 14 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Portland	Pressure Element	4500 #
Packer Set At	3052'	Total Depth	3070'
Water Cushion	-----	Max. Temp.	----
Recovery	500' salt water.	Mud Wt.	9.4
		Date Calibrated	4 - 6 - 53

Surface Pressure	----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54246		

Herndon Drilling Company

Box 489

Tulsa, Oklahoma





1953 SEP 21 AM 8:28

L-418

4500

4-6-53





JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 13 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Portland	Pressure Element	4500 #
Packer Set At	3042'	Max. Temp.	---
Total Depth	3052'	Mud Wt.	9.4
Water Cushion	-----	Date Calibrated	4 - 6 - 53
Recovery	120' salt water and 60' mud.		

Surface Pressure	-----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54245		

Herndon Drilling Company

Box 489

Tulsa, Oklahoma



INITIAL MUD
PRESSURE

FINAL MUD
PRESSURE

172.5

172.5

106.5

135

20

RUNNING IN

PULLING OUT

TOOL OPEN
1 HR 30 MIN

SHUT IN
15 MIN

JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 13 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Rortland	Pressure Element	4500 #
Packer Set At	3042'	Total Depth	3052'
Water Cushion	-----	Max. Temp.	---
Recovery	120' salt water and 60' mud.	Mud Wt.	9.4
		Date Calibrated	4 - 6 - 53


Surface Pressure	-----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54245		

Herndon Drilling Company

Box 489

Tulsa, Oklahoma





JOHNSTON TESTERS, Inc.
SUB-SURFACE PRESSURE RECORD

Company	Herndon Drilling Company	Date of Test	9 - 13 - 53
Well No.	# 3 Posey	Recorder No.	L - 418
Location	Sumner County, Kansas; Rortland	Pressure Element	4500 #
Packer Set At	3042'	Max. Temp.	---
Total Depth	3052'	Mud Wt.	9.4
Water Cushion	-----	Date Calibrated	4 - 6 - 53
Recovery	120' salt water and 60' mud.		

Surface Pressure	-----	Choke Size: Top	5/8"	Bottom	5/8"	Number of Copies	3
Kind of Test	Formation	Operator	J.C. Kime	Test Ticket #	54245		

Herndon Drilling Company

Box 489

Tulsa, Oklahoma



1953 SEP 21 AM 8:45

L-418

4500

9-6-53

