


KANSAS DRILLERS LOG

State Geological Survey
WICHITA, BRANCHS. 10 T. 35 R. 2 E ~~24X~~Loc. SE NE NECounty Sumner640 Acres
N

Elev.: Gr. _____

DF _____ KB _____

API No. 15 — 191 — 20,396
County Number

Operator

Eufaula Enterprises, Inc.

Address

Box 6
Arkansas City, Kansas

Well No.

#1-A

Lease Name

Tom McClaskey

Footage Location

1320

feet from (X) (S) line

330

feet from (E) (X) line

Principal Contractor

Company tools

Geologist

Melvin F. Endicott

Spud Date

9-16-73

Total Depth

867

P.B.T.D.

Date Completed

Oil Purchaser

None

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface csg	10 3/4"	8 5/8"		250	Halliburton	170	
Production csg	6 3/4"	4 1/2"		864	Halliburton	100	

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at
2" EUE	803	803

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
804 to 812 2 shot per foot	
1000 Gallons 15% acid	

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
		Flowing			
RATE OF PRODUCTION PER 24 HOURS		Oil	Gas	Water	Gas-oil ratio
		bbbls.	800,000 MCF		bbbls. None CFPS
Disposition of gas (vented, used on lease or sold)				Producing interval (s)	
Sold					

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator Eufaula Enterprises, Inc.		DESIGNATE TYPE OF COMPLETION: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. I-A	Lease Name McClaskey	
S 10T35S R 2 ^E _W		Gas well

WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Soil, Sand & Lime	0	294		
Lime	294	332		
Shale	332	373		
Lime	373	394		
Shale	394	430		
Lime	430	491		
Shale & Lime	491	604		
Shale	604	644		
Lime	644	660		
Shaley Lime	660	670		
Lime	670	720		
Shale & Sand	720	788		
Neva Lime	788	820	Neva	
Shale	820	822		
Lime	822	826		
Shale	826	830		
Shale & Lime	830	867		
Total Depth	867			
No logs				
No Dst				
No cores				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	Signature Title Date
---------------	--

10-35-2E
API # 15-191-20,396

Operator - Eufaula Enterprises, Inc.

McClaskey Lease Well #1A
Sec. 10-35S-2E - Sumner County, Kansas

<u>FORMATION, DESCRIPTION, CONTENTS, ETC:</u>	<u>TOP</u>	<u>BOTTOM</u>
---	------------	---------------

Ls - grey, dense hard

815 820

Sh - grey

820 822

Ls - grey dense hard

822 826

Sh - grey

826 830

Sh - grey

830 867

LS - broken, white, grey

Drillers Total Depth 865 feet

C. G. J.

PERRY, ADAMS & LEWIS			#1 "A" TOM MC CLASKEY	10-35-2E SE NE NE
BOX 6, ARKANSAS CITY, KS				
CONTR CO. TOOLS		CTY SUMNER		
GEOLOGICAL MELVIN ENDICOTT		FIELD MURPHY		
E 1187 EKB CM 9/20/73		CARD ISSUED 10/11/73		IP O.F. 1,500,000 CFGPD NEVA 804-812
API 15-191-20,396				
SMP	TOPS	DEPTH	DATUM	
NEVA		788	+ 399	8 5/8" 240sx; 4 1/2" 865/100sx PF 804-812, SGN, A1000, SWB 1,500MCFGPD BTU
ID		867	+ 320	

INDEPENDENT OIL & GAS SERVICE
WICHITA, KANSAS