

KANSAS

SE NE SE NW
(NAO 83 KGS-DE 2022)WELL COMPLETION REPORT AND
DRILLER'S LOGAPI No. 15 — 099 — 21,083
County Number

Operator

S & S Oil Co.

Address

Box 304, Oswego, KS 67356

Well No.

3

Lease Name

Jiggs Abshier

Footage Location 350' F.N.L.

200' F.E.L.

feet from (N) (S) line

feet from (E) (W) line

Principal Contractor

Nance Drilling Co.

Geologist

Bill Kardos

Spud Date

1-30-80

Date Completed

1-25-80

Total Depth

985'

P.B.T.D.

N/A

Directional Deviation

None

Oil and/or Gas Purchaser

Cities Service Gas Co.


S. 6 T. 35 R. 20 E

Loc. 200' F.N.L. 350' F.N.L. S/2 N

County WICABETTE

640 Acres

N



Locate well correctly

Elev.: Gr. 912.94'

DF KB

CASING RECORD

Report of all strings set—surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Gas	6 1/2	2 3/8	7 1/2	650	Portland	105	None

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			14 per 10'	1/2	324-337

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
150 gal. 15% acid	324-337

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)		
None Shut-In				
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB
Disposition of gas (vented, used on lease or sold)			Producing interval (s)	
			324'-337	

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

DEPTH IN FEET FROM TO		KIND OF ROCK	REMARKS	DEPTH IN FEET FROM TO		KIND OF ROCK	REMARKS
0	9	Overburden		337	343	Black	Shale
9	26	Lime		343	344	Sandy	Lime
26	33	Drk. Gray	Shale	344	346	Gray	Sand
33	59	Lime		346	351	Brn Sand	(Good show of oil)
59	70	Brn Sand	Shale	351	408	Drk. Gray	Shale
70	152	Drk. Gray	Shale	408	607	Drk. Gray	Shale
152	167	Sand		607	670	MISS. Lime	
167	176	Drk. Gray	Shale			Sandy Lime	
176	181	Lime				645' 20-30 GPM salt water	
181	202	Drk. Gray	Shale	670	838	Brn. Lime	
202	301	Drk. Gray	Shale	838	845	Chert	
301	304	(Streaks of Lime)		845	894	White	
304	309	Gray	Sand	894	909	Lime	
309	326	Gray	Shale	909	912	Brn. Lime	
326	337	Sand		912	925	Chert	
		Drk. Gray	Shale	925	927	Gray Lime	
		Brn. Sand				Chert	
		Good show of oil				Green Shale	
						Green Lime	
						Green Shale	
						Green Shale	

927	930	Gray Lime				
930	931	Green				
931	935	Shale				
935	946	Gray Lime				
946	951	Green Shale				
951	954	Brn. Shale				
954	955	Green Shale				
955	959	White Lime				
959	970	Drk. Gray Shale				
970	981 1/2	Black Shale				
981 1/2	985	Chert				
		ARB				
		CAP Rock				