


WELL LOG BUREAU, KANSAS GEOLOGICAL SOCIETY  
719-720 Union National Bank Bldg., Wichita, Kansas

|                                                          |            |                      |                   |           |
|----------------------------------------------------------|------------|----------------------|-------------------|-----------|
| CASING RECORD                                            |            | LOCATION             | SEC 17 T 35 R 7E. |           |
|                                                          |            |                      | CWL SE SE         |           |
| 10" 1269                                                 | FARM       | Fall City Well No 24 | NO.               | COUNTY    |
| 20" 81-4 1872                                            | COMPANY    | A. Phillips          |                   |           |
| 15 1-2 89                                                | 6 5-8 2047 | CONTRACTOR           |                   |           |
| 12 1-2 1006                                              | 5 3-16     | COMMENCED            | 1925              | COMPLETED |
| TOTAL DEPTH                                              |            | SHOT                 | QUARTS BETWEEN    |           |
| CORRESPONDENCE REGARDING THIS WELL SHOULD BE REFERRED TO |            |                      |                   |           |



FIGURES INDICATE BOTTOM OF FORMATIONS  
REMARKS

| Formation               | Depth   | Formation             | Depth        |
|-------------------------|---------|-----------------------|--------------|
| cellar                  | 8       | shale                 | 940          |
| blue shale              | 12      | shale                 | 942          |
| lime                    | 17      | lime                  | 984          |
| lime                    | 19      | sdv shale             | 1000         |
| shale                   | 35      | shale                 | 1010         |
| red rock                | 55      | shale                 | 1018         |
| light shale             | 65      | 12 1/2 casing SL      |              |
| red rock                | 80      | red rock              | 1033         |
| lime                    | 92      | shale                 | 1035         |
| 15 1/2 casing set at 93 |         | sand                  | 1060 HFW     |
| lime                    | 125     | blue shale            | 1065         |
| lime                    | 145     | vblue shale           | 1075         |
| shale                   | 150     | sand                  | 1080         |
| lime                    | 180     | shale                 | 1095         |
| white shale             | 190     | sdv lime              | 1105         |
| lime                    | 205     | lime                  | 1117         |
| light shale             | 220     | blue shale            | 1130         |
| lime                    | 230     | lime                  | 1131         |
| lime                    | 240     | shale                 | 1181         |
| shale                   | 245     | shale                 | 1203         |
| lime                    | 253     | red shale             | 1218         |
| shale                   | 290     | red rock              | 1239 Caving. |
| lime                    | 300     | lime                  | 1244         |
| blue shale              | 310     | light shale           | 1248         |
| vblue shale             | 320     | Steel line 10" set.   |              |
| lime                    | 335     | blue shale            | 1290         |
| light shale             | 345     | red rock              | 1310         |
| lime                    | 350     | lime                  | 1315         |
| shale                   | 365     | light shale           | 1340         |
| lime                    | 375     | shale                 | 1343         |
| shells                  | 385     | lime                  | 1340         |
| shale                   | 415     | sand wtr HF           | 1361 HFW     |
| lime                    | 420     | blue shale            | 1405         |
| shale                   | 500 468 | lime                  | 1412         |
| shale                   | 520     | blue shale            | 1427         |
| lime                    | 548     | light shale           | 1440         |
| shale                   | 590     | dark shale            | 1455         |
| lime                    | 600     | blue shale            | 1470         |
| lime                    | 625     | lime                  | 1475         |
| shale                   | 640     | shale                 | 1478         |
| lime                    | 650     | lime                  | 1485         |
| shale                   | 665     | sand                  | 1520 wtr     |
| lime                    | 675     | sand                  | 1570         |
| lime                    | 683     | shale                 | 1585         |
| shale                   | 700     | shale                 | 1640         |
| lime                    | 705     | soft blue shale       | 1685         |
| shale                   | 730     | shale                 | 1710         |
| lime                    | 740     | sdv lime              | 1718         |
| lime                    | 765     | shale                 | 1735         |
| shale                   | 820     | shale                 | 1795         |
| sdv lime 10BW           | 850     | shale                 | 1803         |
| lime                    | 865     | sand                  | 1835         |
| shale                   | 870     | sand                  | 1845         |
| lime                    | 875     | shale                 | 1870         |
| shale                   | 880     | shale 8 1/2 1874 1/2" | 1885         |
| lime                    | 937     | blue shale SL.        | 2022         |

OVER



3-23-11959.

Map No. KANSAS Sec. 17 Twp. 35 R. 7

Well No. 24 Fall City Land Co

Phillips Pet. Company

Contractor

# FIRST REPT.

## SECTION PLAT

Ft. from N. Line

200' Ft. from S. Line

760' Ft. from E. Line

Ft. from W. Line

|  |  |  |   |
|--|--|--|---|
|  |  |  |   |
|  |  |  |   |
|  |  |  |   |
|  |  |  |   |
|  |  |  | 0 |

Location

Rig up LV

Drilling and Remarks:

## RECORD

Cased in. ft.

Sand

Gas

Oil

Total Depth

## PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas 2022-2063 Cu. Ft.

Dry Hole

Abandoned

Date

3/24

192

M. A. BENEAR

Scout

Form 26-1M Bks. 3-23-11959.

Map No. 7/16246 Sec. 17 Twp. 35 R. 7

Well No. 24 Fall City Land Co

Phillips Pet. Company

Contractor

# COMPLETED

## SECTION PLAT

Ft. from N. Line

200 Ft. from S. Line

760 Ft. from E. Line

Ft. from W. Line

|  |  |  |   |
|--|--|--|---|
|  |  |  |   |
|  |  |  |   |
|  |  |  |   |
|  |  |  |   |
|  |  |  | 0 |

Location

Rig up

Drilling and Remarks:

## RECORD

Cased in. ft.

Sand 2022-2063

Gas

Oil

Total Depth

## PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas 150/20 b/s Cu. Ft.

Dry Hole

Abandoned

Date

MAY 15 1925

192 CHAS. L. SHERWOOD Scout

| Date | REPORT                       |
|------|------------------------------|
| 3/24 | Reg up                       |
| 5/15 | Sand 2022-2063 - 150/20 lbs. |