



Operator Name ...Fairway Petroleum, Inc. Lessee Name ...Trujillo Well# ...3. SEC.12... TWP...8... RGE...21...

WELL LOG

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No

Formation Description  
 Log  Sample

Name	Top	B
Cap Rock	1210 - 1215	
Shale	1215 - 1244	
Sand	1244 - 1250	
Shale	1250 - 1257	
McLouth Sand	1267 - 1270	
Mississippi Lime	1309 - 1325	
TD	1325	

<b>TUBING RECORD</b>			size	set at	packer at	Liner Run	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Date of First Production	Producing method <input type="checkbox"/> flowing <input type="checkbox"/> pumping <input type="checkbox"/> gas lift <input type="checkbox"/> Other (explain) .....							
10/15/86								
Estimated Production Per 24 Hours	Oil	Gas	Water	Gas-Oil Ratio	Gravity			
	0 Bbls	150 MCF	0 Bbls					

Disposition of gas:  vented  
 sold  
 used on lease

**METHOD OF COMPLETION**  
 open hole  perforation  
 other (specify) .....

Dually Completed.  
 commingled

RECEIVED  
 STATE CORPORATION COMMISSION  
 FEB 11 1987  
 CONSERVATION DIVISION  
 Wichita, Kansas

CASING RECORD <input checked="" type="checkbox"/> new <input type="checkbox"/> used							
Report all strings set - conductor, surface, intermediate, production, etc.							
Purpose of string	size hole drilled	size casing set (in O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
surface production	9.7/8	7		42.80	Portland A	12	cal chlor
	6.1/4	4.1/2		1325	Portland A	127	6% gel

PERFORATION RECORD		Acid, Fracture, Shot, Cement Squeeze Record (amount and kind of material used)	
shots per foot	specify footage of each interval perforated		D
2	1272 - 1284		