


Section 13 Township 10 Range 21 W


Well No. # 1 Bass

Company D. G. Hansen



Sec. 13 Twp. 10 R. 21WWell No. #1 Bass FarmD. G. Hansen CompanyC & G Drlg. Contractor Ft. from N. Line330 Ft. from S. Line330 Ft. from E. Line Ft. from W. Line

SE SE NW



1952 Elev. 2270' REPORT

12/3 Spud 11-30-52
8" @ 165 WOC12/4 8" c 165 WOC (First Report)12/11 Anhy 1735 Topeka 3293 Heeb 3500
Tor 3519 Lans 3541 DST 3632-4412/18 DST Open 1/2 Hr. 2385 Wtr RTD 3830 5"
@ 3826

12/25 " " " " " "

1/1 POP

1/8 POP

1/22 NR

1/29 "

2/5 NR

2/12 NR

2/19 NR

2/26 NR

3/12 NR

3/19 NR

3/26 NR

4/2 "

4/9 "

OVER

#1 Bass

1953

4/16 NR

4/23 "

4/30 "

5/7 "

5/21 "

5/28 "

6/3 "

6/10 Spud 11-30-52

Oil Well

TD 3830'

8" @ 165'

Anhy 1735, Top 3293, Heeb 3500, Tor
3519, Lans 3541,

DST 3622-44 opn $\frac{1}{2}$ hr, rec 2385' wtr.

1390# Simp 3817, Arb 3824,

TD 3830'

5" @ 3826'

CO to 3830'

B/ 3 go & mph 2 hr. 500 A S/ 1.7 bopd


1500 A S/ $4\frac{1}{2}$ bopd 3 hr.

Comp. 40 bopd 62% wtr.

COMPLETED

J. G. McGEHEE

County Graham State kan
 Sec. 13 (Blk. 10) (Sur. 21W) (Twp. Map No.)
 Operator D. G. Hansen
 Well No. 1 Farm Bass
 Elev. 2270 Location SE SE NW



330 Ft. From S Line NW
330 Ft. From E Line Quarter
 Ist. Report
 Completion JUN 10 1953
 Remarks
C & G Drlg. - Contr.
 Spudding Date 11-30-52

Drlg. Data Oil well TD 3830
8" @ 165 Anhy 1735 Top. 3293
Heeb. 3500 Tor. 3519 Lans. 3541
DST 3622-44 open $\frac{1}{2}$ hr. Rec. 2385' wtr.
1390# Simp. 3817 Arb. 3824 TD 3830
5" @ 3826 CO to 3830 B/ 3 go & mph
2 hr. 500 A S/ 1.7 boph 1500 A
S/ $4\frac{1}{2}$ boph 3 hr. Comp. 40 boph 62% wtr.

J. G. McGEHEE