


KANSAS DRILLERS LOG

S. 2 T. 10 R. 16 

Loc. DUPLICATE

County Rooks

640 Acres
N



Locate well correctly

Elev.: Gr. _____

DF _____ KB _____

API No. 15 — 163 — 21083
County Number

Operator LEBEN OIL CORP.		
Address P. O. BOX 35528, TULSA, OK 74135		
Well No. 2	Lease Name BECKER	
Footage Location feet from (N) (S) line feet from (E) (W) line		
Principal Contractor		Geologist
Spud Date 07/14/80	Total Depth 3,500'	P.B.T.D. 3,300'
Date Completed 02/06/81	Oil Purchaser	

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at			

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production		Producing method (flowing, pumping, gas lift, etc.)			
RATE OF PRODUCTION PER 24 HOURS	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio CFPB	
Disposition of gas (vented, used on lease or sold)			Producing interval (s)		

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No.	Lease Name	
S _____ T _____ R _____ E _____ W		


WELL LOG

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN,
OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.				

Date Received


 Signature
 E. O. Fischer, Manager of Production
 Title
 April 1, 1981.
 Date

1880L

2-10-16W

W.E. Leitch Survey
WICHITA BRANCH
W.C.

SEP 8 0 1980

OPERATOR: Leben Oil CorporationWELL NAME: Becker #2LOCATION: 2-10S-16WCOUNTY: RooksSTATE: KansasWELL COMMENCED: July 14, 1980WELL COMPLETED: July 26, 1980ELEVATION: 1951' K. B.TOTAL DEPTH: 3500'PRODUCTION: OilRIG NO: #1

CASING - 8-5/8": 287.16' of used 28# cemented with 150 sxs common 3% cc 2% gel
Cement Circ
4 1/2" ~~XXXX~~: 3498.78 of new 10 1/2# cemented with 150 sxs 60/40 poz with 10%

ALL MEASUREMENTS TAKEN FROM THE TOP OF ROTARY BUSHING:

FROM	TO	FORMATION	DEVIATION FROM VERTICAL	REMARKS:
0'	167'			
167'	295'	surface shale-blue		
295'	840'	sand and shale	295' - 1/2 degree	
840'	1120'	shale and sand		
1120'	1159'	Anhydrite		
1159'	1340'	shale		
1340'	1625'	shale		
1625'	1830'	shale and lime	1692' - 3/4 degree	
1830'	2010'	shale		
2010'	2299'	shale		
2299'	2473'	lime and shale		
2473'	2655'	shale and lime		
2655'	2844'	shale and lime		
2844'	2925'	lime and shale		
2925'	2956'	lime and shale	2956' - 3/4 degree	
2956'	3053'	lime and shale		
3053'	3153'	lime and shale		
3153'	3256'	lime and shale		
3256'	3357'	lime and shale		
3357'	3423'	lime and shale		
3423'	3455'	lime and shale		
3455'	3455'			
3455'	3460'			
3460'	3485'	lime and shale		
3485'	3500'	lime and shale		
3500'	RTD			

RECEIVED
STATE COMMISSION
ANB - C 1980
CONSERVATION DIVISION
Wichita, Kansas