


15-163-23817

19-10s-18w



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **John O Farmer**

PO Box 352
Russell KS 67665

ATTN: Steve Murphy

19 10 18 Rooks KS

Vohs C #1

Start Date: 2009.08.16 @ 11:51:58

End Date: 2009.08.16 @ 16:49:58

Job Ticket #: 35535 DST #: 1

**KCC
SEP 2 4 2009
CONFIDENTIAL**

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 2 5 2009
CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

John O Farmer

Vohs C #1

19 10 18 Rooks KS

DST # 1

LKC "C"

2009.08.16



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

John O Farmer
PO Box 352
Russell KS 67665
ATTN: Steve Murphy


Vohs C #1
19 10 18 Rooks KS
Job Ticket: 35535 **DST#: 1**
Test Start: 2009.08.16 @ 11:51:58

GENERAL INFORMATION:

Formation: **LKC "C"**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 13:24:28
Time Test Ended: 16:49:58
Interval: **3332.00 ft (KB) To 3348.00 ft (KB) (TVD)**
Total Depth: 3348.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Good
Test Type: Conventional Bottom Hole
Tester: Kyle Kinderknecht
Unit No: 47
Reference Elevations: 2071.00 ft (KB)
2066.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 8319 **Inside**
Press@RunDepth: 293.57 psig @ 3335.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2009.08.16 End Date: 2009.08.16 Last Calib.: 2009.08.16
Start Time: 11:52:03 End Time: 16:49:57 Time On Btrn: 2009.08.16 @ 13:22:58
Time Off Btrn: 2009.08.16 @ 15:11:58

TEST COMMENT: IF BOB 3 min
FF BOB 5 min
FSI Weak



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1629.30	103.49	Initial Hydro-static
2	39.13	102.96	Open To Flow (1)
20	192.11	108.88	Shut-In(1)
50	439.98	107.34	End Shut-In(1)
50	192.47	107.25	Open To Flow(2)
78	293.57	108.76	Shut-In(2)
108	410.08	107.99	End Shut-In(2)
109	1610.00	107.82	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
310.00	Mdy Wtr	3.26
125.00	GsyStOcW 5%g 2%o 93%w	1.77
120.00	GsyOcW 5%g 10%o 85%w	1.70
30.00	GsyHOcW 20%g 30%o 50%w	0.43
0.00	120' GP	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35535

DST#: 1

ATTN: Steve Murphy

Test Start: 2009.08.16 @ 11:51:58

Tool Information

Drill Pipe:	Length: 3203.00 ft	Diameter: 3.82 inches	Volume: 45.40 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 42000.00 lb
			Total Volume: 46.00 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 36000.00 lb
Depth to Top Packer:	3332.00 ft			Final 38000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	16.00 ft			
Tool Length:	43.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3306.00	
Shut In Tool	5.00			3311.00	
Hydraulic tool	5.00			3316.00	
Jars	4.00			3320.00	
Safety Joint	3.00			3323.00	
Packer	4.00			3327.00	27.00 Bottom Of Top Packer
Packer	5.00			3332.00	
Stubb	1.00			3333.00	
Perforations	2.00			3335.00	
Recorder	0.00	8319	inside	3335.00	
Recorder	0.00	8369	inside	3335.00	
Perforations	10.00			3345.00	
Bullnose	3.00			3348.00	16.00 Bottom Packers & Anchor

Total Tool Length: 43.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35535

DST#: 1

ATTN: Steve Murphy

Test Start: 2009.08.16 @ 11:51:58

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

70000 ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.97 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3200.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
310.00	Mdy Wtr	3.265
125.00	GsySlOcW 5%g 2%o 93%w	1.772
120.00	GsyOcW 5%g 10%o 85%w	1.701
30.00	GsyHOcW 20%g 30%o 50%w	0.425
0.00	120' GIP	0.000

Total Length: 585.00 ft

Total Volume:

7.163 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments: RW .09 @ 90 DEG.

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **John O Farmer**

PO Box 352
Russell KS 67665

ATTN: Steve Murphy

19 10 18 Rooks KS

Vohs C #1

Start Date: 2009.08.16 @ 22:12:53

End Date: 2009.08.17 @ 04:06:23

Job Ticket #: 35536 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

John O Farmer


Vohs C #1

19 10 18 Rooks KS

DST # 2

LKC "D-F"

2009.08.16



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35536

DST#: 2

ATTN: Steve Murphy

Test Start: 2009.08.16 @ 22:12:53

GENERAL INFORMATION:

Formation: **LKC "D-F"**

Deviated: **No Whipstock** ft (KB)

Time Tool Opened: 23:42:53

Time Test Ended: 04:06:23

Test Type: **Conventional Bottom Hole**

Tester: **Kyle Kinderknecht**

Unit No: **47**

Interval: **3370.00 ft (KB) To 3394.00 ft (KB) (TVD)**

Total Depth: **3394.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Good**

Reference Elevations: **2071.00 ft (KB)**

2066.00 ft (CF)

KB to GR/CF: **5.00 ft**

Serial #: 8319

Inside

Press@RunDepth: **186.01 psig @ 3371.00 ft (KB)**

Start Date: **2009.08.16**

End Date: **2009.08.17**

Capacity: **7000.00 psig**

Last Calib.: **2009.08.17**

Start Time: **22:12:58**


End Time: **04:06:22**

Time On Btm: **2009.08.16 @ 23:41:23**

Time Off Btm: **2009.08.17 @ 02:45:53**

TEST COMMENT: **IF BOB 20 min**

FF BOB 40 min



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1655.13	103.51	Initial Hydro-static
2	19.93	103.15	Open To Flow (1)
33	106.99	107.87	Shut-in(1)
63	488.93	106.89	End Shut-in(1)
64	107.97	106.75	Open To Flow (2)
123	186.01	109.06	Shut-in(2)
183	485.35	108.41	End Shut-in(2)
185	1633.43	107.42	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
400.00	Mdy Wtr	4.54

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35536

DST#: 2

ATTN: Steve Murphy

Test Start: 2009.08.16 @ 22:12:53

Tool Information

Drill Pipe:	Length: 3230.00 ft	Diameter: 3.82 inches	Volume: 45.79 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 42000.00 lb
			Total Volume: 46.39 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial 37000.00 lb
Depth to Top Packer:	3370.00 ft			Final 37000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	24.00 ft			
Tool Length:	51.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3344.00	
Shut In Tool	5.00			3349.00	
Hydraulic tool	5.00			3354.00	
Jars	4.00			3358.00	
Safety Joint	3.00			3361.00	
Packer	4.00			3365.00	27.00 Bottom Of Top Packer
Packer	5.00			3370.00	
Stubb	1.00			3371.00	
Recorder	0.00	8319	Inside	3371.00	
Recorder	0.00	8369	Inside	3371.00	
Perforations	20.00			3391.00	
Bullnose	3.00			3394.00	24.00 Bottom Packers & Anchor

Total Tool Length: 51.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35536

DST#: 2

ATTN: Steve Murphy

Test Start: 2009.08.16 @ 22:12:53

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

80000 ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.96 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3200.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
400.00	Mdy Wtr	4.541

Total Length: 400.00 ft Total Volume: 4.541 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW .09 @ 80 deg.

Serial #: 8319


Inside


John O Farmer

19 10 18 Rooks KS

DST Test Number: 2

Pressure vs. Time





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **John O Farmer**

PO Box 352
Russell KS 67665

ATTN: Steve Murphy

19 10 18 Rooks KS

Vohs C #1

Start Date: 2009.08.17 @ 14:31:17

End Date: 2009.08.17 @ 18:33:17

Job Ticket #: 35537 DST #: 3

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

John O Farmer

Vohs C #1

19 10 18 Rooks KS

DST # 3

LKC "J"

2009.08.17



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

John O Farmer
 PO Box 352
 Russell KS 67665
 ATTN: Steve Murphy


Vohs C #1
19 10 18 Rooks KS
 Job Ticket: 35537 **DST#: 3**
 Test Start: 2009.08.17 @ 14:31:17

GENERAL INFORMATION:

Formation: **LKC "J"**
 Deviated: **No Whipstock** ft (KB)
 Test Type: **Conventional Bottom Hole**
 Time Tool Opened: **16:19:47**
 Tester: **Kyle Kinderknecht**
 Time Test Ended: **18:33:17**
 Unit No: **47**
 Interval: **3474.00 ft (KB) To 3490.00 ft (KB) (TVD)**
 Reference Elevations: **2071.00 ft (KB)**
 Total Depth: **3490.00 ft (KB) (TVD)**
 Hole Diameter: **7.88 inches** Hole Condition: **Good**
2066.00 ft (CF)
 KB to GR/CF: **5.00 ft**

Serial #: 8319 Inside
 Press@RunDepth: **18.03 psig @ 3477.00 ft (KB)** Capacity: **7000.00 psig**
 Start Date: **2009.08.17** End Date: **2009.08.17** Last Calib.: **2009.08.17**
 Start Time: **14:31:17** End Time: **18:33:12** Time On Btrn: **2009.08.17 @ 16:18:12**
 Time Off Btrn: **2009.08.17 @ 17:21:12**

TEST COMMENT: IF No blow flushed tool no blow
 FF No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1714.59	103.96	Initial Hydro-static
2	15.04	103.66	Open To Flow (1)
18	17.31	103.50	Shut-In(1)
32	84.59	103.67	End Shut-In(1)
33	17.07	103.65	Open To Flow (2)
47	18.03	104.26	Shut-In(2)
62	108.08	104.52	End Shut-In(2)
63	1696.32	105.14	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35537

DST#: 3

ATTN: Steve Murphy

Test Start: 2009.08.17 @ 14:31:17

Tool Information


Drill Pipe:	Length: 3355.00 ft	Diameter: 3.82 inches	Volume: 47.56 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 42000.00 lb
		Total Volume:	48.16 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	3474.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	16.00 ft			
Tool Length:	43.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3448.00	
Shut In Tool	5.00			3453.00	
Hydraulic tool	5.00			3458.00	
Jars	4.00			3462.00	
Safety Joint	3.00			3465.00	
Packer	4.00			3469.00	27.00 Bottom Of Top Packer
Packer	5.00			3474.00	
Stubb	1.00			3475.00	
Perforations	2.00			3477.00	
Recorder	0.00	8319	Inside	3477.00	
Recorder	0.00	8369	Inside	3477.00	
Perforations	10.00			3487.00	
Bullnose	3.00			3490.00	16.00 Bottom Packers & Anchor

Total Tool Length: 43.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35537

DST#: 3

ATTN: Steve Murphy

Test Start: 2009.08.17 @ 14:31:17

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.97 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3200.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud	0.025

Total Length: 5.00 ft

Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **John O Farmer**

PO Box 352
Russell KS 67665

ATTN: Steve Murphy

19 10 18 Rooks KS

Vohs C #1

Start Date: 2009.08.18 @ 00:02:58

End Date: 2009.08.18 @ 03:56:28

Job Ticket #: 35538 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

John O Farmer

Vohs C #1

19 10 18 Rooks KS

DST # 4

LKC "K"

2009.08.18



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

John O Farmer
 PO Box 352
 Russell KS 67665
 ATTN: Steve Murphy

Vohs C #1
19 10 18 Rooks KS
 Job Ticket: 35538 **DST#: 4**
 Test Start: 2009.08.18 @ 00:02:58

GENERAL INFORMATION:

Formation: **LKC "K"**
 Deviated: **No** Whipstock: ft (KB)
 Time Tool Opened: 01:36:58
 Time Test Ended: 03:56:28

Test Type: **Conventional Bottom Hole**
 Tester: **Kyle Kinderknecht**
 Unit No: **47**

Interval: **3488.00 ft (KB) To 3522.00 ft (KB) (TVD)**
 Total Depth: **3522.00 ft (KB) (TVD)**
 Hole Diameter: **7.88 inches** Hole Condition: **Good**

Reference Elevations: **2071.00 ft (KB)**
2066.00 ft (CF)
 KB to GR/CF: **5.00 ft**

Serial #: 8319


Inside

Press@RunDepth: **17.21 psig @ 3489.00 ft (KB)**
 Start Date: **2009.08.18** End Date: **2009.08.18**
 Start Time: **00:03:03** End Time: **03:56:28**

Capacity: **7000.00 psig**
 Last Calib.: **2009.08.18**
 Time On Btm: **2009.08.18 @ 01:36:28**
 Time Off Btm: **2009.08.18 @ 02:44:58**

TEST COMMENT: **IF 1/4" Died 9 min**

FF No blow



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1716.03	102.34	Initial Hydro-static
1	14.59	101.94	Open To Flow (1)
19	15.84	101.87	Shut-In (1)
37	435.76	102.20	End Shut-In (1)
37	16.23	102.10	Open To Flow (2)
54	17.21	102.35	Shut-In (2)
68	119.33	102.65	End Shut-In (2)
69	1708.09	103.11	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud w/oil spots	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35538

DST#: 4

ATTN: Steve Murphy

Test Start: 2009.08.18 @ 00:02:58

Tool Information

Drill Pipe:	Length: 3355.00 ft	Diameter: 3.82 inches	Volume: 47.56 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 122.00 ft	Diameter: 2.25 inches	Volume: 0.60 bbl	Weight to Pull Loose: 42000.00 lb
			Total Volume: 48.16 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	16.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	3488.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	34.00 ft			
Tool Length:	61.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3462.00	
Shut In Tool	5.00			3467.00	
Hydraulic tool	5.00			3472.00	
Jars	4.00			3476.00	
Safety Joint	3.00			3479.00	
Packer	4.00			3483.00	27.00 Bottom Of Top Packer
Packer	5.00			3488.00	
Stubb	1.00			3489.00	
Recorder	0.00	8319	inside	3489.00	
Recorder	0.00	8369	inside	3489.00	
Perforations	30.00			3519.00	
Bullnose	3.00			3522.00	34.00 Bottom Packers & Anchor

Total Tool Length: 61.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

John O Farmer

Vohs C #1

PO Box 352
Russell KS 67665

19 10 18 Rooks KS

Job Ticket: 35538 **DST#: 4**

ATTN: Steve Murphy

Test Start: 2009.08.18 @ 00:02:58

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 48.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.59 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud w/oil spots	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Pressure vs. Time

