
1-10s-19w

RECEIVED
OCT 03 2005
KCC WICHITA



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

1--10s--19w

Veatch # 1

Start Date: 2005.08.08 @ 15:57:34
End Date: 2005.08.09 @ 02:35:19
Job Ticket #: 22127 DST #: 1

15-163-23474-00-00

Coral Production Corp. Veatch # 1 1--10s--19w DST # 1 L.Kc.-A&B 2005.08.08

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22127 **DST#: 1**

Test Start: 2005.08.08 @ 15:57:34

GENERAL INFORMATION:

Formation: **L.Kc.-A&B**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 19:15:04
Time Test Ended: 02:35:19

Test Type: Conventional Bottom Hole
Tester: John Schmidt
Unit No: 31

Interval: 3412.00 ft (KB) To 3460.00 ft (KB) (TVD)
Total Depth: 3460.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair


Reference Elevations: 2196.00 ft (KB)
2188.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8018 **Inside**

Press@RunDepth: 52.77 psig @ 3416.00 ft (KB)
Start Date: 2005.08.08 End Date: 2005.08.09
Start Time: 15:57:35 End Time: 02:35:19

Capacity: 7000.00 psig
Last Calib.: 2005.08.09
Time On Btm: 2005.08.08 @ 19:13:34
Time Off Btm: 2005.08.08 @ 23:11:34

TEST COMMENT: IF-Good built to 9" in. ISI-Dead
FF-Strong B.O.B. in 34 min. FSI-Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1669.22	103.53	Initial Hydro-static
2	15.57	103.17	Open To Flow (1)
33	27.96	104.78	Shut-In(1)
77	280.45	105.11	End Shut-In(1)
77	27.34	105.01	Open To Flow (2)
138	52.77	105.66	Shut-In(2)
238	283.46	106.07	End Shut-In(2)
238	1626.72	106.58	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
90.00	HMCO-40%M--60%oil	1.26
10.00	Clean oil	0.14
0.00	270 gas in pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22127 **DST#: 1**

Test Start: 2005.08.08 @ 15:57:34

Tool Information

Drill Pipe:	Length:	3402.00 ft	Diameter:	3.80 inches	Volume:	47.72 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	2.70 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	2.25 inches	Volume:	0.00 bbl	
					Total Volume:	47.72 bbl	

Drill Pipe Above KB:	10.00 ft
Depth to Top Packer:	3412.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	48.00 ft
Tool Length:	68.00 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2000.00 lb
Weight set on Packer:	20000.00 lb
Weight to Pull Loose:	40000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	30000.00 lb
Final	30000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			3393.00		
Shut In Tool	5.00			3398.00		
Hydraulic tool	5.00			3403.00		
Packer	4.00			3407.00	20.00	Bottom Of Top Packer
Packer	5.00			3412.00		
Stubb	1.00			3413.00		
Perforations	2.00			3415.00		
Change Over Sub	1.00			3416.00		
Recorder	0.00	8018	Inside	3416.00		
Blank Spacing	30.00			3446.00		
Change Over Sub	1.00			3447.00		
Recorder	0.00	11084	Outside	3447.00		
Perforations	10.00			3457.00		
Bullnose	3.00			3460.00	48.00	Bottom Packers & Anchor
Total Tool Length:	**68.00**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22127 **DST#: 1**

Test Start: 2005.08.08 @ 15:57:34

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	8.37 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	ppm				
Filter Cake:	inches				


Recovery Information


Recovery Table

Length ft	Description	Volume bbl
90.00	HMCO-40%M--60%oil	1.262
10.00	Clean oil	0.140
0.00	270 gas in pipe	0.000

Total Length: 100.00 ft Total Volume: 1.402 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
8018 Pressure
8018 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
Pressure
Temperature
1750
1500
1250
1000
750
500
250
0
105
100
95
90
85
80
75
6PM
9PM
9 Tue
3AM
Time (Hours)
8 Mon Aug 2005



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

1--10s--19w

Veatch # 1

Start Date: 2005.08.09 @ 13:54:40
End Date: 2005.08.09 @ 22:31:40
Job Ticket #: 22128 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22128 **DST#: 2**

Test Start: 2005.08.09 @ 13:54:40

GENERAL INFORMATION:

Formation: **L.Kc.-C,D,E,F**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 15:34:55
Time Test Ended: 22:31:40

Test Type: Conventional Bottom Hole
Tester: John Schmidt
Unit No: 31

Interval: 3460.00 ft (KB) To 3500.00 ft (KB) (TVD)
Total Depth: 3460.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair


Reference Elevations: 2196.00 ft (KB)
2188.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8018 **Inside**

Press@RunDepth: 338.12 psig @ 3467.00 ft (KB)
Start Date: 2005.08.09 End Date: 2005.08.09
Start Time: 13:54:41 End Time: 22:31:40

Capacity: 7000.00 psig
Last Calib.: 2005.08.09
Time On Btm: 2005.08.09 @ 15:34:25
Time Off Btm: 2005.08.09 @ 19:23:55

TEST COMMENT: IF-Strong B.O.B.3 min. ISI-Strong B.O.B.12 min.
FF-Strong B.O.B.5 min. FSI-Strong B.O.B.18 min.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1681.58	102.74	Initial Hydro-static
1	33.07	102.27	Open To Flow (1)
29	149.80	107.92	Shut-In(1)
77	740.63	109.04	End Shut-In(1)
77	159.41	108.60	Open To Flow (2)
136	338.12	108.56	Shut-In(2)
227	723.13	108.91	End Shut-In(2)
230	1648.22	108.44	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
125.00	GMO-5%G-30%M-65%O	1.75
765.00	G.Oil-5%G-95%O	10.73
0.00	1364 gas in pipe	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22128 **DST#: 2**

Test Start: 2005.08.09 @ 13:54:40

Tool Information

Drill Pipe:	Length:	3466.00 ft	Diameter:	3.80 inches	Volume:	48.62 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	2.70 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	2.25 inches	Volume:	0.00 bbl	
					Total Volume:	48.62 bbl	

Drill Pipe Above KB:	26.00 ft
Depth to Top Packer:	3460.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	40.00 ft
Tool Length:	60.00 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2000.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	40000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	30000.00 lb
Final	34000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			3441.00		
Shut In Tool	5.00			3446.00		
Hydraulic tool	5.00			3451.00		
Packer	4.00			3455.00	20.00	Bottom Of Top Packer
Packer	5.00			3460.00		
Stubb	1.00			3461.00		
Perforations	6.00			3467.00		
Recorder	0.00	8018	Inside	3467.00		
Perforations	30.00			3497.00		
Recorder	0.00	13308	Outside	3497.00		
Bullnose	3.00			3500.00	40.00	Bottom Packers & Anchor
Total Tool Length:	**60.00**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22128 **DST#: 2**

Test Start: 2005.08.09 @ 13:54:40

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	35 deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	48.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	8.18 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	ppm				
Filter Cake:	inches				

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
125.00	GMO-5%G-30%M-65%O	1.753
765.00	G.Oil-5%G-95%O	10.731
0.00	1364 gas in pipe	0.000


Total Length: 890.00 ft Total Volume: 12.484 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:


Pressure vs. Time
8018 Pressure
8018 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Shut-In(2)
Shut-In(1)
Open To Flow(2)
Open To Flow(1)
1750
1500
1250
1000
750
500
250
-0
Pressure
110
105
100
95
90
85
80
Temperature
3PM
6PM
9PM
Time (Hours)
9 Tue Aug 2005



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

1--10s--19w

Veatch # 1

Start Date: 2005.08.10 @ 18:31:19
End Date: 2005.08.11 @ 01:34:04
Job Ticket #: 22129 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

DRILL STEM TEST REPORT

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22129 **DST#: 3**

Test Start: 2005.08.10 @ 18:31:19

GENERAL INFORMATION:

Formation: **L.Kc.-H,I,J,k**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 20:41:34
Time Test Ended: 01:34:04

Test Type: Conventional Bottom Hole
Tester: John Schmidt
Unit No: 31

Interval: 3530.00 ft (KB) To 3620.00 ft (KB) (TVD)
Total Depth: 3620.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair


Reference Elevations: 2196.00 ft (KB)
2188.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8018 **Inside**

Press@RunDepth: 27.19 psig @ 3536.00 ft (KB)
Start Date: 2005.08.10 End Date: 2005.08.11
Start Time: 18:31:20 End Time: 01:34:04

Capacity: 7000.00 psig
Last Calib.: 2005.08.11
Time On Btm: 2005.08.10 @ 20:41:19
Time Off Btm: 2005.08.10 @ 22:57:04

TEST COMMENT: IF-Weak Surface. ISI-Dead
FF-Dead FSI-Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1747.26	104.76	Initial Hydro-static
1	19.86	104.14	Open To Flow (1)
30	23.22	104.86	Shut-In(1)
59	633.26	105.39	End Shut-In(1)
59	24.49	105.14	Open To Flow (2)
88	27.19	105.38	Shut-In(2)
135	526.64	105.91	End Shut-In(2)
136	1713.99	106.29	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
19.00	SOCM-10%oil-90%mud	0.27
1.00	oil	0.01

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22129 **DST#: 3**

Test Start: 2005.08.10 @ 18:31:19

Tool Information

Drill Pipe:	Length:	3531.00 ft	Diameter:	3.80 inches	Volume:	49.53 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	2.70 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	2.25 inches	Volume:	0.00 bbl	
					Total Volume:	49.53 bbl	

Drill Pipe Above KB:	21.00 ft
Depth to Top Packer:	3530.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	90.00 ft
Tool Length:	110.00 ft
Number of Packers:	2 Diameter: 6.75 inches

Tool Weight:	2000.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	40000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	32000.00 lb
Final	32000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			3511.00		
Shut In Tool	5.00			3516.00		
Hydraulic tool	5.00			3521.00		
Packer	4.00			3525.00	20.00	Bottom Of Top Packer
Packer	5.00			3530.00		
Stubb	1.00			3531.00		
Perforations	4.00			3535.00		
Change Over Sub	1.00			3536.00		
Recorder	0.00	8018	Inside	3536.00		
Blank Spacing	60.00			3596.00		
Change Over Sub	1.00			3597.00		
Recorder	0.00	11084	Outside	3597.00		
Perforations	20.00			3617.00		
Bullnose	3.00			3620.00	90.00	Bottom Packers & Anchor
Total Tool Length:	**110.00**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22129 **DST#: 3**

Test Start: 2005.08.10 @ 18:31:19

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	8.37 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	ppm				
Filter Cake:	inches				

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
19.00	SOCM-10%oil-90%mud	0.267
1.00	oil	0.014


Total Length: 20.00 ft Total Volume: 0.281 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:


Pressure vs. Time
8018 Pressure
8018 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
1750
1500
1250
1000
750
500
250
0
Pressure
105
100
95
90
85
80
Temperature
9PM
11 Thu
10 Wed Aug 2005
Time (Hours)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

1--10s--19w

Veatch # 1

Start Date: 2005.08.11 @ 20:12:07
End Date: 2005.08.12 @ 06:32:07
Job Ticket #: 22130 DST #: 4

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

DRILL STEM TEST REPORT

TRILOBITE TESTING, INC.

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22130 **DST#: 4**

Test Start: 2005.08.11 @ 20:12:07

GENERAL INFORMATION:

Formation: **Arbuckle**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 23:07:52
Time Test Ended: 06:32:07

Test Type: Conventional Bottom Hole
Tester: John Schmidt
Unit No: 31

Interval: 3670.00 ft (KB) To 3750.00 ft (KB) (TVD)
Total Depth: 3750.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair


Reference Elevations: 2196.00 ft (KB)
2188.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8018 **Inside**

Press@RunDepth: 336.98 psig @ 3676.00 ft (KB)
Start Date: 2005.08.11 End Date: 2005.08.12
Start Time: 20:12:08 End Time: 06:32:07

Capacity: 7000.00 psig
Last Calib.: 2005.08.12
Time On Btm: 2005.08.11 @ 23:06:52
Time Off Btm: 2005.08.12 @ 02:52:22

TEST COMMENT: IF-Strong B.O.B.12 min. ISI-Dead
FF-Strong B.O.B.13 min. FSI-Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1845.90	106.55	Initial Hydro-static
1	24.56	105.78	Open To Flow (1)
29	133.21	111.80	Shut-In(1)
75	1119.92	110.80	End Shut-In(1)
75	136.74	110.44	Open To Flow (2)
134	336.98	113.36	Shut-In(2)
225	1119.94	111.87	End Shut-In(2)
226	1703.60	112.09	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
717.00	Muddy S.Water	10.06

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22130 **DST#: 4**

Test Start: 2005.08.11 @ 20:12:07

Tool Information

Drill Pipe:	Length:	3655.00 ft	Diameter:	3.80 inches	Volume:	51.27 bbl	
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	2.70 inches	Volume:	0.00 bbl	
Drill Collar:	Length:	0.00 ft	Diameter:	2.25 inches	Volume:	0.00 bbl	
					Total Volume:	51.27 bbl	

Drill Pipe Above KB:	5.00 ft
Depth to Top Packer:	3670.00 ft
Depth to Bottom Packer:	ft
Interval betw een Packers:	80.00 ft
Tool Length:	100.00 ft
Number of Packers:	2
Diameter:	6.75 inches

Tool Weight:	2000.00 lb
Weight set on Packer:	25000.00 lb
Weight to Pull Loose:	50000.00 lb
Tool Chased	0.00 ft
String Weight: Initial	33000.00 lb
Final	36000.00 lb

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Change Over Sub	1.00			3651.00		
Shut In Tool	5.00			3656.00		
Hydraulic tool	5.00			3661.00		
Packer	4.00			3665.00	20.00	Bottom Of Top Packer
Packer	5.00			3670.00		
Stubb	1.00			3671.00		
Perforations	4.00			3675.00		
Change Over Sub	1.00			3676.00		
Recorder	0.00	8018	Inside	3676.00		
Blank Spacing	60.00			3736.00		
Change Over Sub	1.00			3737.00		
Recorder	0.00	11084	Outside	3737.00		
Perforations	10.00			3747.00		
Bullnose	3.00			3750.00	80.00	Bottom Packers & Anchor
Total Tool Length:	**100.00**					

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

1600 Stout st.Ste.#1500
Denver,Co.80202

ATTN: Jim Weber

Veatch # 1

1--10s--19w

Job Ticket: 22130 **DST#: 4**

Test Start: 2005.08.11 @ 20:12:07

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	30000 ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	8.37 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psig		
Salinity:	ppm				
Filter Cake:	inches				


Recovery Information

Recovery Table

Length ft	Description	Volume bbl
717.00	Muddy S.Water	10.058

Total Length: 717.00 ft Total Volume: 10.058 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:


Pressure vs. Time
8018 Pressure
8018 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Shut-In(1)
Shut-In(2)
Open To Flow(1)
Open To Flow(2)
Pressure
Temperature
1750
1500
1250
1000
750
500
250
0
115
110
105
100
95
90
85
80
75
70
65
9PM
12 Fri
3AM
6AM
11 Thu Aug 2005
Time (Hours)