

27-10-19W

Handwritten initials and "PT" stamp.

SIDE ONE

AFFIDAVIT OF COMPLETION FORM

(REV) JSE-1

State of Kansas  
Wichita, Kansas

This form shall be filed in duplicate with the Kansas Corporation Commission, 200 Colorado Building, Wichita, Kansas 67202, within ten days after the completion of the well regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on side one will be of public record and side two will then be held confidential.

Circle one: Oil, Gas, Dry, SWD, OWWO, Injection. Type and complete ALL sections.

Applications must be filed for dual completion, commingling, SWD and injection, T.A.

Attach wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.).

KCC # (316) 263-3238. (Rules 82-2-105 & 82-2-125)

OPERATOR LIBERTY ENTERPRISES, INC.

API NO. 15-163-20,273-A

ADDRESS 308 West Mill  
Plainville, Kansas 67663

COUNTY Rooks

FIELD McKenna Field

\*\*CONTACT PERSON Charles G. Comeau  
PHONE 913-434-4686

PROD. FORMATION Kansas City

PURCHASER CRA, Inc.

LEASE Sutor

ADDRESS P.O. Box 7305  
Kansas City, Missouri

WELL NO. #1 OWWO


WELL LOCATION NW SW SE

DRILLING Pioneer Drilling Company, Inc.  
CONTRACTOR  
ADDRESS 308 West Mill  
Plainville, Kansas 67663

990 Ft. from South Line and  
2310 Ft. from East Line of  
the SE/4 SEC. 27 TWP. 10S RGE. 19W

WELL PLAT

PLUGGING  
CONTRACTOR  
ADDRESS



KCC  
KGS  
(Office Use)

TOTAL DEPTH 3687' PBTD 3681

SPUD DATE 9/17/81 DATE COMPLETED 4-26-82

ELEV: GR 2159' DF 2162' KB 2164'

DRILLED WITH (GAMMA) (ROTARY) (KOD) TOOLS

Amount of surface pipe set and cemented \_\_\_\_\_ DV Tool Used? \_\_\_\_\_

A F F I D A V I T

STATE OF Kansas, COUNTY OF Rooks SS, I, \_\_\_\_\_

Charles G. Comeau OF LAWFUL AGE, BEING FIRST DULY SWORN UPON HIS OATH,

DEPOSES THAT HE IS Secretary-Treasurer (FOR)(OF) LIBERTY ENTERPRISES, INC.

OPERATOR OF THE Sutor LEASE, AND IS DULY AUTHORIZED TO MAKE

THIS AFFIDAVIT FOR AND ON THE BEHALF OF SAID OPERATOR, THAT WELL NO. #1 OWWO ON

SAID LEASE HAS BEEN COMPLETED AS OF THE 26th DAY OF April, 19 82 AND THAT

73553  
27-10-19w

SIDE TWO

# WELL LOG

Show all important facts of geology and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, mud used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
washdown	0'	790'		
washdown	790'	2885'		
washdown	2885'	3570'	Topeka	310'
washdown	3570'	3687'	Heebner	3326'
	3687'	RTD	Toronto	334'
			Lansing	3366'
			Arbuckle	3672'

## ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used			Depth interval treated	
1000 gallon mud acid				
Retreated with 3000 gallon 15% E.B.				
Date of first production 4-26-82			Producing method (flowing, pumping, gas lift, etc.) Pumping	
Gravity				
RATE OF PRODUCTION PER 24 HOURS	OR 15	Gas bbls.	Water %	Gas-oil ratio bbls.
Disposition of gas (vented, used on lease or sold)			Perforations	

## Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"		228'	Common	175	
Production	7 7/8"	4 1/2"		3686'	RDC	150	

## LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2		3404-05

## TUBING RECORD

Size	Setting depth	Packer set at			
			2		3423-24

27-10-19W

P1

W E L L L O G

OPERATOR: Liberty Enterprises, Inc.

WELL NAME: Sutor #1 LOCATION: NW SW SE 27 10s-19W

COUNTY: Rooks STATE: Kansas

WELL COMMENCED: September 17, 1981 WELL COMPLETED: September 19, 1981

ELEVATION: 2164' K.B. TOTAL DEPTH: 3687'

PRODUCTION: Oil RIG NO: #1

CASING - 8 5/8": set @ 228' cemented with 175 sxs common OWWO

4 1/2" ~~5xxx2x~~: 88 Jts new 10.5# set @ 3686' cemented with 150 sxs R.D.C. P.D.@ 2:00 P.M.  
9-19-81 did circ.

ALL MEASUREMENTS TAKEN FROM THE TOP OF ROTARY BUSHING:

FROM	TO	FORMATION	DEVIATION FROM VERTICAL	REMARKS:
0'	790'	washdown		
790'	2885'	washdown		
2885'	3570'	washdown		
3570'	3687'	washdown		
3687'	R.T.D.			

RECEIVED  
STATE CORPORATION COMMISSION  
OCT 9 1981  
CONSERVATION DIVISION  
Wichita, Kansas

STATE OF KANSAS  
COUNTY OF

The undersigned hereby certifies that to the best of his knowledge and belief,  
the above facts are true and correct