


WELL LOG BUREAU--KANSAS GEOLOGICAL SOCIETY
508 East Murdock, Wichita, Kansas

Company- MID-STATES OIL CORPORATION
Farm- Teall "B" No. 1

SEC. 35 T. 10 R. 20W
NW NW NE

Total Depth. 3779
Comm. 8-14-51 Comp. 8-27-51
Shot or Treated.
Contractor. Barnett Drilling, Inc.
Issued. 5-24-52

County Rocks
KANSAS



CASING:
8 5/8" 141' cem w/125 sx
5 1/2" 3405' ? cem w/200 sx (Run 161 jts)

Elevation. 2195
2197 (red)

Production. Phy. Pot. 50 BOPD, no water

Figures Indicate Bottom of Formations.

surface shale, sand	40
shale sandy	95
shale blue	141
shale	345
shale, shells	690
sand, shale	845
shale, shells	1090
sand	1310
shale, shells	1625
anhydrite	1667
shale, shells	2532
shale, lime	3405
lime	3779
Total Depth	

Tops:

Topeka	3223
Heebner	3436
Toronto	3458
Lansing	3478
Conglomerate	3723
Simpson	3763
Arbuckle	3774

Phy. Pot. 50 bopd n. w. from
Arbuckle

35-10-20W
RECEIVED
STATE CORPORATION COMMISSION

Paul

MAY 5 1953

CONSERVATION DIVISION
Wichita, Kansas

KANSAS GEOLOGICAL SURVEY
WICHITA BRANCH

MAY 12 1953

BARNETT DRILLING, INC.
LOG OF WELL "B" WELL NO. 1
NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ SECTION 35-10S-20E, ROOKS COUNTY, KANSAS

DATE COMMENCED: August 14, 1951

DATE COMPLETED: August 27, 1951

Formation	From	To	Remarks
Surface Shale and Sand	0	40'	
Sandy Shale	40	95'	Set 3 5/8" Surf pipe at 141 feet; cemented with 125 sacks.
Blue Shale	95	141'	
Shale	141	345'	
Shale and Shells	345	690'	
Sand and Shale	690	845'	
Shale and Shells	845	1,090'	
Sand	1,090	1,310'	
Shale and Shells	1,310	1,625'	
Anhydrite	1,625	1,667'	
Shale and Shells	1,667	2,532'	Run 161 jts. 5 1/2" casing, cemented with 200 sacks cement.
Shale and Lime	2,532	3,405'	
Lime	3,405	3,772'	
Total Depth		3,772'	

Certificate

I, F. R. Stubblefield, of Barnett Drilling, Inc., hereby certify that to the best of my knowledge and belief, the above is a true and correct log of the Teall "B" Well No. 1, located in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 35-10S-20E, Rooks County, Kansas.

F. R. Stubblefield

Note: Copy sent KGS 5-15-52

Subscribed and sworn to before me in and for the County of Sedgwick, State of Kansas, this 18th day of September, 1951

Adelaide Oliver
Notary Public

My Commission Expires: May 12, 1955

35-10-20W

RECEIVED
STATE CORPORATION COMMISSION

CORPORATION COMMISSION OF
KANSAS

MAY 5 1951

WELL RECORD

CONSERVATION DIVISION
Wichita, Kansas

PRODUCER: Midstates Oil Corporation, 518 Nat'l Bank of Tulsa Bldg., Tulsa, Oklahoma

FARM NAME: Raymond Teall "B" WELL NUMBER: One (1)

WELL LOCATION: C/ NW NW NE Sec. 35-10S-20W, Rocks County, Kansas

DRILLING BEGAN: August 14, 1951 DRILLING COMPLETED: August 27, 1951

POTENTIAL TEST: 50 Barrels October 4, 1951

PRODUCING FORMATION: Arbuckle Lime

CASING RECORD

<u>Size Casing</u>	<u>Where Set</u>	<u>Number of Sacks of Cement</u>
8-5/8"	141	125 Sacks
5-1/2"	3774	200 Sacks

<u>Formation</u>	<u>Top</u>	<u>Bottom</u>
Surface Shale & Sand	0	40
Shale & Shells	40	1090
Sand	1090	1310
Shale & Shells	1310	1625
Anhydrite	1625	1667
Shale & Shells	1667	2532
Shale & Lime	2532	3039
Shaley Lime	3039	3270
Shale & Lime	3270	3405
Lime	3405	3774
Arbuckle Lime	3774	3779
Total Depth		3779

Signed: W. H. Barclay
W. H. Barclay

Date: October 15, 1951