


15-065-23063



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **White Eagle Res.Corp.**

PO Box 270948
Louisville, Co 80027-0948

ATTN: Mike Janeczko

14-10s-21w Graham

Driscoll #10

Start Date: 2005.05.28 @ 16:57:37

End Date: 2005.05.28 @ 22:20:06

Job Ticket #: 22668 DST #: 1

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948

ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22668 DST#: 1
Test Start: 2005.05.28 @ 16:57:37

GENERAL INFORMATION:

Formation: LKC
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 18:51:06
Time Test Ended: 22:20:06


Interval: 3591.00 ft (KB) To 3690.00 ft (KB) (TVD)
Total Depth: 3690.00 ft (KB) (TVD)
Hole Diameter: 7.85 inches Hole Condition: Fair

Test Type: Conventional Bottom Hole
Tester: Ray Schwager
Unit No: 28

Reference Elevations: 2284.00 ft (KB)
2275.00 ft (CF)
KB to GR/CF: 9.00 ft

Serial #: 8167 Inside
Press@RunDepth: 25.49 psig @ 3597.01 ft (KB) Capacity: 7000.00 psig
Start Date: 2005.05.28 End Date: 2005.05.28 Last Calib.: 2005.05.28
Start Time: 16:57:37 End Time: 22:20:06 Time On Btm: 2005.05.28 @ 18:48:06
Time Off Btm: 2005.05.28 @ 20:59:06

TEST COMMENT: IFF-surface bl died in 10 min
no bl on shut-in
FFF-no bl, flushed tool, got surface bl after flush
Times 30-30-30-30



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1710.84	99.05	Initial Hydro-static
3	17.08	98.93	Open To Flow (1)
33	19.63	99.63	Shut-in(1)
64	365.85	100.93	End Shut-in(1)
64	20.20	100.88	Open To Flow (2)
94	25.49	101.78	Shut-in(2)
124	301.79	102.53	End Shut-in(2)
131	1662.65	103.27	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	Mud w/show of oil in tool	0.15

Gas Rates

	Choke (Inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22668 **DST#: 1**
Test Start: 2005.05.28 @ 16:57:37

Tool Information

Drill Pipe:	Length: 3406.00 ft	Diameter: 3.80 inches	Volume: 47.78 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 65000.00 lb
			<u>Total Volume: 48.67 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	16.00 ft			String Weight: Initial 50000.00 lb
Depth to Top Packer:	3591.00 ft			Final 50000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	99.02 ft			
Tool Length:	120.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			3571.00	
Shut In Tool	5.00			3576.00	
Hydraulic tool	5.00			3581.00	
Packer	5.00			3586.00	21.00 Bottom Of Top Packer
Packer	5.00			3591.00	
Stubb	1.00			3592.00	
Perforations	5.00			3597.00	
Recorder	0.01	8167	Inside	3597.01	
Blank Spacing	63.00			3660.01	
Perforations	27.00			3687.01	
Recorder	0.01	13534	Outside	3687.02	
Bullnose	3.00			3690.02	99.02 Bottom Packers & Anchor

Total Tool Length: 120.02



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22668 DST#: 1
Test Start: 2005.05.28 @ 16:57:37

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.87 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	Mud w/show of oil in tool	0.148

Total Length: 30.00 ft Total Volume: 0.148 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Driscoll #10


DST Test Number: 1


White Eagle Res. Corp.

Inside

Serial #: 8167

Pressure vs. Time





TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **White Eagle Res. Corp.**

PO Box 270948
Louisville, Co 80027-0948

ATTN: Mike Janeczko

14-10s-21w Graham

Driscoll #10

Start Date: 2005.05.29 @ 11:58:01

End Date: 2005.05.29 @ 18:21:30

Job Ticket #: 22669 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

White Eagle Res. Corp.
 PO Box 270948
 Louisville, Co 80027-0948
 ATTN: Mike Janeczko


Driscoll #10
14-10s-21w Graham
 Job Ticket: 22669 **DST#: 2**
 Test Start: 2005.05.29 @ 11:58:01

GENERAL INFORMATION:

Formation: **Arbuckle**
 Deviated: **No** Whipstock: ft (KB)
 Time Tool Opened: 13:46:30
 Time Test Ended: 18:21:30
 Interval: **3738.00 ft (KB) To 3793.00 ft (KB) (TVD)**
 Total Depth: **3793.00 ft (KB) (TVD)**
 Hole Diameter: **7.85 inches** Hole Condition: **Fair**
 Test Type: **Conventional Bottom Hole**
 Tester: **Ray Schwager**
 Unit No: **28**
 Reference Elevations: **2284.00 ft (KB)**
 2275.00 ft (CF)
 KB to GR/CF: **9.00 ft**

Serial #: 8167 **Inside**
 Press@RunDepth: **43.35 psig @ 3740.01 ft (KB)**
 Start Date: **2005.05.29** End Date: **2005.05.29**
 Start Time: **11:58:01** End Time: **18:21:30**
 Capacity: **7000.00 psig**
 Last Calib.: **2005.05.29**
 Time On Btm: **2005.05.29 @ 13:43:00**
 Time Off Btm: **2005.05.29 @ 13:43:00**

TEST COMMENT: FFP-w k bl thru-out 1/4"to 1"bl
 FFP-w k bl thru-out 1/4"to surface bl
 Times 45-45-45-45
 no bl on shut-in



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1797.50	99.03	Final Hydro-static
4	18.79	98.55	Open To Flow (1)
49	31.51	101.60	Shut-In(1)
92	570.77	102.13	End Shut-In(1)
93	36.51	101.99	Open To Flow (2)
139	43.35	103.26	Shut-In(2)
184	523.01	104.19	End Shut-In(2)
188	1803.27	104.80	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
1.00	CO	0.00
10.00	OCWM 5%O 45%W 50%M	0.05
60.00	SOCWM 1%O 20%W 79%M	0.30

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22669 **DST#: 2**
Test Start: 2005.05.29 @ 11:58:01

Tool Information

Drill Pipe:	Length: 3563.00 ft	Diameter: 3.80 inches	Volume: 49.98 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 85000.00 lb
			<u>Total Volume: 50.87 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	26.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	3738.00 ft			Final 52000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	55.02 ft			
Tool Length:	76.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3718.00	
Shut In Tool	5.00			3723.00	
Hydraulic tool	5.00			3728.00	
Packer	5.00			3733.00	21.00 Bottom Of Top Packer
Packer	5.00			3738.00	
Stubb	1.00			3739.00	
Perforations	1.00			3740.00	
Recorder	0.01	8167	Inside	3740.01	
Blank Spacing	33.00			3773.01	
Perforations	17.00			3790.01	
Recorder	0.01	13534	Outside	3790.02	
Bullnose	3.00			3793.02	55.02 Bottom Packers & Anchor

Total Tool Length: 76.02



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22669 **DST#: 2**
Test Start: 2005.05.29 @ 11:58:01

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	11000 ppm
Viscosity: 47.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.93 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 4000.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1.00	CO	0.005
10.00	OCWM 5%O 45%W 50%M	0.049
60.00	SOCWM 1%O 20%W 79%M	0.295

Total Length: 71.00 ft Total Volume: 0.349 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: RW.54@72F

Drisco #10
14-10s-21w Graham


DST Test Number: 2


White Eagle Res. Corp.

Inside

Serial #: 8167

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **White Eagle Res.Corp.**

PO Box 270948
Louisville, Co 80027-0948

ATTN: Mike Janeczko

14-10s-21w Graham


Driscoll #10

Start Date: 2005.05.30 @ 00:09:33

End Date: 2005.05.30 @ 08:06:32

Job Ticket #: 22670 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko


Driscoll #10
14-10s-21w Graham
Job Ticket: 22670 DST#: 3
Test Start: 2005.05.30 @ 00:09:33

GENERAL INFORMATION:

Formation: **Arbuckle**
Deviated: **No** Whipstock: ft (KB)
Time Tool Opened: 02:28:02
Time Test Ended: 08:06:32
Interval: **3738.00 ft (KB) To 3799.00 ft (KB) (TVD)**
Total Depth: **3799.00 ft (KB) (TVD)**
Hole Diameter: **7.85 inches** Hole Condition: Fair
Test Type: Conventional Bottom Hole
Tester: **Ray Schwager**
Unit No: **28**
Reference Elevations: **2284.00 ft (KB)**
2275.00 ft (CF)
KB to GR/CF: **9.00 ft**

Serial #: 8167 **Inside**
Press@RunDepth: **98.28 psig @ 3743.01 ft (KB)** Capacity: **7000.00 psig**
Start Date: **2005.05.30** End Date: **2005.05.30** Last Calib.: **2005.05.30**
Start Time: **00:09:33** End Time: **08:06:32** Time On Btrn: **2005.05.30 @ 02:24:32**
Time Off Btrn: **2005.05.30 @ 05:37:02**

TEST COMMENT: FFP-w k bl thru-out 1/2" to 2 1/2" bl
FFP-surface bl thru-out
Times 45-45-45-45
no bl on shut-in



PRESSURE SUMMARY

Time (Mn.)	Pressure (psig)	Temp (deg F)	Annotation
0	1811.79	97.77	Initial Hydro-static
4	22.51	97.53	Open To Flow (1)
49	67.33	100.55	Shut-In(1)
94	718.75	101.34	End Shut-In(1)
95	73.43	101.24	Open To Flow (2)
139	98.28	102.48	Shut-In(2)
185	692.35	103.42	End Shut-In(2)
193	1765.31	103.82	Final Hydro-static

Recovery

Length (ft)	Description	Volume (tbi)
5.00	CO	0.02
180.00	OCVM 5%O 40%W 55%M	0.93

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22670 **DST#: 3**
Test Start: 2005.05.30 @ 00:09:33

Tool Information

Drill Pipe:	Length: 3563.00 ft	Diameter: 3.80 inches	Volume: 49.98 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 65000.00 lb
			<u>Total Volume: 50.87 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	26.00 ft			String Weight: Initial 50000.00 lb
Depth to Top Packer:	3738.00 ft			Final 52000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	61.02 ft			
Tool Length:	82.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3718.00	
Shut In Tool	5.00			3723.00	
Hydraulic tool	5.00			3728.00	
Packer	5.00			3733.00	21.00 Bottom Of Top Packer
Packer	5.00			3738.00	
Stubb	1.00			3739.00	
Perforations	4.00			3743.00	
Recorder	0.01	8167	Inside	3743.01	
Blank Spacing	33.00			3776.01	
Perforations	20.00			3796.01	
Recorder	0.01	13534	Outside	3796.02	
Bullnose	3.00			3799.02	61.02 Bottom Packers & Anchor

Total Tool Length: 82.02

DRILL STEM TEST REPORT

FLUID SUMMARY

White Eagle Res. Corp.

Driscoll #10

PO Box 270948
Louisville, Co 80027-0948

14-10s-21w Graham

Job Ticket: 22670

DST#: 3

ATTN: Mike Janeczko

Test Start: 2005.05.30 @ 00:09:33

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 50.00 sec/qt
Water Loss: 7.93 in³
Resistivity: ohm.m
Salinity: 4000.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: 28 deg API
Water Salinity: 13000 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	CO	0.025
180.00	OCWM 5%O 40%W 55%M	0.931

Total Length: 185.00 ft Total Volume: 0.956 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: RW.7@50F

Driscoll #10
14-10s-21w Graham


DST Test Number: 3


Serial #: 8167

Inside

White Eagle Res. Corp.

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **White Eagle Res.Corp.**

PO Box 270948
Louisville, Co 80027-0948

ATTN: Mike Janeczko

14-10s-21w Graham

Driscoll #10

Start Date: 2005.05.30 @ 15:51:11

End Date: 2005.05.30 @ 23:08:40

Job Ticket #: 22671 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

White Eagle Res.Corp.

Driscoll #10

14-10s-21w Graham

DST # 4

Arbuckle

2005.05.30



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko


Driscoll #10
14-10s-21w Graham
Job Ticket: 22671 DST#: 4
Test Start: 2005.05.30 @ 15:51:11

GENERAL INFORMATION:

Formation: **Arbuckle**
Deviated: **No** Whipstock: ft (KB)
Time Tool Opened: 18:14:10
Time Test Ended: 23:08:40
Interval: **3737.00 ft (KB) To 3805.00 ft (KB) (TVD)**
Total Depth: **3805.00 ft (KB) (TVD)**
Hole Diameter: **7.85 inches** Hole Condition: **Fair**
Test Type: **Conventional Bottom Hole**
Tester: **Ray Schwager**
Unit No: **28**
Reference Elevations: **2284.00 ft (KB)**
2275.00 ft (CF)
KB to GR/CF: **9.00 ft**

Serial #: 8167 **Inside**
Press@RunDepth: **111.36 psig @ 3744.01 ft (KB)** Capacity: **7000.00 psig**
Start Date: **2005.05.30** End Date: **2005.05.30** Last Calib.: **2005.05.30**
Start Time: **15:51:11** End Time: **23:08:40** Time On Btrr: **2005.05.30 @ 18:10:40**
Time Off Btrr: **2005.05.30 @ 21:17:10**

TEST COMMENT: FFP-w k bl thru-out 1/2" to 2 1/2" bl
FFP-w k bl thru-out surface bl to 1/4" bl
Times 45-45-45-45
no bl on shut-in



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1805.08	97.42	Initial Hydro-static
4	24.12	96.44	Open To Flow (1)
49	85.06	99.13	Shut-In(1)
93	810.27	100.98	End Shut-In(1)
93	89.81	100.80	Open To Flow (2)
137	111.36	101.08	Shut-In(2)
182	764.38	101.85	End Shut-In(2)
187	1806.06	102.62	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
60.00	HOCM 20%O 80%M	0.30
150.00	SOCMV 4%O 50%W 46%M	1.01

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

White Eagle Res. Corp.
PO Box 270948
Louisville, Co 80027-0948
ATTN: Mike Janeczko

Driscoll #10
14-10s-21w Graham
Job Ticket: 22671 **DST#: 4**
Test Start: 2005.05.30 @ 15:51:11

Tool Information

Drill Pipe:	Length: 3566.00 ft	Diameter: 3.80 inches	Volume: 50.02 bbl	Tool Weight: 2200.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 180.00 ft	Diameter: 2.25 inches	Volume: 0.89 bbl	Weight to Pull Loose: 100000.0 lb
			<u>Total Volume: 50.91 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	3737.00 ft			Final 53000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	68.02 ft			
Tool Length:	89.02 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3717.00	
Shut In Tool	5.00			3722.00	
Hydraulic tool	5.00			3727.00	
Packer	5.00			3732.00	21.00 Bottom Of Top Packer
Packer	5.00			3737.00	
Stubb	1.00			3738.00	
Perforations	6.00			3744.00	
Recorder	0.01	8167	Inside	3744.01	
Blank Spacing	33.00			3777.01	
Perforations	25.00			3802.01	
Recorder	0.01	13534	Outside	3802.02	
Bullnose	3.00			3805.02	68.02 Bottom Packers & Anchor

Total Tool Length: 89.02

DRILL STEM TEST REPORT

FLUID SUMMARY

White Eagle Res. Corp.

Driscoll #10

PO Box 270948
Louisville, Co 80027-0948

14-10s-21w Graham

Job Ticket: 22671

DST#: 4

ATTN: Mike Janeczko

Test Start: 2005.05.30 @ 15:51:11

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

15000 ppm

Viscosity: 44.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.34 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 4000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
60.00	HOCM 20%O 80%M	0.295
150.00	SOCMV 4%O 50%V 46%M	1.011

Total Length: 210.00 ft Total Volume: 1.306 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW.54@58F

Driscoll #10
14-10s-21w Graham

DST Test Number: 4

White Eagle Res. Corp.

Inside

Serial #: 8167

Pressure vs. Time

