


15-065-23236

10-10s-22w

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 22 2007

CONSERVATION DIVISION
WICHITA, KS



DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Strout St Ste 1500
Denver CO 80202

KCC
JAN 18 2007
CONFIDENTIAL

ATTN: Jim Weber

10 10S 22W Graham KS

Brassfield # 10-1

Start Date: 2006.12.03 @ 14:59:15

End Date: 2006.12.03 @ 22:53:15

Job Ticket #: 26166 DST #: 1

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 26166

DST#: 1

Test Start: 2006.12.03 @ 14:59:15

GENERAL INFORMATION:

Formation: **L.Kc.-A & B**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 16:41:45

Time Test Ended: 22:53:15

Test Type: **Conventional Bottom Hole**

Tester: **John Schmidt**

Unit No: **31**

Interval: **3578.00 ft (KB) To 3636.00 ft (KB) (TVD)**

Total Depth: **3636.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2336.00 ft (KB)**

2328.00 ft (CF)

KB to GR/CF: **8.00 ft**

Serial #: 8018

Inside

Press@RunDepth: **229.05 psig @ 3581.00 ft (KB)**

Start Date: **2006.12.03**

End Date:

2006.12.03

Start Time: **14:59:20**

End Time:

22:53:14

Capacity: **7000.00 psig**

Last Calib.: **2006.12.03**

Time On Btm: **2006.12.03 @ 16:41:15**


Time Off Btm: **2006.12.03 @ 20:30:15**

TEST COMMENT: **IF Strong BOB 16 min.**

ISI Very weak Surface Blow

FF Strong BOB 18 min.

FSI Very weak Surface Blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1713.50	92.07	Initial Hydro-static
1	27.82	91.74	Open To Flow (1)
31	110.73	98.13	Shut-In (1)
76	808.89	105.00	End Shut-In (1)
77	115.83	104.52	Open To Flow (2)
137	229.05	109.40	Shut-In (2)
229	796.65	109.82	End Shut-In (2)
229	1663.89	110.00	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
310.00	SW	4.07
125.00	OCM 4% O 96% M	1.75
10.00	Clean Oil	0.14
0.00	130 GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

Brassfield # 10-1

1600 Strout St Ste 1500
Denver CO 80202

10 10S 22W Graham KS

Job Ticket: 26166

DST#: 1

ATTN: Jim Weber

Test Start: 2006.12.03 @ 14:59:15

Tool Information

Drill Pipe:	Length: 3530.00 ft	Diameter: 3.80 inches	Volume: 49.52 bbl	Tool Weight: 2600.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 60000.00 lb
		Total Volume: 49.67 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	11.00 ft			String Weight: Initial 56000.00 lb
Depth to Top Packer:	3578.00 ft			Final 57000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	58.00 ft			
Tool Length:	86.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3551.00	
Shut In Tool	5.00			3556.00	
Hydraulic tool	5.00			3561.00	
Jars	5.00			3566.00	
Safety Joint	3.00			3569.00	
Packer	4.00			3573.00	28.00 Bottom Of Top Packer
Packer	5.00			3578.00	
Stubb	1.00			3579.00	
Perforations	1.00			3580.00	
Change Over Sub	1.00			3581.00	
Recorder	0.00	8018	Inside	3581.00	
Blank Spacing	31.00			3612.00	
Change Over Sub	1.00			3613.00	
Recorder	0.00	11084	Outside	3613.00	
Perforations	20.00			3633.00	
Bullnose	3.00			3636.00	58.00 Bottom Packers & Anchor
Total Tool Length:		86.00			



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Brassfield # 10-1

1600 Strout St Ste 1500
Denver CO 80202

10 10S 22W Graham KS

Job Ticket: 26166

DST#: 1

ATTN: Jim Weber

Test Start: 2006.12.03 @ 14:59:15

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

34 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

85000 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
310.00	SW	4.066
125.00	OCM 4%O 96%M	1.753
10.00	Clean Oil	0.140
0.00	130 GIP	0.000

Total Length: 445.00 ft

Total Volume: 5.959 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

10 10S 22W Graham KS

Brassfield # 10-1

Start Date: 2006.12.04 @ 04:24:18

End Date: 2006.12.04 @ 12:08:48

Job Ticket #: 21167 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21167

DST#: 2

Test Start: 2006.12.04 @ 04:24:18

GENERAL INFORMATION:

Formation: **L.Kc.-D**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 06:01:48

Time Test Ended: 12:08:48

Test Type: **Conventional Bottom Hole**

Tester: **John Schmidt**

Unit No: **31**

Interval: **3633.00 ft (KB) To 3648.00 ft (KB) (TVD)**

Total Depth: **3648.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2336.00 ft (KB)**

2328.00 ft (CF)

KB to GR/CF: **8.00 ft**

Serial #: 8018

Inside

Press@RunDepth: **355.98 psig @ 3635.00 ft (KB)**

Start Date: **2006.12.04**

End Date:

2006.12.04

Start Time: **04:24:23**

End Time:

12:08:47


Capacity: **7000.00 psig**

Last Calib.: **2006.12.04**

Time On Btm: **2006.12.04 @ 06:00:48**

Time Off Btm: **2006.12.04 @ 09:46:18**

TEST COMMENT: IF Strong BOB 2 min.
ISI Strong BOB 23 min.
FF Strong BOB 2 1/2 min.
FSI Strong BOB 10 min.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1736.16	89.89	Initial Hydro-static
1	54.10	99.60	Open To Flow (1)
29	177.52	112.07	Shut-In(1)
75	669.06	109.68	End Shut-In(1)
76	190.92	109.53	Open To Flow (2)
134	355.98	112.95	Shut-In(2)
225	672.05	111.56	End Shut-In(2)
226	1706.75	111.48	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
120.00	OCM 20%O 80%M	1.40
820.00	Clean Gsy Oil 10%G 90%O	11.50
0.00	1610 GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21167

DST#: 2

Test Start: 2006.12.04 @ 04:24:18

Tool Information

Drill Pipe:	Length: 3586.00 ft	Diameter: 3.80 inches	Volume: 50.30 bbl	Tool Weight: 2600.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 60000.00 lb
		Total Volume: 50.45 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	12.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	3633.00 ft			Final 44000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	15.00 ft			
Tool Length:	43.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3606.00	
Shut In Tool	5.00			3611.00	
Hydraulic tool	5.00			3616.00	
Jars	5.00			3621.00	
Safety Joint	3.00			3624.00	
Packer	4.00			3628.00	28.00 Bottom Of Top Packer
Packer	5.00			3633.00	
Stubb	1.00			3634.00	
Perforations	1.00			3635.00	
Recorder	0.00	8018	Inside	3635.00	
Perforations	10.00			3645.00	
Recorder	0.00	13308	Outside	3645.00	
Bullnose	3.00			3648.00	15.00 Bottom Packers & Anchor

Total Tool Length: 43.00



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Brassfield # 10-1

1600 Strout St Ste 1500
Denver CO 80202

10 10S 22W Graham KS

Job Ticket: 21167

DST#: 2

ATTN: Jim Weber

Test Start: 2006.12.04 @ 04:24:18

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

36 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.38 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
120.00	OCM 20%O 80%M	1.401
820.00	Clean Gsy Oil 10%G 90%O	11.502
0.00	1610 GIP	0.000

Total Length: 940.00 ft

Total Volume: 12.903 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8018


Inside


Coral Production Corp

10 10S 22W Graham KS

DST Test Number: 2

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

10 10S 22W Graham KS

Brassfield # 10-1

Start Date: 2006.12.04 @ 18:50:15

End Date: 2006.12.05 @ 00:48:15

Job Ticket #: 21168 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21168

DST#: 3

Test Start: 2006.12.04 @ 18:50:15

GENERAL INFORMATION:

Formation: **L.Kc.-E & F**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 20:16:15

Time Test Ended: 00:48:15

Test Type: **Conventional Bottom Hole**

Tester: **John Schmidt**

Unit No: **31**

Interval: **3653.00 ft (KB) To 3677.00 ft (KB) (TVD)**

Total Depth: **3677.00 ft (KB) (TVD)**

Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Reference Elevations: **2336.00 ft (KB)**

2328.00 ft (CF)

KB to GR/CF: **8.00 ft**

Serial #: 8018

Inside

Press@RunDepth: **40.12 psig @ 3654.00 ft (KB)**

Start Date: **2006.12.04**

End Date:

2006.12.05

Start Time: **18:50:20**

End Time:

00:48:14


Capacity: **7000.00 psig**

Last Calib.: **2006.12.05**

Time On Btm: **2006.12.04 @ 20:15:45**

Time Off Btm: **2006.12.04 @ 22:45:15**

TEST COMMENT: IF Weak built to 3 "
ISI Dead
FF Weak built to 2 "
FSI Dead



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1743.48	89.75	Initial Hydro-static
1	16.73	89.24	Open To Flow (1)
29	33.91	91.55	Shut-In(1)
59	311.09	95.19	End Shut-In(1)
60	35.78	95.02	Open To Flow (2)
89	40.12	97.83	Shut-In(2)
149	320.57	101.48	End Shut-In(2)
150	1727.16	102.39	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
48.00	OCM 10%O 90%M	0.39
2.00	Oil	0.03

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21168

DST#: 3

Test Start: 2006.12.04 @ 18:50:15

Tool Information

Drill Pipe:	Length: 3623.00 ft	Diameter: 3.80 inches	Volume: 50.82 bbl	Tool Weight: 2600.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 60000.00 lb
		Total Volume: 50.97 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	29.00 ft			String Weight: Initial 56000.00 lb
Depth to Top Packer:	3653.00 ft			Final 56000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	24.00 ft			
Tool Length:	52.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3626.00	
Shut In Tool	5.00			3631.00	
Hydraulic tool	5.00			3636.00	
Jars	5.00			3641.00	
Safety Joint	3.00			3644.00	
Packer	4.00			3648.00	28.00 Bottom Of Top Packer
Packer	5.00			3653.00	
Stubb	1.00			3654.00	
Recorder	0.00	8018	Inside	3654.00	
Perforations	20.00			3674.00	
Recorder	0.00	13308	Outside	3674.00	
Bullnose	3.00			3677.00	24.00 Bottom Packers & Anchor

Total Tool Length: 52.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Brassfield # 10-1

1600 Strout St Ste 1500
Denver CO 80202

10 10S 22W Graham KS

ATTN: Jim Weber

Job Ticket: 21168

DST#: 3

Test Start: 2006.12.04 @ 18:50:15

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.79 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
48.00	OCM 10%O 90%M	0.391
2.00	Oil	0.028

Total Length: 50.00 ft

Total Volume: 0.419 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:


Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp**

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

10 10S 22W Graham KS

Brassfield # 10-1

Start Date: 2006.12.05 @ 15:52:29

End Date: 2006.12.05 @ 22:03:29

Job Ticket #: 21169 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21169

DST#: 4

Test Start: 2006.12.05 @ 15:52:29

GENERAL INFORMATION:

Formation: L.Kc.-J-K

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 17:17:59

Time Test Ended: 22:03:29

Test Type: Conventional Bottom Hole

Tester: John Schmidt

Unit No: 31

Interval: 3748.00 ft (KB) To 3800.00 ft (KB) (TVD)

Total Depth: 3800.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2336.00 ft (KB)

2328.00 ft (CF)

KB to GRVCF: 8.00 ft

Serial #: 8018

Inside

Press@RunDepth: 52.87 psig @ 3751.00 ft (KB)

Start Date: 2006.12.05

End Date: 2006.12.05

Start Time: 15:52:34

End Time: 22:03:28


Capacity: 7000.00 psig

Last Calib.: 2006.12.05

Time On Btm: 2006.12.05 @ 17:17:29

Time Off Btm: 2006.12.05 @ 20:20:59

TEST COMMENT: IF Weak to fair built to 5 "
ISI Dead
FF Weak to good built to 9 "
FSI Dead



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1814.48	93.71	Initial Hydro-static
1	18.05	92.63	Open To Flow (1)
33	33.32	97.81	Shut-In(1)
61	1119.26	100.22	End Shut-In(1)
62	30.88	99.87	Open To Flow (2)
121	52.87	103.02	Shut-In(2)
183	1134.91	105.21	End Shut-In(2)
184	1812.39	105.37	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
100.00	GMCO 5%G 35%M 60%Oil	1.12
0.00	210 GIP	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp

1600 Strout St Ste 1500
Denver CO 80202

ATTN: Jim Weber

Brassfield # 10-1

10 10S 22W Graham KS

Job Ticket: 21169

DST#: 4

Test Start: 2006.12.05 @ 15:52:29

Tool Information

Drill Pipe:	Length: 3717.00 ft	Diameter: 3.80 inches	Volume: 52.14 bbl	Tool Weight: 2600.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.70 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume:	52.29 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	3748.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	52.00 ft			
Tool Length:	80.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		
Tool Comments:				

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3721.00	
Shut In Tool	5.00			3726.00	
Hydraulic tool	5.00			3731.00	
Jars	5.00			3736.00	
Safety Joint	3.00			3739.00	
Packer	4.00			3743.00	28.00 Bottom Of Top Packer
Packer	5.00			3748.00	
Stubb	1.00			3749.00	
Perforations	1.00			3750.00	
Change Over Sub	1.00			3751.00	
Recorder	0.00	8018	Inside	3751.00	
Blank Spacing	30.00			3781.00	
Change Over Sub	1.00			3782.00	
Recorder	0.00	11084	Outside	3782.00	
Perforations	15.00			3797.00	
Bullnose	3.00			3800.00	52.00 Bottom Packers & Anchor
Total Tool Length:	80.00				



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp

Brassfield # 10-1

1600 Strout St Ste 1500
Denver CO 80202

10 10S 22W Graham KS

Job Ticket: 21169

DST#: 4

ATTN: Jim Weber

Test Start: 2006.12.05 @ 15:52:29

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.99 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
100.00	GMCO 5%G 35%M 60%Oil	1.120
0.00	210 GIP	0.000

Total Length: 100.00 ft

Total Volume: 1.120 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

