

5

API NO. 15-065-22,320.....

County.....Graham.....

..NE ..NW ..NW Sec. 15 Twp 10S Rge. 22W ~~West~~ West

..48.30'... Ft North from Southeast Corner of Section
..41.30'... Ft West from Southeast Corner of Section

(Note: Locate well in section plat below)

Lease Name Griffith Well # 1

Field Name.....Wildcat.....

Producing Formation.....Arbuckle.....

Elevation: Ground.....2284.....KB.....2289.....

Operator Contact Person Terry Williamson..
Phone 316 793 8229.....

Contractor: License # 4087
Name Williamson Drlg. Inc

Wellsite Geologist.....Rod Tremblay.....
Phone.....316 792 6625.....

Designate Type of Completion

☒ New Well	☐ Re-Entry	☐ Workover
☐ Oil	☐ SWD	☐ Temp Abd
☐ Gas	☐ Inj	☐ Delayed Comp.
☒ Dry	☐ Other (Core, Water Supply etc.)	

If ONWO: old well info as follows:

Operator
Well Name
Comp. DateOld Total Depth.....

WELL HISTORY

Drilling Method: ☒ Mud Rotary ☐ Air Rotary ☐ Cable

2-3-87.....	2-9-87.....	2-9-87.....
Spud Date	Date Reached TD	Completion Date
3900'.....		
Total Depth	PBTD	

Amount of Surface Pipe Set and Cemented at 313 feet
Multiple Stage Cementing Collar Used? Yes X No
If yes, show depth set.....feet
If alternate 2 completion, cement circulated
from.....feet depth to.....w/.....SX cmt
Cement Company Name Allied Cementing Co.
Invoice # 48159 & 48123.....

[illegible]

WATER SUPPLY INFORMATION

Disposition of Produced Water:	Disposal
Docket #	Repressuring

Questions on this portion of the ACO-1 call:

Water Resources Board (913) 296-3717

Source of Water:

Division of Water Resources Permit #. Farm. Pond..

Groundwater.....Ft North from Southeast Corner
(Well)Ft West from Southeast Corner of
Sec Twp Rge East West

X Surface Water 350.0 Ft North from Southeast Corner
(Stream, pond, etc.) 400.0 Ft West from Southeast Corner
Sec 15 Twp 10 S Rge 22 East x West

Other (explain).....
(purchased from city, R.W.D. #)

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply.

Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months.

One copy of all wireline logs and drillers time log shall be attached with this form. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

W 33-01-21

SIDE TWO

75685

Operator Name Williamson Drlg. Inc Lease Name Griffith Well #1

Sec 15 Twp 10s Rge 22 East West County Graham

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken [] Yes [X] No
Samples Sent to Geological Survey [X] Yes [] No
Cores Taken [] Yes [X] No

Formation Description
[] Log [X] Sample

Table with 3 columns: Name, Top, Bottom. Rows include Anhydrite, Heebner, Toronto, Lansing, Base K/C, Marmaton, R.T.D.

CASING RECORD [X] New [] Used
Report all strings set-conductor, surface, intermediate, production, etc.
Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs/Ft., Setting Depth, Type of Cement, #Sacks Used, Type and Percent Additives.
PERFORATION RECORD
Table with 4 columns: Shots Per Foot, Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Squeeze Record (Amount and Kind of Material Used), Depth.
TUBING RECORD
Table with 4 columns: Size, Set At, Packer at, Liner Run [] Yes [] No.
Date of First Production, Producing Method [] Flowing [] Pumping [] Gas Lift [] Other (explain).

15-10-226

WILLIAMSON DRILLING, INC.

2008-11TH

GREAT BEND, KANSAS 67530

(316) 793-8229

DRILLERS' WELL LOG

Date Commenced: February 3, 1987
Date Completed: February 9, 1987

Williamson Drilling, Inc.
Griffith #1
NE NW NW Sec. 15,
Twp. 10s, Rge. 22w
Graham County, Ks.


Surface Casing: Ran 7 jts New 20# 8 5/8" casing.
Set @ 313'. Cemented w/175 sks. 50/50 poz.,
2% gel, 3% CC.

0 - 1300'	Surface Soil Clay & Post Rock
300 - 1515'	Sand & Clay
1515 - 1811'	Redbed
1811 - 1849'	Anhydrite
1849 - 3125'	Shale w/Lime Stringers
3125 - 3526'	Lime w/Shale Stringers
3526 - 3531'	Carb. Shale
3531 - 3790'	Lime w/Shale Stringers
3790 - 3810'	Shale & Lime
3810 - 3872'	Lime w/Shale Stringers
3872 - 3900'	Chert & Dolomite
3900'	RTD

A F F I D A V I T

STATE OF KANSAS
SS.
COUNTY of BARTON

Terry L. Williamson, of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.


Terry L. Williamson

Subscribed and Sworn to before me this 14th day of April, 1987.