

FORM 51

Rooks

Section 27 Township 10 Range 17W

KANSAS

Well No. 1 Colby

Company Trans-Era

NORTH

WEST

EAST

SOUTH

11

B

Rooks

KANSAS ✓

Sec. 27 Twp. 10 R. 17 WWell No. # 1 Coloy FarmTran-Era Company

Contractor

Wildcat

330 Ft. from N. Line


Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

NE NE SW

Atl. \$6000



1953 Elev. 2070' REPORT

2/4 Spud 1-31-53
8" @ 183
Drlg. 980'

2/12 Anhy 1315' Top 3018'
DST 3314-47, 1 hr, 20' M plus SSO
610#
Drlg. 3350'

2/19 Cong 3569'
DST 3565-90, 1 hr, 5' M Simp 3632
Arb 3674' RTD 3678'
5" @ 3675½

2/26 CO 3678' HFW PB 3410'
12/3374-78' 12/3384-86 2000 A
S/4 BFPH 18 hrs 16% wtr. 2500 A
S/7 BFPH 7% wtr. POP

3/12 NR

3/19 NR

3/25 Spud 1-31-53
Oil Well
TD 3679
8" @ 183
Anhy 1315, Top 3018
DST 3314-47, opn 1 hr., rec.
20' mud & rainbow sho of oil
610#

OVER


#1 Colby
(Information Brought Forward)

1953
3/25

Lans 3285
DST 3375-89, opn 1 hr., rec.
517' oil, 30' ocm, 60' wtr.
Cong 3569
DST 3565-90, opn 1 hr., rec.
5' mud, 0#
Simp 3632, Arb. 3674
TD 3678
5" @ 3675
CO to 3679, HFW PB 3505
12/3486-90, FU 52' wph
24/3384-88, 500A
S/4 bfph 18 hrs., 16% wtr.
SP 3380
12/3374-78, S/4 $\frac{1}{2}$ bfph
CO to 3402, 2500A
S/5-3/4 boph 7% wtr.
P/75 bopd
Comp. 86 bopd

COMPLETED


County Rooks State Kans.
 Sec. 27 (Blk.) 10 (Sur.) 17W Map No.
 Operator Trans-Era
 Well No. I Farm Colby
 Elev. Location NE NE SW



330 Ft. From N Line SW
330 Ft. From E Line Quarter
 Ist. Report FEB 4 1953
 Completion
 Remarks Atl. \$6000
 Spudding Date 1-31-53

Drlg. Data Wildcat
8" @ 183 drlg. 980

County _____ Rocks _____ State Kansas
 Sec. 27 (Blk.) 10 (Sur.) 17W Map No. _____
 Operator Trans-Era
 Well No. 1 Farm Colby
 Elev. 2070 Location NE NE SW



330 Ft. From N Line SW
 330 Ft. From E Line Quarter

1st. Report _____

Completion MAR 25 1953

Remarks Colby Pool

Spudding Date 1-31-53

Drlg. Data Oil well TD 3679

8" @ 183 Anhy 1315 Top. 3018

DST 3314-47 open 1 hr. Rec. 20' mud &
rainbow show of oil 610# Lans. 3285

DST 3375-89 open 1 hr. Rec. 517' oil
30' ocm 60' wtr. Cong. 3569

DST 3565-90 open 1 hr. Rec. 5' mud 0#
Simp. 3632 Arb. 3674 TD 3678

5" @ 3675 CO to 3679 HFW PB 3505

12/ 3486-90 FU 52' wph 24/ 3384-88

500 A S/ 4 bfph 18 hr. 16% wtr.

SP 3380 12/ 3374-78 S/ 4 1/2 bfph

CO to 3402 2500 A S/ 5 3/4 bfph 7% wtr.

P/ 75 bopd Comp. 86 bopd

J. G. McGEHEE