

State Geological Survey  
WICHITA BRANCH

**KANSAS DRILLERS LOG**


S. 18 T. 10S R. 32 ~~X~~ W

Loc. 1980' FSL, 660' FEL

API No. 15 — 193 — 20,095  
County Number

County Thomas

640 Acres  
N



Elev.: Gr. 3086'

DF 3089' KB 3091'

Operator  
Cities Service Oil Company

Address  
209 E. William, 700 Sutton Place Bldg., Wichita, Kansas 67202

Well No. 1 Lease Name Flipse "A"

Footage Location  
1980 feet from (N) (S) line 660 feet from (E) (W) line

Principal Contractor Abercrombie Drilling, Inc. Geologist Gary Shaffer

Spud Date 10/11/76 Total Depth 4710' P.B.T.D.

Date Completed 10/26/76 Oil Purchaser

**CASING RECORD**

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12-1/4"	8-5/8"	24#	437'	Class "A"	325	2% CaCl <sub>2</sub>

**LINER RECORD**

**PERFORATION RECORD**

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

**TUBING RECORD**

Size	Setting depth	Packer set at

**ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD**

Amount and kind of material used	Depth interval treated

**INITIAL PRODUCTION**

Date of first production Dry Hole Producing method (flowing, pumping, gas lift, etc.)

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) Producing interval (s)

411 MAR 17 1976

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

<b>Operator</b> Cities Service Oil Company		<b>DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:</b>
<b>Well No.</b> 1	<b>Lease Name</b> Flipse "A"	Dry Hole
S 18 T 10S R 32 <del>W</del> W		


**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
See Attached				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

<b>Date Received</b>	 Signature
	E. W. Peterman
	Region Operations Manager
	Title
	11/9/76
	Date

81-96L

18-10-32

CONTRACTOR'S WELL LOG

OPERATOR: Cities Service Oil Co.  
 CONTRACTOR: Abercrombie Drilling, Inc.  
 WELL NAME: FLIPSE "A" #1  
 LOCATION: C NE SE, Sec. 18-10S-32W  
 Thomas County, Kansas  
 SPUD DATE: October 12, 1976  
 COMPLETION DATE: October 26, 1976

0	445	Top Soil & Sand
445	1115	Sand & Shells
1115	1700	Sand & Shale
1700	1755	Sand
1755	2640	Sand & Shale
2640	3333	Shale & Lime
3333	3525	Lime & Shale
3525	3645	Shale & Lime
3645	3990	Lime & Shale
3990	4058	Lime
4058	4095	Shale & Lime
4095	4199	Lime
4199	4205	Shale & Lime
4205	4272	Lime
4272	4285	Shale & Lime
4285	4334	Lime
4334	4595	Shale & Lime
4595	4625	Lime
4625	4698	Shale & Lime
4698	4710	Lime
	4710	Rotary Total Depth

Spudded at 11:45 a.m. 10-12-76. Drilled 445' of 12 1/4" hole. Ran 11 jts. of 8 5/8" - 24# casing. (Total 429.68') Set at 437.67' with 325 sx. common cement, 2% Ca. Cl. Plug was down at 1:15 p.m. Cement circulated.

T.D. 4698', set 1st plug at 1500' with 70 sx., 2nd plug at 350' with 20 sx., 3rd plug at 40' with 10 sx. Plug was down at 10:15 a.m. 10-26-76. State Plugger - Gilbert Balthazor.

SAMPLE TOPS:

Anhydrite 2598'  
 B/Anhydrite 2634'

STATE OF KANSAS .)  
 ) SS  
 COUNTY OF SEDGWICK )

Jack L. Partridge, Assistant Secretary-Treasurer of Abercrombie Drilling, Inc., does hereby state that the above and foregoing is a true and correct copy of the log of the FLIPSE "A" #1, C NE SE, Section 18, 10S, 32W, Thomas County, Kansas.