

5/22/82
KCC FND
1-1036W

F
TYPE
SIDE ONE

* AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

State Geological Survey
WICHITA BRANCH

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # _____ EXPIRATION DATE _____

OPERATOR Sunburst Exploration Company, Inc. & API NO. 15-193-20,243
ADDRESS Claud B. Hamill
708 One Main Place COUNTY Thomas
Wichita, Kansas 67202 FIELD Wildcat
** CONTACT PERSON Ronald L. Irion PROD. FORMATION
PHONE (316) 262-3041

PURCHASER _____ LEASE Medford "F"
ADDRESS _____ WELL NO. 1
WELL LOCATION C S/2 NE

DRILLING Thunderbird Drilling, Inc. 660Ft. from South Line and
CONTRACTOR ADDRESS P.O. Box 18407 1320Ft. from East Line of
Wichita, Kansas 67218 the NE (Qtr.) SEC 1 TWP 10S RGE 36W.

PLUGGING Sun Oil Well Cementing, Inc.
CONTRACTOR ADDRESS Box 169 Great Bend, Kansas 67530

WELL PLAT (Office Use Only)
KCC _____
KGS
SWD/REP _____
PLG. _____
RELEASED
Date: 2 MAY 1982
FROM CONFIDENTIAL

TOTAL DEPTH 4910' PBSD 4950'

SPUD DATE 5-11-82 DATE COMPLETED 5-22-82

ELEV: GR 3355 DF _____ KB 3360

DRILLED WITH (CABLE) ROTARY (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE _____

Amount of surface pipe set and cemented 20# DV Tool Used? _____

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO. Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Ronald L. Irion, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Ronald L. Irion
Ronald L. Irion (Name)

79924

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Sunburst Exploration Co., Inc. LEASE Medford "F" SEC. 1 TWP. 10S RGE. 36W

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
DST #1 4211-4254 Lansing B zone 30" 45" 45" 60" Rec. 320' MW (chlds. 59,000) IFP 91-99 FFP 162-172 ISIP 1256 FSIP 1237 Temp. 122°			B/Anhydrite Topeka Heebner Lansing Marmaton Ft Scott Morrow Shale	2852 (+ 508) 3936 (- 576) 4144 (- 784) 4186 (- 826) 4502 (-1142) 4668 (-1308) 4812 (-1452)
DST #2 4264-4296 E & F zones 30" 45" 45" 60" Rec. 40' WM (Chlds. 43,000) IFP 60-60 FFP 60-60 ISIP 1237 FSIP 1237 Temp. 123°			Morrow Sand Mississippian LTD	4822 (-1462) 4876 (-1516) 4908 (-1548)
DST #3 4328-4440 H, I, J & K zones 30" 45" 45" 60" Rec. 1590' SW (Chlds. 39,000) IFP 467-477 FFP 628-758 ISIP 1207 FSIP 1197				

Report of all strings set — surface, intermediate, production, etc. CASING RECORD New or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	20#	364'	Common	200	2% Gel, 3% C.C.

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD		
Size	Setting depth	Pecker set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

