


Section 9 Township 10 Range 23W

Well No. 1/4 Hoof. "A"

Company Imperial Drlg.



Graham

KANSAS

SEC.	TWP.	R.
9	10	23W

WELL NO. 4 Hoof "A" FARM

COMPANY Imperial Drlg.

CONTRACTOR Co. Tools

Hoof


_____ Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

_____ Ft. from W. Line

SE NW SW



	ELEVATION	REPORT
1955	2417'	

6/15

Comm 6-13-55

8" @ 225/175

WOC

7/20

Comm 6-13-55

H 3666

Tr 3687

L 3699

TD 3892

8" @ 225/175 DST 3771-71 open 1 hr gas to surface in 17 min. Rec 1488' oil

oil 800/20" DST 3783-88 open 1 hr

Rec. 405' gas 40' hocom 120' o &

gcsw 1250/20" DST 3799-3806

open 45 min. Rec 15' wtry mud

1100/20" DST 3851-67 open 1 hr gas

to surface in 30 min. Rec 1100' oil

510/20" DST 3875-92 open 45 min.

Rec 10' mud 0/20" 5 1/2" @ 3892

DD 3907 S/ 3/4 boph 3000 A S/18 B0

9 Bwph 5 hr SP 3880 30/3858-62

S/3 1/2 boph 2 hr FU 1200' oil in 8 hr.

3000 A S/28 boph

Comp BHB 1586 bopd

COMPLETED

County Graham Elev. _____
 Sec. 9 Twp. 10 Rge. 23W
 Company Imperial Drlg.
 FarmName Hoof "A" No. 4

TOPS	DEPTH	LOG	DATUM
Anh.			
Tr.			
H.			
Tr.			
Dg.			
BL.			
L.			
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Mq.			
V.			
S.			
S.			
A.			
R.			
PE.			
G.			
T.D.			

Loc. in Sec. SE NW SW
 Geol. _____
 Contr. _____
 Co. tools _____
 Pool Hoof
 FIRST REPORT
 JUN 15 '55

Date Comm. 6-13-55
8" @ 225/175 WOC

[Handwritten signatures and initials]

Co.
Lse.
No.
Sec.
T.
R.

County Graham Elev. 2417
 Sec. 9 Twp. 10 Rge. 23W
 Company Imperial Drlg.
 Farm Name Hoof "A" No. 4

TOPS	DEPTH	LOG	DATUM
Anh.			
Tp.			
H.	<u>3666</u>		<u>1249</u>
Tr.	<u>3687</u>		<u>1270</u>
Dg.			
Bl.			
L.	<u>3699</u>		<u>1282</u>
K.C.			
B.K.C.			
Ce.			
C.			
M.			
M.			
K.			
Mz.			
Me.			
V.			
S.			
S.			
A.			
R.			
PE.			
G.			
T.D.	<u>52</u>		<u>1475</u>
	<u>3892</u>		<u>1475</u>

Loc. in Sec. SE NW SW
 Geol. _____
 Contr. _____
 Co. tools _____
 Pool _____
 Hoof

COMPLETE

Date Comm. 6-13-55 JUL 20 1955
8" @ 225/175 DST 3761-81 open 1 hr.
gas to surface in 17 min. Rec. 1488' oil
800/20" DST 3783-88 open 1 hr. Rec.
405'. gas 40' hocom 120' o & g csw
1250/20" . DST 3799-3806 open 45 min.
Rec. 15'- wtry mud 1100/20" . DST 3851-
67 open 1 hr. gas to surface in 30 min.
Rec. 1100' oil 510/20" DST 3875-92

OVER HAPPY

Co. Lse. No. Sec. T. R.

open 45 min. Rec. 10' mud 0/20"


5 $\frac{1}{2}$ " @ 3892 DD 3907 S/ 3/4 boph

3000 A S/ 18 bo 9 bwph 5 hr. SP 3880

30/-3858-62 S/ 3 $\frac{1}{2}$ boph 2 hr. FU 1200'

oil in 8 hr. 3000 A S/ 28 boph

Comp. BHB 1586 bopd



JUL 27 1955