

DX 78-1


Ellis

KANSAS

Section 10 Township 11 Range 20W

Well No. #1 Yohe

Company Veeder Supply




SEC.	TWP.	R.
10	11	20W

WELL NO. **1 Yohe** FARM

COMPANY **Veeder Supply**

CONTRACTOR **Co. Tools Warren Pool**

_____ Ft. from N. Line
990' _____ Ft. from S. Line
330' _____ Ft. from E. Line
 _____ Ft. from W. Line



NE SE NE

1955	ELEVATION	REPORT
6/1		Spud 5-24-55 8" @ 212 w/140 sks D ¹ lg 3315'
6/29		DST 3306-32 op 1 hr. Rec. 20' HOCM PLUS 240' Mdy oil BHP 955/30", DST 3331-48, op 1 hr. Rec. 480' clean oil plus 20' SW BHP 1200/30", DST 3615-25 op 1 hr. Re Rec. 735' Sulph Wtr. BHP 1030/30", 51/2 3435 w/100 16/3338-42, Tstd 1 1/2 BO no wtr in 3 1/2 hrs SWB. 50 BO no wtr 1 1/2 hrs Swb 36 BO no wtr in 1 hr, Swb 33 BO no wtr in 1 hr. T&R BH Bomb, 442 BOPD no wtr, 33.3° gr.
	Tops:	Depth Datum
	Anh.	1416
	Tp	3032 1031
	H.	3248 1247
	Tr.	3273 1272
	L.	3288 1287
	BKC	3502 1501
	Cg.	3538 1537
	S. sh	3605 1604
	R. ss of oil	3615-25 1612
	T ^D .	3625

COMPLETED

County Ellis Elev. 1998 DF
2001 RB
 Sec. 10 Twp. 11S Rge. 20W
 Company Veeder Supply
 FarmName Yohe No. 1

TOPS	DEPTH	LOG	DATUM	Loc. in Sec.																												
Anh.	1416			NE SE NE																												
TP.	3032		1031																													
H.	3248		1247																													
Tr.	3273		1272																													
Dg.																																
Bl.																																
L.	3288		1287	Geol.																												
K.C.				Contr.																												
B.K.C.	3502		1501	Co. tools																												
Ce.				Pool																												
C. 9	3538		1537	Warren																												
M.				<table border="1"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td>0</td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>								0																				
			0																													
M.																																
K.																																
Mz.																																
Ma.																																
V.																																
S. 54	3605		1604																													
S.																																
A.	3613		1612																													
R. ss of oil	3615-25																															
PE.																																
G.																																
T.D.	3625			COMPLETE																												

Date Comm. 5/24/55
 8" 212 w/140, DST 3306-32 op 1 hr Rec. 20'
 HOCM plus 240' Mdy Oil BHP 955/30", DST 3331-48, op 1 hr Rec. 480' clean oil plus 20' SW
 BHP 1200/30", DST 3615-25 op 1 hr Rec. 735'
 Sulph Wtr BHP 1030/30", 5 1/2" 3435 w/100
 16/3338-42, Tstd 1 1/2 BO no wtr in 3 1/2 hrs
 SWb. 50 BO no wtr 1 1/2 hrs, Swb 36 BO no wtr
 in 1 hr, Swb 33 BO no wtr in 1 hr. T & R
 BH Bomb 442 BOPD no wtr, 33.3° gr.