

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No

Formation Description
 Log Sample

Name	Top	Bottom
K.C. & Com. Sand		
K.C. Top	3002	3240
Cong. Sand	3280	3330

pr. ft.	Cong. Sand, 3280-3284,	1,000 Gal. Perforation 15. %
---------	------------------------	---------------------------------

UBING RECORD	size 2 3/8 set at 3340 packer at None	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First Production	Producing method <input type="checkbox"/> flowing <input checked="" type="checkbox"/> pumping <input type="checkbox"/> gas lift <input type="checkbox"/> Other (explain)	
Estimated Production Per 24 Hours	Oil 20% 24 Bbls	Gas MCF Water 80% 180 Bbls Gas-Oil Ratio CFPB Gravity 38

position of gas: vented sold used on lease

METHOD OF COMPLETION
 open hole perforation other (specify) **SEP 14 1987**
 Dually Completed. Commingled

PRODUCTION INTERVAL
K.C. & Sand

CASING RECORD <input checked="" type="checkbox"/> new <input type="checkbox"/> used							
Report all strings set - conductor, surface, intermediate, production, etc.							
Purpose of string	size hole drilled	size casing set (in O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
Surface	12 1/2	8 5/8	24	1010	Comm.	400	None
Prod. String	7 7/8	4 1/2	10 1/2	3367	Comm.	175	None

PERFORATION RECORD		Acid, Fracture, Shot, Cement Squeeze Record	
shots per foot	specify footage of each interval perforated	(amount and kind of material used)	Depth
pr. foot	3004-3008, 3016-3020, 3036-3040 3230-3234, In K.C.	1,000 Gal. Perforation 15. %	