

4.87

SHELL PETRO.CORP.
 J. L. Rumsey No. 8.

SEC. 23 T. 11 R. 17W
 SE SW NW
 330' fr SL 983' fr WL NW₄

Total Depth. 3367'
 Comm. 8-7-38 Comp. 8-28-38
 Shot or Treated. 2000 Gals.
 Contractor. Corbett & Barbour
 Issued. 11-19-38

County. Ellis



NOV 19 1938

CASING:
 16 " 135'
 10³/₄" 1095'
 7 " 3348'

Elevation.

Production. Pot. 3374 B.
 No wtr.

Figures Indicate Bottom of Formations.

sand & gravel	60	600'	oil in hole at 3349	5:30 P.M.
sand & shale	136	2200'	oil in hole at 3352	6:45 P.M.
shale & shells	445	2900'	oil in hole at 3352	7:45 P.M.
red rock	462	3100'	oil in hole at 3359	
sand	550			
iron	556			
sand & shells	580			
iron	588			
sand	740			
red rock	910			
red rock & iron	1050			
red rock	1060			
shale & shells	1080			
anhydrite	1120			
red bed	1200			
red bed & shells	1375			
shale & shells	1440			
salt	1615			
shale & shells	1966			
lime	2029			
brkn lime	2225			
sdv shale	2240			
brkn lime	2343			
lime shells & shale	2375			
lime	2480			
brkn lime	2530			
shale & shells	2632			
shale	2725			
shale & shells	2785			
brkn lime	2805			
brkn lime	2846			
lime	2962			
brkn lime	3003			
lime good oil stain	3158			
& spots fair porosity				
lime	3199			
brkn lime	3204			
lime trace oil stain	3282			
brkn lime	3309			
conglomerate	3323			
dolomite	3329			
very sm amt por-no oil stain				
shale	3342			
sand fair por & oil stain	3344			
shale	3347			
dolomite	3349			
3351 equals 3349 SLCorr.				
dolomite	3367			
Total Depth.				