

and

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32754
 Name: Elysium Energy, L.L.C.
 Address: 1625 Broadway, Suite 2000
 City/State/Zip: Denver, CO 80202
 Purchaser: NCRA
 Operator Contact Person: Chris Gottschalk
 Phone: (785) 434-4638
 Contractor: Name: Discovery Drilling Co., Inc.
 License: 31548
 Wellsite Geologist: Ron Nelson
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>5/29/04</u>	<u>6/4/04</u>	<u>6/15/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

RECEIVED
SEP 30 2004
KCC WICHITA


API No. 15 - 051-25306-0000
 County: Ellis
SE NE SE Sec. 11 Twp. 11 S. R. 18 East West
1705 feet from SE / N (circle one) Line of Section
330 feet from SE / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Carmichael Well #: 6
 Field Name: Bemis-Shutts
 Producing Formation: Arbuckle
 Elevation: Ground: 1859' Kelly Bushing: 1867'
 Total Depth: 3450' Plug Back Total Depth: 3433'
 Amount of Surface Pipe Set and Cemented at 221.57 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 3449
 feet depth to surface w/ 500 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
 Chloride content 12000 ppm Fluid volume 80 bbls
 Dewatering method used Haul free fluids
 Location of fluid disposal if hauled offsite:
 Operator Name: Elysium Energy, L.L.C.
 Lease Name: Burnett SWD License No.: 32754
 Quarter SW Sec. 12 Twp. 11 S. R. 18 East West
 County: Ellis Docket No.: D-27931

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: Regulatory Engineer Date: 9/28/2004
 Subscribed and sworn to before me this 28th day of September
19 2004
 Notary Public: [Signature]
 Date Commission Expires: 8/26/06



KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Elysium Energy, L.L.C. Lease Name: Carmichael Well #: 6
 Sec. 11 Twp. 11 S. R. 18 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
 DIL, CNL, CDL, Micro

RECEIVED
SEP 30 2004
KCC WICHITA

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Anhydrite	1124'	+743'
Topeka	2811'	-944'
Toronto	3058'	-1191'
LKC	3077'	-1210'
Arbuckle	3367'	-1500'

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	20	221.57'	Common	150	2%gel,3%CC
Production	7-7/8"	5-1/2"	15.5	3449'	SMDC	350	11.2 ppg
					SMDC	150	14 ppg

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3416-18', Set CIBP @ 3410', 3368-74'	1500 gal 15% NE	3368-74'
		3441 bbls polymer gel	3368-74'

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2-7/8"	3419'			
Date of First, Resumed Production, SWD or Enhr.			Producing Method			
1st-6/15/04			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	.1		420			

Disposition of Gas: Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval: 3368'-74'