

Sub

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 32754  
Name: Elysium Energy, L.L.C.  
Address: 1625 Broadway, Suite 2000  
City/State/Zip: Denver, CO 80202  
Purchaser: NCRA  
Operator Contact Person: Chris Gottschalk  
Phone: (785) 434-4638  
Contractor: Name: Gaschler Well Service  
License: 33137  
Wellsite Geologist: \_\_\_\_\_

Designate Type of Completion:  
\_\_\_\_ New Well \_\_\_\_ Re-Entry  Workover  
 Oil \_\_\_\_ SWD \_\_\_\_ SIOW \_\_\_\_ Temp. Abd.  
\_\_\_\_ Gas \_\_\_\_ ENHR \_\_\_\_ SIGW  
\_\_\_\_ Dry \_\_\_\_ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: Elysium Energy, LLC  
Well Name: Hendrick #16  
Original Comp. Date: 5/20/03 Original Total Depth: 3451'  
\_\_\_\_ Deepening  Re-perf. \_\_\_\_ Conv. to Enhr./SWD  
\_\_\_\_ Plug Back \_\_\_\_ Plug Back Total Depth  
\_\_\_\_ Commingled Docket No. \_\_\_\_\_  
\_\_\_\_ Dual Completion Docket No. \_\_\_\_\_  
\_\_\_\_ Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

6/10/2004 6/14/2004  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 051-25220-000  
County: Ellis  
C N/2 NE Sec. 13 Twp. 11 S. R. 18  East  West  
660 feet from S / N (circle one) Line of Section  
1320 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Hendrick Well #: 16  
Field Name: Bemis-Shutts

Producing Formation: Topeka/LKC  
Elevation: Ground: 1880' Kelly Bushing: 1888'  
Total Depth: 3451' Plug Back Total Depth: 3384'  
Amount of Surface Pipe Set and Cemented at 212.91 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 3439  
feet depth to surface w/ 500 sx cmt.


**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Regulatory Engineer Date: 7/20/2005

Subscribed and sworn to before me this 20th day of July  
2005  
Notary Public: [Signature]  
Date Commission Expires: 8/26/06



**KCC Office Use ONLY**  
NO Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
\_\_\_\_ Wireline Log Received  
\_\_\_\_ Geologist Report Received  
\_\_\_\_ UIC Distribution

Side Two

Operator Name: Elysium Energy, L.L.C. Lease Name: Hendrick Well #: 16  
 Sec. 13 Twp. 11 S. R. 18  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  Micro, HRI, SDL/DSN, CBL, Neu, Formation Tester	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Base Anhydrite</td> <td>1150'</td> <td>738'</td> </tr> <tr> <td>Topeka</td> <td>2810'</td> <td>-922'</td> </tr> <tr> <td>Toronto</td> <td>3055'</td> <td>-1167'</td> </tr> <tr> <td>LKC</td> <td>3080'</td> <td>-1192'</td> </tr> <tr> <td>Arbuckle</td> <td>3364'</td> <td>-1476'</td> </tr> </table>	Name	Top	Datum	Base Anhydrite	1150'	738'	Topeka	2810'	-922'	Toronto	3055'	-1167'	LKC	3080'	-1192'	Arbuckle	3364'	-1476'
Name	Top	Datum																	
Base Anhydrite	1150'	738'																	
Topeka	2810'	-922'																	
Toronto	3055'	-1167'																	
LKC	3080'	-1192'																	
Arbuckle	3364'	-1476'																	

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23#	212.91'	Common	150 sx	2%gel,3%cc
Production	7-7/8"	5-1/2"	15.5#	3439'	SMDC	350	11.2#
					SMDC	150	14#

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
			Depth
2	CIBP @ 3346'. 3239-45', 3174-79', 3164-67',	500 gal 15% NE	3239-45'
	3113-18', 2993-99', 2975-79', 2938-44', 2898-2906'	500 gal 15% NE	3164-79'
		500 gal 15% NE	3113-18'
		2000 gal 15% NE	2898-299'

TUBING RECORD	Size <u>2-7/8"</u>	Set At <u>3319'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	--------------------	---------------------	-----------	---

Date of First, Resumed Production, SWD or Enhr. <u>6/15/2004</u>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	--

Estimated Production Per 24 Hours	Oil Bbls. <u>11</u>	Gas Mcf	Water Bbls. <u>180</u>	Gas-Oil Ratio	Gravity
-----------------------------------	---------------------	---------	------------------------	---------------	---------

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled 2898'-3245' Topeka/LKC

Production Interval  Other (Specify) \_\_\_\_\_