

TYPE



AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Ind

SIDE ONE

33-11-22N

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 6177 EXPIRATION DATE August 1983

OPERATOR Foxfire Exploration, Inc. API NO. 15-195-21,118

ADDRESS 10403 West Colfax Avenue, Suite 740 COUNTY Trego

Lakewood, Colorado 80215 FIELD

** CONTACT PERSON D. C. Marchant PROD. FORMATION Marmaton

PHONE (303) 233-5898

PURCHASER Clear Creek LEASE Flagler

ADDRESS P. O. Box 1045 WELL NO. 7

McPherson, Kansas 67460 WELL LOCATION NW NW SW

DRILLING Red Tiger Drilling Company 330 Ft. from North Line and

CONTRACTOR 1720 KSB & T Building 330 Ft. from West Line of

ADDRESS Wichita, KS 67202 the SW (Qtr.) SEC 33 TWP 11 RGE 22W

PLUGGING N/A

CONTRACTOR

ADDRESS

TOTAL DEPTH 4100 PBSD 4085

SPUD DATE 11-30-82 DATE COMPLETED 12-10-82

ELEV: GR 2379 DF 2381 KB 2383

DRILLED WITH (~~XXX~~) (ROTARY) (~~XXX~~) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE


Amount of surface pipe set and cemented 324' DV Tool Used? NO

THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil Gas, Shut-in Gas, Dry, Disposal,

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used		Depth interval treated	
300 gal 15% HCL		3994-4004	
Gelled water Frac. with 60,000# sand & 750 gal 15% HCL			
Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity	
2/27/83			
RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water
	70		20 % 17.5
	bbbl.	MCF	bbbl.
Disposition of gas (vented, used on lease or sold)		Perforations	
vented		3994-4004	

State Geological Survey
WICHITA BRANCH



(Office Use Only)

KCC
KGS

SWD/REP
PLG.

95607

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Foxfire Exploration, Inc. LEASE Flagler #7

SEC. 33 TWP. 11S RGE. 22W

WSS-11-CC

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
			Radiation-Guard Log	
Shale-Sand & Shale	0	364		
Shale-Sand	364	1002	Anhydrite	1822
Shale	1002	1375	Anhy. Base	1873
Sand	1375	1535	Topeka	3397
Shale	1535	1824	Heebner	3612
Anhydrite	1824	1871	Toronto	3631
Shale	1871	2815	Lansing	3648
Shale-Lime (sk)	2815	3020	KS-City Base	3881
Shale/Lime	3020	3130	Marmaton	3974
Shale & Lime	3130	3280		
Lime-Shale	3280	3390		
Shale-Lime	3390	3508		
Lime	3508	4100		
RTD		4100		
DST #1 3720-3747, 60-60-60-60, Rec. 422' MW, FP 55-230#, SIP 861-829#				
DST #2 3977-4017, 60-60-60-60, Rec. 268' MCO, FP 66-154#, SIP 981-948#				
DST #3 4013-4056, 60-60-60-60, Rec. 226' OCM, FP 66-143#, SIP 818-677#				

Report of all strings set — surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs./ft.	Setting depth	Type cement	Socks	Type and percent additives
Surface	12 1/4"	8-5/8"	20#	330'	60-40 Poz	180 sx	2% Gel., 3% C.C.
Production	7-7/7"	4 1/2"	10.5#	4096'	50-50 Poz Common	100 sx 150 sx	P-29

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval
			8	.42" Jet	3994-4004
TUBING RECORD					
Size	Setting depth	Packer set at			
2-3/8"	3990	None			