



WESTERN TESTING CO., INC.

FORMATION TESTING

TICKET No 4688

P. O. BOX 1599 WICHITA, KANSAS 67201 PHONE (316) 838-0601

Elevation _____ Formation LANSING Eff. Pay Ft. ✓

District WAKEENEY Date 5-27-80 Customer Order No. ✓

COMPANY NAME Oxford Expl. Company Inc. Phone (303) 572-3821

ADDRESS DENVER Colo. 7030 Arden Club Bldg - Arden, Colo. 80202

LEASE AND WELL NO. #11-14 McCall COUNTY TREGO STATE KS Sec. 11 Twp. 11S Rge. 23W

Mail Invoice To SAME No. Copies Requested 5

Co. Name Address Mail Charts To SAME No. Copies Requested 5

Address

Formation Test No. 1 Interval Tested from 3535 ft. to 3575 ft. Total Depth 3575 ft.

Packer Depth 3530 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Packer Depth 3535 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set

Top Recorder Depth (Inside) 3539 ft. Recorder Number 3085 Cap. 4500 PSI

Bottom Recorder Depth (Outside) 3542 ft. Recorder Number 1564 Cap. 3150 PSI

Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Emphasis Rig # 2 Drill Collar Length - I. D. - in.

Mud Type starch Viscosity 39 Weight 9 lb Water Loss 8 cc. Weight Pipe Length - I. D. - in.

Chlorides 16,000 P.P.M. Drill Pipe Length 3533 I. D. 3.8 in.

Jars: Make none Serial Number - Test Tool Length 20 ft. Tool Size 5 1/2 in.

Did Well Flow? no Reversed Out Anchor Length 40 ft. Size 5 1/2 in.

Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 F.I. in.

Blow: weak building to good By end of I.F.P.

VERY WEAK Building to strong 27 min. into F.I.F.P.

Recovered 170 ft. of muddy water

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Remarks:

ON loc. 4:00 P.M. OFF 11:00 THANK YOU

Time Set Packer(s) 6:42 P.M. Time Started Off Bottom 9:00 P.M. Maximum Temperature 109°

Initial Hydrostatic Pressure (A) 1799 P.S.I.


Initial Flow Period Minutes 15 (B) 36 P.S.I. to (C) 41 P.S.I.

Initial Closed In Period Minutes 30 (D) 828 P.S.I.

Final Flow Period Minutes 30 (E) 48 P.S.I. to (F) 69 P.S.I.

Final Closed In Period Minutes 60 (G) 828 P.S.I.

Final Hydrostatic Pressure (H) 1776 P.S.I.



COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By Alan D. Tracy Signature of Customer or his authorized representative

Western Representative Randy Lasker

FIELD INVOICE

Table with 2 columns: Item, Price. Includes Open Hole Test (\$550.00), Mileage x .75d (\$9 miles 6.7), TOTAL (\$556.75)

TOTAL \$ 556.75

WESTERN TESTING CO., INC.

Pressure Data

Date 5-27-80 Test Ticker No. 4688
 Recorder No. 3085 Capacity 4500 Location 3539 Ft.
 Clock No. _____ Elevation _____ Well Temperature 109 °F

Point	Pressure		Time Given	Time Computed
A. Initial Hydrostatic Mud	<u>1794</u>	P.S.I.	<u>6:42 P</u>	<u>M</u>
B. First Initial Flow Pressure	<u>41</u>	P.S.I.	<u>15</u> Mins.	<u>15</u> Mins.
C. First Final Flow Pressure	<u>35</u>	P.S.I.	<u>30</u> Mins.	<u>30</u> Mins.
D. Initial Closed-in Pressure	<u>821</u>	P.S.I.	<u>30</u> Mins.	<u>30</u> Mins.
E. Second Initial Flow Pressure	<u>72</u>	P.S.I.	<u>60</u> Mins.	<u>60</u> Mins.
F. Second Final Flow Pressure	<u>74</u>	P.S.I.		
G. Final Closed-in Pressure	<u>835</u>	P.S.I.		
H. Final Hydrostatic Mud	<u>1769</u>	P.S.I.		

PRESSURE BREAKDOWN

First Flow Pressure
 Breakdown: 3 Inc.
 of 5 mins. and a
 final inc. of 0 Min.


Initial Shut-In
 Breakdown: 10 Inc.
 of 3 mins. and a
 final inc. of 0 Min.

Second Flow Pressure
 Breakdown: 6 Inc.
 of 5 mins. and a
 final inc. of 0 Min.

Final Shut-In
 Breakdown: 20 Inc.
 of 3 mins. and a
 final inc. of 0 Min.

Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1	<u>41</u>	0	<u>35</u>	0	<u>72</u>	0	<u>74</u>
P 2	<u>35</u>	3	<u>588</u>	5	<u>65</u>	3	<u>553</u>
P 3	<u>35</u>	6	<u>676</u>	10	<u>65</u>	6	<u>642</u>
P 4	<u>35</u>	9	<u>713</u>	15	<u>65</u>	9	<u>681</u>
P 5		12	<u>741</u>	20	<u>68</u>	12	<u>713</u>
P 6		15	<u>764</u>	25	<u>71</u>	15	<u>734</u>
P 7		18	<u>776</u>	30	<u>74</u>	18	<u>746</u>
P 8		21	<u>788</u>	35		21	<u>758</u>
P 9		24	<u>799</u>	40		24	<u>770</u>
P10		27	<u>810</u>	45		27	<u>782</u>
P11		30	<u>821</u>	50		30	<u>794</u>
P12		33		55		33	<u>800</u>
P13		36		60		36	<u>806</u>
P14		39		65		39	<u>812</u>
P15		42		70		42	<u>817</u>
P16		45		75		45	<u>821</u>
P17		48		80		48	<u>824</u>
P18		51		85		51	<u>827</u>
P19		54		90		54	<u>831</u>
P20		57				57	<u>833</u>
		60				60	<u>835</u>

TR # 4688
I



Company Oxford Exploration Company, Inc. Lease & Well No. McCall #11-14
 Elevation ---- Formation Lansing Effective Pay --- Ft. Ticket No. 4688
 Date 5/27/80 Sec. 11 Twp. 11S Range 23W County Trego State Kansas
 Test Approved by Glen D. Tracy Western Representative Randy Lackey

Formation Test No. 1 Interval Tested from 3535 ft. to 3575 ft. Total Depth 3575 ft.
 Packer Depth 3530 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 3535 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set -
 Top Recorder Depth (Inside) 3539 ft. Recorder Number 3085 Cap. 4500 PSI
 Bottom Recorder Depth (Outside) 3542 ft. Recorder Number 1564 Cap. 3150 PSI
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Emphasis Drilling Rig #2 Drill Collar Length - I. D. - in.
 Mud Type starch Viscosity 39 Weight Pipe Length - I. D. - in.
 Weight 9.7 Water Loss 8.0 cc. Drill Pipe Length 3533 I. D. 3.8 in.
 Chlorides 16,000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
 Jars: Make None Serial Number - Anchor Length 40 ft. Size 5 1/2 in.
 Did Well Flow? No Reversed Out - Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.

Blow: Weak building to good by end of initial flow period. Very weak, building to strong twenty-seven minutes into final flow period.

Recovered 170 ft. of muddy water
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks:

Time Set Packer(s) 6:42 ~~A.M.~~ P.M. Time Started Off Bottom 9:00 ~~A.M.~~ P.M. Maximum Temperature 109°
 Initial Hydrostatic Pressure (A) 1794 P.S.I.
 Initial Flow Period Minutes 15 (B) 41 P.S.I. to (C) 35 P.S.I.
 Initial Closed In Period Minutes 30 (D) 821 P.S.I.
 Final Flow Period Minutes 30 (E) 72 P.S.I. to (F) 74 P.S.I.
 Final Closed In Period Minutes 60 (G) 835 P.S.I.
 Final Hydrostatic Pressure (H) 1769 P.S.I.

WESTERN TESTING CO., INC.

Pressure Data

Date 5/27/80 Test Ticket No. 4688
 Recorder No. 3085 Capacity 4500 Location 3539 Ft.
 Clock No. --- Elevation --- Well Temperature 109 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	1794 P.S.I.	Open Tool	6:42P	M
B First Initial Flow Pressure	41 P.S.I.	First Flow Pressure	15 Mins.	15 Mins.
C First Final Flow Pressure	35 P.S.I.	Initial Closed-in Pressure	30 Mins.	30 Mins.
D Initial Closed-in Pressure	821 P.S.I.	Second Flow Pressure	30 Mins.	30 Mins.
E Second Initial Flow Pressure	72 P.S.I.	Final Closed-in Pressure	60 Mins.	60 Mins.
F Second Final Flow Pressure	74 P.S.I.			
G Final Closed-in Pressure	835 P.S.I.			
H Final Hydrostatic Mud	1769 P.S.I.			

PRESSURE BREAKDOWN

Point Mins.	First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.	Breakdown:	Inc.
	of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
	final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
	Press.	Point Minutes						
P 1	41	0	35	0	72	0	74	0
P 2	35	3	588	3	65	3	553	3
P 3	35	6	676	6	65	6	642	6
P 4	35	9	713	9	65	9	681	9
P 5		12	741	12	68	12	713	12
P 6		15	764	15	71	15	734	15
P 7		18	776	18	74	18	746	18
P 8		21	788	21		21	758	21
P 9		24	799	24		24	770	24
P10		27	810	27		27	782	27
P11		30	821	30		30	794	30
P12						33	800	33
P13						36	806	36
P14						39	812	39
P15						42	817	42
P16						45	821	45
P17						48	824	48
P18						51	827	51
P19						54	831	54
P20						57	833	57
						60	835	60



WESTERN TESTING CO., INC.
FORMATION TESTING

TICKET No 4689

P. O. BOX 1599 WICHITA, KANSAS 67201
PHONE (316) 838-0601

Elevation Formation K.C. Eff. Pay Ft.

District WAKEENEY Date 5-29-80 Customer Order No.


COMPANY NAME Oxford Expl. Company, Inc.
ADDRESS DENVER Colo., 1030 Avenue Oak Blk. Denver, Colo. 80202
LEASE AND WELL NO. #11-14 McCall COUNTY TREGO STATE KS. Sec. 11 Twp 11S Rge 23W
Mail Invoice To SAME Co. Name Address No. Copies Requested 5
Mail Charts To SAME Address No. Copies Requested 5

Formation Test No. 2 Interval Tested from 3710 ft. to 3770 ft. Total Depth 3770 ft.
Packer Depth 3705 ft. Size 6 3/4 in. Packer Depth ft. Size in.
Packer Depth 3710 ft. Size 6 3/4 in. Packer Depth ft. Size in.
Depth of Selective Zone Set

Top Recorder Depth (Inside) 3714 ft. Recorder Number 1564 Cap. 3150 PSI
Bottom Recorder Depth (Outside) 3717 ft. Recorder Number 3085 Cap. 4500 PSI
Below Straddle Recorder Depth ft. Recorder Number Cap.
Drilling Contractor Emphasis Rig #2 Drill Collar Length I. D. in.
Mud Type starch Viscosity 43 Weight Pipe Length I. D. in.
Weight 9 3/4 Water Loss 85 cc. Drill Pipe Length 3702 I. D. 3.8 in.
Chlorides 17,000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
Jars: Make NONE Serial Number Anchor Length 60 ft. Size 5 1/2 in.
Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FIT. in.

Blow VERY WEAK DIED 1 min. into F.I.P.
DIED thru out F.I.P.

Recovered 3 ft. of mud
Recovered ft. of
Recovered ft. of
Recovered ft. of
Recovered ft. of



Remarks: Thank You

CON loc. 2:00 AM OFF
Time Set Packer(s) 4:42 AM PM Time Started Off Bottom 6:18 AM PM Maximum Temperature 113°
Initial Hydrostatic Pressure (A) 1952 P.S.I.
Initial Flow Period Minutes 16 (B) 23 P.S.I. to (C) 23 P.S.I.
Initial Closed In Period Minutes 32 (D) 39 P.S.I.
Final Flow Period Minutes 15 (E) 23 P.S.I. to (F) 23 P.S.I.
Final Closed In Period Minutes 30 (G) 31 P.S.I.
Final Hydrostatic Pressure (H) 1928 P.S.I.

COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By [Signature]
Signature of Customer or his authorized representative

Western Representative Randy Lackey

FIELD INVOICE

Table with 2 columns: Item, Amount. Includes Open Hole Test (\$550.00), Miscrun, Straddle Test, Jars, Selective Zone, Safety Joint, Standby, Evaluation, Extra Packer, Circ. Sub., Mileage, Fluid Sampler, Extra Charts, and TOTAL (\$550.00).

WESTERN TESTING CO., INC.

Pressure Data

Date 5-29-80 Test Ticker No. 4689
 Recorder No. 1564 Capacity 3150 Location 3714 Ft.
 Clock No. _____ Elevation _____ Well Temperature 113 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>1962</u>	P.S.I.	<u>4:42 A</u>	M
B First Initial Flow Pressure	<u>43</u>	P.S.I.	<u>14</u>	Mins. <u>15</u> Mins.
C First Final Flow Pressure	<u>28</u>	P.S.I.	<u>32</u>	Mins. <u>30</u> Mins.
D Initial Closed-in Pressure	<u>40</u>	P.S.I.	<u>15</u>	Mins. <u>15</u> Mins.
E Second Initial Flow Pressure	<u>31</u>	P.S.I.	<u>30</u>	Mins. <u>30</u> Mins.
F Second Final Flow Pressure	<u>28</u>	P.S.I.		
G Final Closed-in Pressure	<u>32</u>	P.S.I.		
H Final Hydrostatic Mud	<u>1955</u>	P.S.I.		


PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>3</u> Inc.		Breakdown: <u>10</u> Inc.		Breakdown: <u>3</u> Inc.		Breakdown: <u>10</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1	<u>0</u>	<u>0</u>	<u>28</u>	<u>0</u>	<u>31</u>	<u>0</u>	<u>28</u>
P 2	<u>5</u>	<u>3</u>	<u>28</u>	<u>5</u>	<u>29</u>	<u>3</u>	<u>28</u>
P 3	<u>10</u>	<u>6</u>	<u>28</u>	<u>10</u>	<u>28</u>	<u>6</u>	<u>28</u>
P 4	<u>15</u>	<u>9</u>	<u>28</u>	<u>15</u>	<u>28</u>	<u>9</u>	<u>28</u>
P 5	<u>20</u>	<u>12</u>	<u>28</u>	<u>20</u>	<u>28</u>	<u>12</u>	<u>28</u>
P 6	<u>25</u>	<u>15</u>	<u>29</u>	<u>25</u>	<u>28</u>	<u>15</u>	<u>28</u>
P 7	<u>30</u>	<u>18</u>	<u>31</u>	<u>30</u>	<u>28</u>	<u>18</u>	<u>28</u>
P 8	<u>35</u>	<u>21</u>	<u>32</u>	<u>35</u>	<u>28</u>	<u>21</u>	<u>28</u>
P 9	<u>40</u>	<u>24</u>	<u>35</u>	<u>40</u>	<u>28</u>	<u>24</u>	<u>28</u>
P 10	<u>45</u>	<u>27</u>	<u>37</u>	<u>45</u>	<u>28</u>	<u>27</u>	<u>28</u>
P 11	<u>50</u>	<u>30</u>	<u>40</u>	<u>50</u>	<u>28</u>	<u>30</u>	<u>32</u>
P 12	<u>55</u>	<u>33</u>	<u>28</u>	<u>55</u>	<u>28</u>	<u>33</u>	<u>28</u>
P 13	<u>60</u>	<u>36</u>	<u>28</u>	<u>60</u>	<u>28</u>	<u>36</u>	<u>28</u>
P 14		<u>39</u>	<u>28</u>	<u>65</u>	<u>28</u>	<u>39</u>	<u>28</u>
P 15		<u>42</u>	<u>28</u>	<u>70</u>	<u>28</u>	<u>42</u>	<u>28</u>
P 16		<u>45</u>	<u>28</u>	<u>75</u>	<u>28</u>	<u>45</u>	<u>28</u>
P 17		<u>48</u>	<u>28</u>	<u>80</u>	<u>28</u>	<u>48</u>	<u>28</u>
P 18		<u>51</u>	<u>28</u>	<u>85</u>	<u>28</u>	<u>51</u>	<u>28</u>
P 19		<u>54</u>	<u>28</u>	<u>90</u>	<u>28</u>	<u>54</u>	<u>28</u>
P 20		<u>57</u>	<u>28</u>		<u>28</u>	<u>57</u>	<u>28</u>
		<u>60</u>	<u>28</u>		<u>28</u>	<u>60</u>	<u>28</u>

DST#2.

T-15264
T-4689

TK# 4689
I



Company Oxford Exploration, Inc. Lease & Well No. McCall #11-14
 Elevation ----- Formation Kansas City Effective Pay - Ft. Ticket No. 4689
 Date 5/29/80 Sec. 11 Twp. 11S Range 23W County Trego State Kansas
 Test Approved by Glen A. Tracy Western Representative Randy Lackey

Formation Test No. 2 Interval Tested from 3710 ft. to 3770 ft. Total Depth 3770 ft.
 Packer Depth 3705 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.
 Packer Depth 3710 ft. Size 6 3/4 in. Packer Depth - ft. Size - in.

Depth of Selective Zone Set -
 Top Recorder Depth (Inside) 3714 ft. Recorder Number 1564 Cap. 3150 PSI
 Bottom Recorder Depth (Outside) 3717 ft. Recorder Number 3085 Cap. 4500 PSI
 Below Straddle Recorder Depth - ft. Recorder Number - Cap. -

Drilling Contractor Emphasis Drilling Rig #2 Drill Collar Length - I. D. - in.
 Mud Type starch Viscosity 43 Weight Pipe Length - I. D. - in.
 Weight 9.3 Water Loss 8.5 cc. Drill Pipe Length 3702 I. D. 3.8 in.
 Chlorides 17,000 P.P.M. Test Tool Length 20 ft. Tool Size 5 1/2 in.
 Jars: Make None Serial Number - Anchor Length 60 ft. Size 5 1/2 in.
 Did Well Flow? No Reversed Out No Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 FH in.

Blow: Very weak ; died one minutes into initial flow period. Died throughout final flow period.

Recovered 3 ft. of mud
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of
 Recovered ft. of

Remarks:

Time Set Packer(s) 4:42 ~~P.M.~~ A.M. Time Started Off Bottom 6:18 ~~P.M.~~ A.M. Maximum Temperature 113°
 Initial Hydrostatic Pressure (A) 1962 P.S.I.
 Initial Flow Period Minutes 15 (B) 43 P.S.I. to (C) 28 P.S.I.
 Initial Closed In Period Minutes 30 (D) 40 P.S.I.
 Final Flow Period Minutes 15 (E) 31 P.S.I. to (F) 28 P.S.I.
 Final Closed In Period Minutes 30 (G) 32 P.S.I.
 Final Hydrostatic Pressure (H) 1955 P.S.I.

WESTERN TESTING CO., INC.
Pressure Data

Date 5/29/80 Test Ticket No. 4689
 Recorder No. 1564 Capacity 3150 Location 3714 Ft.
 Clock No. --- Elevation --- Well Temperature 113 °F

Point	Pressure		Time Given	Time Computed
A Initial Hydrostatic Mud	<u>1962</u> P.S.I.	Open Tool	<u>4:42A</u> M	
B First Initial Flow Pressure	<u>43</u> P.S.I.	First Flow Pressure	<u>16</u> Mins.	<u>15</u> Mins.
C First Final Flow Pressure	<u>28</u> P.S.I.	Initial Closed-in Pressure	<u>32</u> Mins.	<u>30</u> Mins.
D Initial Closed-in Pressure	<u>40</u> P.S.I.	Second Flow Pressure	<u>15</u> Mins.	<u>15</u> Mins.
E Second Initial Flow Pressure	<u>31</u> P.S.I.	Final Closed-in Pressure	<u>30</u> Mins.	<u>30</u> Mins.
F Second Final Flow Pressure	<u>28</u> P.S.I.			
G Final Closed-in Pressure	<u>32</u> P.S.I.			
H Final Hydrostatic Mud	<u>1955</u> P.S.I.			

PRESSURE BREAKDOWN

First Flow Pressure		Initial Shut-In		Second Flow Pressure		Final Shut-In	
Breakdown: <u>3</u> Inc.		Breakdown: <u>10</u> Inc.		Breakdown: <u>3</u> Inc.		Breakdown: <u>10</u> Inc.	
of <u>5</u> mins. and a		of <u>3</u> mins. and a		of <u>5</u> mins. and a		of <u>3</u> mins. and a	
final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.		final inc. of <u>0</u> Min.	
Point Mins.	Press.	Point Minutes	Press.	Point Minutes	Press.	Point Minutes	Press.
P 1	<u>0</u> <u>43</u>	<u>0</u> <u>28</u>	<u>0</u> <u>28</u>	<u>0</u> <u>31</u>	<u>0</u> <u>28</u>	<u>0</u> <u>28</u>	<u>28</u>
P 2	<u>5</u> <u>39</u>	<u>3</u> <u>28</u>	<u>3</u> <u>28</u>	<u>5</u> <u>29</u>	<u>3</u> <u>28</u>	<u>3</u> <u>28</u>	<u>28</u>
P 3	<u>10</u> <u>32</u>	<u>6</u> <u>28</u>	<u>6</u> <u>28</u>	<u>10</u> <u>28</u>	<u>6</u> <u>28</u>	<u>6</u> <u>28</u>	<u>28</u>
P 4	<u>15</u> <u>28</u>	<u>9</u> <u>28</u>	<u>9</u> <u>28</u>	<u>15</u> <u>28</u>	<u>9</u> <u>28</u>	<u>9</u> <u>28</u>	<u>28</u>
P 5		<u>12</u> <u>28</u>	<u>12</u> <u>28</u>		<u>12</u> <u>28</u>	<u>12</u> <u>28</u>	<u>28</u>
P 6		<u>15</u> <u>29</u>	<u>15</u> <u>29</u>		<u>15</u> <u>28</u>	<u>15</u> <u>28</u>	<u>28</u>
P 7		<u>18</u> <u>31</u>	<u>18</u> <u>31</u>		<u>18</u> <u>28</u>	<u>18</u> <u>28</u>	<u>28</u>
P 8		<u>21</u> <u>33</u>	<u>21</u> <u>33</u>		<u>21</u> <u>28</u>	<u>21</u> <u>28</u>	<u>28</u>
P 9		<u>24</u> <u>35</u>	<u>24</u> <u>35</u>		<u>24</u> <u>28</u>	<u>24</u> <u>28</u>	<u>28</u>
P10		<u>27</u> <u>37</u>	<u>27</u> <u>37</u>		<u>27</u> <u>28</u>	<u>27</u> <u>28</u>	<u>28</u>
P11		<u>30</u> <u>40</u>	<u>30</u> <u>40</u>		<u>30</u> <u>28</u>	<u>30</u> <u>32</u>	<u>32</u>
P12							
P13							
P14							
P15							
P16							
P17							
P18							
P19							
P20							