


15-195-22559

17-115-24W



DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St. Ste. 1500 Denver Colorado
80202

ATTN: Rick Hall

17 11 24 Trego KS

Hober # 17-1

Start Date: 2008.08.06 @ 11:25:12

End Date: 2008.08.06 @ 20:37:22

Job Ticket #: 31400 DST #: 1

RECEIVED
KANSAS CORPORATION COM

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 31400

DST#: 1

ATTN: Rick Hall

Test Start: 2008.08.06 @ 11:25:12

GENERAL INFORMATION:

Formation: **Lansing C zn**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:10:07

Time Test Ended: 20:37:22

Test Type: Conventional Bottom Hole

Tester: Kyle Wiley

Unit No: 40

Interval: 3784.00 ft (KB) To 3805.00 ft (KB) (TVD)

Reference Elevations: 2422.00 ft (KB)

Total Depth: 3805.00 ft (KB) (TVD)

2414.00 ft (CF)

Hole Diameter: 4.00 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 6771 Inside

Press@RunDepth: 1115.13 psig @ 3785.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.08.06

End Date: 2008.08.06

Last Calib.: 2008.08.06


Start Time: 11:25:12

End Time: 20:37:22

Time On Btm: 2008.08.06 @ 13:08:52

Time Off Btm: 2008.08.06 @ 17:00:52

TEST COMMENT: IF Strong blow Bob 3 min
IS Weak surface blow died 5 min. Resumed blow in 22 min built to 3 1/2
FF Strong blow Bob 2 min
FS Steady blow Bob 20 min



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1831.83	110.21	Initial Hydro-static
2	191.39	112.84	Open To Flow (1)
32	800.00	121.04	Shut-In(1)
77	1134.99	119.74	End Shut-In(1)
77	831.89	119.58	Open To Flow (2)
134	1115.13	120.34	Shut-In(2)
232	1137.08	119.50	End Shut-In(2)
232	1788.45	119.20	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2101.00	OCW 5% G 3% O 87% W 5% M	29.19
976.00	WCO 5% G 70% O 20% W 5% M	13.69

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 31400

DST#: 1

ATTN: Rick Hall

Test Start: 2008.08.06 @ 11:25:12

Tool Information

Drill Pipe:	Length:	3754.00 ft	Diameter:	3.80 inches	Volume:	52.66 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length:	31.00 ft	Diameter:	2.25 inches	Volume:	0.15 bbl	Weight to Pull Loose:	80000.00 lb
					Total Volume:	52.81 bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:		23.00 ft					String Weight: Initial	66000.00 lb
Depth to Top Packer:		3784.00 ft					Final	70000.00 lb
Depth to Bottom Packer:		ft						
Interval between Packers:		21.00 ft						
Tool Length:		43.00 ft						
Number of Packers:		2	Diameter:	6.00 inches				
Tool Comments:								

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3763.00	
Shut In Tool	5.00			3768.00	
Hydraulic tool	5.00			3773.00	
Safety Joint	2.00			3775.00	
Packer	5.00			3780.00	22.00 Bottom Of Top Packer
Packer	4.00			3784.00	
Stubb	1.00			3785.00	
Recorder	0.00	6667	Inside	3785.00	
Recorder	0.00	6771	Inside	3785.00	
Perforations	15.00			3800.00	
Bullnose	5.00			3805.00	21.00 Bottom Packers & Anchor

Total Tool Length: 43.00

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 31400

DST#: 1

ATTN: Rick Hall

Test Start: 2008.08.06 @ 11:25:12

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

10000 ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.11 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1400.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2101.00	OCW 5% G 3% O 87% W 5% M	29.189
976.00	WCO 5% G 70% O 20% W 5% M	13.691

Total Length: 3077.00 ft

Total Volume: 42.880 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

DST Test Number: 1


17 11 24 Trego KS

Coral Production Corp.

Inside

Serial #: 6771

Pressure vs. Time



Printed: 2008.08.15 @ 14:04:09 Page 5


SEP 11 2008

Ref. No: 31400

Trilobite Testing, Inc

CONSERVATION DIVISION
WICHITA, KS

RECEIVED
KANSAS CORPORATION COMMISSION



DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St. Ste. 1500 Denver Colorado
80202

ATTN: Rick Hall

17 11 24 Trego KS

Hober # 17-1

Start Date: 2008.08.07 @ 05:36:38

End Date: 2008.08.07 @ 14:06:53


Job Ticket #: 32576 DST #: 2

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32576

DST#: 2

ATTN: Rick Hall

Test Start: 2008.08.07 @ 05:36:38

GENERAL INFORMATION:

Formation: **Lansing DEF**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 07:54:53

Time Test Ended: 14:06:53

Test Type: Conventional Bottom Hole

Tester: Kyle Wiley

Unit No: 40

Interval: **3814.00 ft (KB) To 3858.00 ft (KB) (TVD)**

Reference Elevations: 2422.00 ft (KB)

Total Depth: 3858.00 ft (KB) (TVD)

2414.00 ft (CF)

Hole Diameter: 4.00 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 6667 Inside

Press@RunDepth: 906.02 psig @ 3815.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.08.07

End Date: 2008.08.07

Last Calib.: 2008.08.07


Start Time: 05:36:43

End Time: 14:06:52

Time On Btm: 2008.08.07 @ 07:54:38

Time Off Btm: 2008.08.07 @ 11:52:08

TEST COMMENT: IF BOB in 3 mins
IS surface blow 45 min
FF BOB in 3 mins
FS No return



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1835.27	111.00	Initial Hydro-static
1	85.22	109.92	Open To Flow (1)
32	535.85	123.25	Shut-In(1)
78	1048.37	120.77	End Shut-In(1)
78	532.59	120.60	Open To Flow (2)
140	906.02	122.60	Shut-In(2)
237	1051.39	120.74	End Shut-In(2)
238	1810.08	120.10	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
1952.00	10% W 90% W MCW	27.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32576

DST#: 2

ATTN: Rick Hall

Test Start: 2008.08.07 @ 05:36:38

Tool Information

Drill Pipe:	Length: 3782.00 ft	Diameter: 3.80 inches	Volume: 53.05 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 80000.00 lb
		Total Volume: 53.20 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 58000.00 lb
Depth to Top Packer:	3814.00 ft			Final 68000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	50.00 ft			
Tool Length:	72.00 ft			
Number of Packers:	2	Diameter: 6.00 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3793.00	
Shut In Tool	5.00			3798.00	
Hydraulic tool	5.00			3803.00	
Safety Joint	2.00			3805.00	
Packer	5.00			3810.00	22.00 Bottom Of Top Packer
Packer	4.00			3814.00	
Stubb	1.00			3815.00	
Recorder	0.00	6667	Inside	3815.00	
Recorder	0.00	6771	Inside	3815.00	
Perforations	44.00			3859.00	
Bullnose	5.00			3864.00	50.00 Bottom Packers & Anchor

Total Tool Length: 72.00

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32576

DST#: 2

ATTN: Rick Hall

Test Start: 2008.08.07 @ 05:36:38

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.85 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1952.00	10% W 90% W MCW	27.099

Total Length: 1952.00 ft

Total Volume: 27.099 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:


Laboratory Location:

Recovery Comments:

Pressure vs. Time



RECEIVED
KANSAS CORPORATION COMMISSION
SEP 11 2008
CONSERVATION DIVISION
WICHITA, KS



DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St. Ste. 1500 Denver Colorado
80202

ATTN: Rick Hall

17 11 24 Trego KS

Hober # 17-1

Start Date: 2008.08.08 @ 02:05:07

End Date: 2008.08.08 @ 10:38:07


Job Ticket #: 32577 DST #: 3

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32577

DST#: 3

ATTN: Rick Hall

Test Start: 2008.08.08 @ 02:05:07

GENERAL INFORMATION:

Formation: **Kansas City H - I**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:36:22

Time Test Ended: 10:38:07

Test Type: Conventional Bottom Hole

Tester: Kyle Wiley

Unit No: 40

Interval: **3876.00 ft (KB) To 3933.00 ft (KB) (TVD)**

Reference Elevations: 2422.00 ft (KB)

Total Depth: 3805.04 ft (KB) (TVD)

2414.00 ft (CF)

Hole Diameter: 4.00 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 6667

Inside

Press@RunDepth: 650.18 psig @ 3877.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.08.08

End Date: 2008.08.08

Last Calib.: 2008.08.08


Start Time: 02:05:12

End Time: 10:38:07

Time On Btm: 2008.08.08 @ 03:36:07

Time Off Btm: 2008.08.08 @ 07:24:36

TEST COMMENT: IF BOB 3 min
IS return built 1 inch
FF BOB 5 min
FS Return BOB 22 min



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1901.41	112.73	Initial Hydro-static
1	84.27	112.34	Open To Flow (1)
34	339.80	123.76	Shut-In(1)
77	1262.95	122.65	End Shut-In(1)
77	355.52	122.40	Open To Flow (2)
136	650.18	124.07	Shut-In(2)
228	1174.58	122.87	End Shut-In(2)
229	1806.93	123.00	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
793.00	30 % M 70% W	10.84
610.00	35% G 25% O 5% W 35% M	8.56
210.00	5% G 95% O	2.95

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32577

DST#: 3

ATTN: Rick Hall

Test Start: 2008.08.08 @ 02:05:07

Tool Information

Drill Pipe:	Length: 3845.00 ft	Diameter: 3.80 inches	Volume: 53.94 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose:	70000.00 lb
			<u>Total Volume: 54.09 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial	58000.00 lb
Depth to Top Packer:	3876.00 ft			Final	64000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	61.00 ft				
Tool Length:	83.00 ft				
Number of Packers:	2	Diameter:	6.00 inches		
Tool Comments:					


Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3855.00	
Shut In Tool	5.00			3860.00	
Hydraulic tool	5.00			3865.00	
Safety Joint	2.00			3867.00	
Packer	5.00			3872.00	22.00 Bottom Of Top Packer
Packer	4.00			3876.00	
Stubb	1.00			3877.00	
Recorder	0.00	6667	Inside	3877.00	
Recorder	0.00	6771	Inside	3877.00	
Perforations	22.00			3899.00	
Change Over Sub	1.00			3900.00	
Blank Spacing	31.00			3931.00	
Change Over Sub	1.00			3932.00	
Bullnose	5.00			3937.00	61.00 Bottom Packers & Anchor

Total Tool Length: 83.00

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32577

DST#: 3

ATTN: Rick Hall

Test Start: 2008.08.08 @ 02:05:07

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.86 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1400.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
793.00	30 % M 70% W	10.841
610.00	35% G 25% O 5% W 35% M	8.557
210.00	5% G 95% O	2.946

Total Length: 1613.00 ft

Total Volume: 22.344 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

DST Test Number: 3


17 11 24 Trego KS

Coral Production Corp.

Inside

Serial #: 6667

Pressure vs. Time




Ref. No: 32577

Trilobite Testing, Inc

CONSERVATION DIVISION
WICHITA, KS

SEP 11 2008

RECEIVED
KANSAS CORPORATION COMMISSION



DRILL STEM TEST REPORT

Prepared For: **Coral Production Corp.**

1600 Stout St. Ste. 1500 Denver Colorado
80202

ATTN: Rick Hall

17 11 24 Trego KS

Hober # 17-1

Start Date: 2008.08.08 @ 16:11:34

End Date: 2008.08.09 @ 01:21:19


Job Ticket #: 32578 DST #: 4

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 11 2008

CONSERVATION DIVISION
WICHITA, KS

Trilobite Testing, Inc
PO Box 1733 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32578

DST#: 4

ATTN: Rick Hall

Test Start: 2008.08.08 @ 16:11:34

GENERAL INFORMATION:

Formation: **Kansas City J**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 18:03:04

Time Test Ended: 01:21:19

Test Type: Conventional Bottom Hole

Tester: Kyle Wiley

Unit No: 40

Interval: **2422.00 ft (KB) To 3952.00 ft (KB) (TVD)**

Reference Elevations: 2422.00 ft (KB)

Total Depth: 3952.00 ft (KB) (TVD)

2414.00 ft (CF)

Hole Diameter: 4.00 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 6667 Inside

Press@RunDepth: 606.60 psig @ 3934.00 ft (KB)

Capacity: 7000.00 psig

Start Date: 2008.08.08

End Date: 2008.08.09

Last Calib.: 2008.08.09


Start Time: 16:11:39

End Time: 01:21:19

Time On Btm: 2008.08.08 @ 18:02:34

Time Off Btm: 2008.08.08 @ 21:47:49

TEST COMMENT: IF BOB 3 min
IS BOB 8 min
FF BOB 3 min
FS BOB 21 min



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1903.58	108.84	Initial Hydro-static
1	102.45	108.88	Open To Flow (1)
27	295.14	124.91	Shut-In(1)
75	1234.04	124.14	End Shut-In(1)
76	317.00	123.08	Open To Flow (2)
134	606.60	125.49	Shut-In(2)
225	1173.61	124.65	End Shut-In(2)
226	1868.40	124.94	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2100.00	GCO 40% G 60% O	29.18

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------



TRILOBITE
TESTING, INC

DRILL STEM TEST REPORT

TOOL DIAGRAM

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32578

DST#: 4

ATTN: Rick Hall

Test Start: 2008.08.08 @ 16:11:34

Tool Information

Drill Pipe:	Length: 3899.00 ft	Diameter: 3.80 inches	Volume: 54.69 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 70000.00 lb
		Total Volume: 54.84 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	19.00 ft			String Weight: Initial 58000.00 lb
Depth to Top Packer:	3933.00 ft			Final 64000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	19.00 ft			
Tool Length:	41.00 ft			
Number of Packers:	2	Diameter: 6.00 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3912.00	
Shut In Tool	5.00			3917.00	
Hydraulic tool	5.00			3922.00	
Safety Joint	2.00			3924.00	
Packer	5.00			3929.00	22.00 Bottom Of Top Packer
Packer	4.00			3933.00	
Stubb	1.00			3934.00	
Recorder	0.00	6667	Inside	3934.00	
Recorder	0.00	6771	Inside	3934.00	
Perforations	13.00			3947.00	
Bullnose	5.00			3952.00	19.00 Bottom Packers & Anchor

Total Tool Length: 41.00

RECEIVED
KANSAS CORPORATION COMMISSION
SEP 11 2008
CONSERVATION DIVISION
WICHITA, KS



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

Coral Production Corp.

Hober # 17-1

1600 Stout St. Ste. 1500 Denver Colorado 80202

17 11 24 Trego KS

Job Ticket: 32578

DST#: 4

ATTN: Rick Hall

Test Start: 2008.08.08 @ 16:11:34

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 53.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.79 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3000.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2100.00	GCO 40% G 60% O	29.175

Total Length: 2100.00 ft

Total Volume: 29.175 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time



RECEIVED
KANSAS CORPORATION COMMISSION
CONSERVATION DIVISION
WICHITA, KS

SEP 1 1 2008

Ref. No: 32578

Trilobite Testing, Inc

Printed: 2008.08.15 @ 14:05:02 Page 5