

1939

7/26

Granite wash 3205' (Corrected)

7" - 3016'

T.D. 3220'

5" liner, perforated.

Potential ~~XXXXX~~ 186 bbls., Pump

COMPLETED

Map No. 72 Sec. 29 Twp. 11 R. 15WWell No. 2 Frank Booth "A"Stanolind

Company

Contractor

FIRST REPORT

SE NW NE

990 Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

990 Ft. from W. Line

SECTION PLAT

FAIRPORT POOL

Location X

Rig up _____

Drilling and Remarks: _____

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth _____

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

MAY 10 1939

19

S. J. LEWIS

Scout

Map No. 72 Sec. 29 Twp. 11 R. 15WWell No. 2 Frank Booth "A"Stanolind

Company

Contractor

COMPLETED

SE NW NE

990 Ft. from N. Line

_____ Ft. from S. Line

_____ Ft. from E. Line

990 Ft. from W. Line

SECTION PLAT

		0	

FAIRPORT POOL

Location _____

Rig up _____

Drilling and Remarks:

Granite Wash
3205 Corrocted
7" @ 3016
5" Liner Perforated
Pump 186 Pst.

RECORD

Cased _____ in., _____ ft.

Sand _____

Gas _____

Oil _____

Total Depth 3220

PRODUCTION

1st 24 hrs. Nat. _____

1st 24 hrs. after shot _____

Gas _____ Cu. Ft.

Dry Hole _____

Abandoned _____

Date

JUL 26 1939 19

S. J. LEWIS

Scout