

DRILL STEM TEST REPORT

Prepared For: **Petex Inc**

4175 S Fr 193
Rogersville, Mo 65742

ATTN: Petex Inc

1-11-34 Logan,Ks


Anderson #1

Start Date: 2003.02.12 @ 09:19:33

End Date: 2003.02.12 @ 16:28:31

Job Ticket #: 15269 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc


Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15269 **DST#: 1**
Test Start: 2003.02.12 @ 09:19:33

GENERAL INFORMATION:

Formation: **D-E-F**
Deviated: **No** Whipstock: ft (KB)
Time Tool Opened: 11:32:31 Test Type: **Conventional Bottom Hole**
Time Test Ended: 16:28:31 Tester: **Shane McBride**
Unit No: **25**
Interval: 4156.00 ft (KB) To 4215.00 ft (KB) (TVD) Reference Elevations: 3191.00 ft (KB)
Total Depth: **4215.00 ft (KB) (TVD)** 3186.00 ft (CF)
Hole Diameter: **7.88 inches** Hole Condition: **Fair** KB to GR/CF: 5.00 ft

Serial #: 2341 **Inside**
Press@RunDepth: 267.04 psig @ 4157.00 ft (KB) Capacity: 7000.00 psig
Start Date: 2003.02.12 End Date: 2003.02.12 Last Calib.: 1899.12.30
Start Time: 09:19:33 End Time: 16:28:31 Time On Btm: 2003.02.12 @ 11:32:01
Time Off Btm: 2003.02.12 @ 14:29:31

TEST COMMENT: 1/4" in. @ open built to 9" in.
No return
1/4" in. @ open built to 5" in.
No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2086.80	103.29	Initial Hydro-static
1	28.14	103.36	Open To Flow (1)
27	148.36	104.66	End Shut-In(1)
72	1201.43	109.16	End Shut-In(2)
73	148.56	109.24	Open To Flow (2)
120	267.04	111.75	Shut-in(1)
177	1174.48	114.77	End Shut-In(3)
178	2026.18	114.81	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
220.00	water	1.08
220.00	m c w 30% m 70% w	1.08
108.00	h m c w 60% m 40% w	1.08

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15269 **DST#: 1**
Test Start: 2003.02.12 @ 09:19:33


Tool Information

Drill Pipe:	Length: 3678.00 ft	Diameter: 3.80 inches	Volume: 51.59 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose:	80000.00 lb
			<u>Total Volume: 53.99 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial	60000.00 lb
Depth to Top Packer:	4156.00 ft			Final	63000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	59.00 ft				
Tool Length:	79.00 ft				
Number of Packers:	2	Diameter:	6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4137.00	
S.I. Tool	5.00			4142.00	
HMV	5.00			4147.00	
Packer	5.00			4152.00	20.00 Bottom Of Top Packer
Packer	4.00			4156.00	
Stubb	1.00			4157.00	
Recorder	0.00	2341	Inside	4157.00	
Perforations	20.00			4177.00	
C.O. Sub	1.00			4178.00	
drillpipe	31.00			4209.00	
C.O. Sub	1.00			4210.00	
Recorder	0.00	11057	Outside	4210.00	
Bullnose	5.00			4215.00	59.00 Bottom Packers & Anchor

Total Tool Length: 79.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15269 DST#: 1
Test Start: 2003.02.12 @ 09:19:33

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length:	Water Salinity:	ppm
Viscosity: 59.00 sec/qt			
Water Loss: 9.54 in ³	Cushion Volume:		
Resistivity: 0.00 ohm.m	Gas Cushion Type:		
Salinity: 6000.00 ppm	Gas Cushion Pressure:		
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
220.00	w ater	1.082
220.00	m c w 30% m 70% w	1.082
108.00	h m c w 60% m 40% w	1.078

Total Length: 548.00 ft Total Volume: 3.242 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Serial #: 2341


Inside


Petex Inc

1-11-34 Logan, Ks

DST Test Number: 1

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Petex Inc**

4175 S Fr 193
Rogersville, Mo 65742

ATTN: Petex Inc

1-11-34 Logan,Ks

Anderson #1

Start Date: 2003.02.13 @ 07:19:42

End Date: 2003.02.13 @ 13:22:55

Job Ticket #: 15270 DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15270 **DST#: 2**
Test Start: 2003.02.13 @ 07:19:42

GENERAL INFORMATION:

Formation: H-I
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 09:30:25
Time Test Ended: 13:22:55

Test Type: Conventional Bottom Hole
Tester: Shane McBride
Unit No: 25

Interval: **4253.00 ft (KB) To 4322.00 ft (KB) (TVD)**
Total Depth: 4322.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 3191.00 ft (KB)
3186.00 ft (CF)
KB to GR/CF: 5.00 ft

Serial #: 2341


Inside

Press@RunDepth: 41.68 psig @ 4254.00 ft (KB)
Start Date: 2003.02.13 End Date: 2003.02.13
Start Time: 07:19:42 End Time: 13:22:55

Capacity: 7000.00 psig
Last Calib.: 1899.12.30
Time On Btm: 2003.02.13 @ 09:29:25
Time Off Btm: 2003.02.13 @ 11:32:55

TEST COMMENT: Weak 1/2" in blow died back to a weak surface
No return
Weak surface blow died in 6 min.
No return

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2178.58	105.48	Initial Hydro-static
1	30.78	105.59	Open To Flow (1)
32	36.11	106.73	Shut-In(1)
62	1074.14	108.91	End Shut-In(1)
62	37.25	108.93	Open To Flow (2)
93	41.68	110.12	Shut-In(2)
122	1039.45	111.63	End Shut-In(2)
124	2057.70	111.77	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
15.00	Drilling Mud	0.07

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15270 **DST#: 2**
Test Start: 2003.02.13 @ 07:19:42

Tool Information

Drill Pipe:	Length: 3770.00 ft	Diameter: 3.80 inches	Volume: 52.88 bbl	Tool Weight:	1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose:	80000.00 lb
			<u>Total Volume: 55.28 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial	60000.00 lb
Depth to Top Packer:	4253.00 ft			Final	60000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	69.00 ft				
Tool Length:	89.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			


Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

C.O. Sub	1.00			4234.00	
S.I. Tool	5.00			4239.00	
HMV	5.00			4244.00	
Packer	5.00			4249.00	20.00 Bottom Of Top Packer
Packer	4.00			4253.00	
Stubb	1.00			4254.00	
Recorder	0.00	2341	Inside	4254.00	
Perforations	30.00			4284.00	
C.O. Sub	1.00			4285.00	
drillpipe	31.00			4316.00	
C.O. Sub	1.00			4317.00	
Recorder	0.00	11057	Outside	4317.00	
Bullnose	5.00			4322.00	69.00 Bottom Packers & Anchor

Total Tool Length: 89.00



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15270 **DST#: 2**
Test Start: 2003.02.13 @ 07:19:42

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 52.00 sec/qt
Water Loss: 11.15 in³
Resistivity: 0.00 ohm.m
Salinity: 7500.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: deg API
Water Salinity: ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	Drilling Mud	0.074

Total Length: 15.00 ft Total Volume: 0.074 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Serial #: 2341


Inside

Petex Inc


1-11-34 Logan, Ks

DST Test Number: 2

Pressure vs. Time



13 Thu Feb 2003



DRILL STEM TEST REPORT

Prepared For: **Petex Inc**

4175 S Fr 193
Rogersville, Mo 65742

ATTN: Petex Inc

1-11-34 Logan,Ks

Anderson #1

Start Date: 2003.02.13 @ 21:04:58

End Date: 2003.02.14 @ 03:46:26

Job Ticket #: 15271 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Petex Inc
 4175 S Fr 193
 Rogersville, Mo 65742
 ATTN: Petex Inc


Anderson #1
1-11-34 Logan, Ks
 Job Ticket: 15271 **DST#: 3**
 Test Start: 2003.02.13 @ 21:04:58

GENERAL INFORMATION:

Formation: J
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 23:09:41 Test Type: Conventional Bottom Hole
 Time Test Ended: 03:46:26 Tester: Shane McBride
 Unit No: 25
 Interval: **4319.00 ft (KB) To 4351.00 ft (KB) (TVD)** Reference Elevations: 3191.00 ft (KB)
 Total Depth: 4351.00 ft (KB) (TVD) 3186.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Fair KB to GR/CF: 5.00 ft

Serial #: 2341 Inside
 Press@RunDepth: 17.32 psig @ 4320.00 ft (KB) Capacity: 7000.00 psig
 Start Date: 2003.02.13 End Date: 2003.02.14 Last Calib.: 1899.12.30
 Start Time: 21:04:58 End Time: 03:46:26 Time On Btm: 2003.02.13 @ 23:09:26
 Time Off Btm: 2003.02.14 @ 01:13:26

TEST COMMENT: Weak 1" in blow died in 20 min
 No return
 Surface blow died in 3 min
 No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2220.48	103.88	Initial Hydro-static
1	14.34	103.91	Open To Flow (1)
31	16.56	105.41	Shut-In(1)
61	42.10	107.29	End Shut-In(1)
61	16.46	107.30	Open To Flow (2)
93	17.32	108.95	Shut-In(2)
124	27.22	110.29	End Shut-In(2)
124	2105.02	110.44	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc


Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58

Tool Information

Drill Pipe:	Length: 3831.00 ft	Diameter: 3.80 inches	Volume: 53.74 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 56.14 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 62000.00 lb
Depth to Top Packer:	4319.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	26.00 ft			
Tool Length:	46.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4300.00	
S.I. Tool	5.00			4305.00	
HMV	5.00			4310.00	
Packer	5.00			4315.00	20.00 Bottom Of Top Packer
Packer	4.00			4319.00	
Stubb	1.00			4320.00	
Recorder	0.00	2341	Inside	4320.00	
Perforations	20.00			4340.00	
Recorder	0.00	11057	Outside	4340.00	
Bullnose	5.00			4345.00	26.00 Bottom Packers & Anchor
Total Tool Length:	46.00				



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 54.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.15 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 7500.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100% m	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Serial #: 2341


Inside


Petex Inc

1-11-34 Logan, Ks

DST Test Number: 3

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Petex Inc**

4175 S Fr 193
Rogersville, Mo 65742

ATTN: Petex Inc

1-11-34 Logan,Ks


Anderson #1

Start Date: 2003.02.13 @ 21:04:58

End Date: 2003.02.14 @ 03:46:26

Job Ticket #: 15271 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742

Anderson #1
1-11-34 Logan, Ks

Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58


ATTN: Petex Inc

Tool Information

Drill Pipe:	Length: 3831.00 ft	Diameter: 3.80 inches	Volume: 53.74 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 56.55 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 62000.00 lb
Depth to Top Packer:	4319.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	26.00 ft			
Tool Length:	46.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
C.O. Sub	1.00			4300.00	-999999.00	
S.I. Tool	5.00			4305.00	-999999.00	
HMV	5.00			4310.00	-999999.00	
Packer	5.00			4315.00	20.00	Bottom Of Top Packer
Packer	4.00			4319.00	-999999.00	
Stubb	1.00			4320.00	-999999.00	
Recorder	0.00	2341	Inside	4320.00	-999999.00	
Perforations	20.00			4340.00	-999999.00	
Recorder	0.00	11057	Outside	4340.00	-999999.00	
Bullnose	5.00			4345.00	26.00	Bottom Packers & Anchor
Total Tool Length:	46.00					



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 54.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.15 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 7500.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100% m	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Serial #: 2341


Inside


Petex Inc

1-11-34 Logan, Ks

DST Test Number: 3

Pressure vs. Time





DRILL STEM TEST REPORT

Prepared For: **Petex Inc**

4175 S Fr 193
Rogersville, Mo 65742

ATTN: Petex Inc

1-11-34 Logan,Ks


Anderson #1

Start Date: 2003.02.13 @ 21:04:58

End Date: 2003.02.14 @ 03:46:26

Job Ticket #: 15271 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc


Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58

Tool Information

Drill Pipe:	Length: 3831.00 ft	Diameter: 3.80 inches	Volume: 53.74 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 60.49 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 62000.00 lb
Depth to Top Packer:	4319.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	26.00 ft			
Tool Length:	46.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4300.00	-999999.00
S.I. Tool	5.00			4305.00	-999999.00
HMV	5.00			4310.00	-999999.00
Packer	5.00			4315.00	20.00 Bottom Of Top Packer
Packer	4.00			4319.00	-999999.00
Stubb	1.00			4320.00	-999999.00
Recorder	0.00	2341	Inside	4320.00	-999999.00
Perforations	20.00			4340.00	-999999.00
Recorder	0.00	11057	Outside	4340.00	-999999.00
Bullnose	5.00			4345.00	26.00 Bottom Packers & Anchor
Total Tool Length:	46.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Petex Inc
4175 S Fr 193
Rogersville, Mo 65742
ATTN: Petex Inc

Anderson #1
1-11-34 Logan, Ks
Job Ticket: 15271 **DST#: 3**
Test Start: 2003.02.13 @ 21:04:58

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 54.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.15 in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: 7500.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100% m	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl
Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
Laboratory Name: Laboratory Location:
Recovery Comments:

Serial #: 2341


Inside

Petex Inc

1-11-34 Logan, Ks

DST Test Number: 3

Pressure vs. Time



16 Sun Feb 2003

12PM

3PM

6PM