


CONFIDENTIAL

COPY



DRILL STEM TEST REPORT

Prepared For: **McCoy Petro Corp**

P.O. Box 780208
Wichita Ks 67278

ATTN: McCoy Petro Corp

2-11-34 Logan,Ks

Seele "A" #3-2

Start Date: 2003.03.22 @ 01:32:07

End Date: 2003.03.22 @ 10:08:50

Job Ticket #: 16210 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

McCoy Petro Corp


Seele "A" #3-2

2-11-34 Logan,Ks

DST # 1

Toronto

2003.03.22



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

McCoy Petro Corp

Seele "A" #3-2

P.O. Box 780208
Wichita Ks 67278

2-11-34 Logan, Ks

Job Ticket: 16210

DST#: 1

ATTN: McCoy Petro Corp

Test Start: 2003.03.22 @ 01:32:07

Tool Information


Drill Pipe:	Length: 3586.00 ft	Diameter: 3.80 inches	Volume: 50.30 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 488.00 ft	Diameter: 2.25 inches	Volume: 2.40 bbl	Weight to Pull Loose: 75000.00 lb
			<u>Total Volume: 52.70 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 52000.00 lb
Depth to Top Packer:	4081.00 ft			Final 59000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	30.00 ft			
Tool Length:	52.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4060.00	
S.I. Tool	5.00			4065.00	
HMV	5.00			4070.00	
Safety Joint	2.00			4072.00	
Packer	5.00			4077.00	22.00 Bottom Of Top Packer
Packer	4.00			4081.00	
Stubb	1.00			4082.00	
Recorder	0.00	2341	Inside	4082.00	
Perforations	24.00			4106.00	
Recorder	0.00	11058	Outside	4106.00	
Bullnose	5.00			4111.00	30.00 Bottom Packers & Anchor

Total Tool Length: 52.00

Pressure vs. Time




CONFIDENTIAL

KCC

COPY

JUN 26 2003

CONFIDENTIAL



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **McCoy Petro Corp**

P.O. Box 780208
Wichita Ks 67278

ATTN: McCoy Petro Corp

2-11-34 Logan, Ks

Seele "A" #3-2

Start Date: 2003.03.23 @ 05:43:13

End Date: 2003.03.23 @ 13:26:41

Job Ticket #: 16211 DST #: 2

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

McCoy Petro Corp


Seele "A" #3-2

2-11-34 Logan, Ks

DST # 2

"H"

2003.03.23



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

McCoy Petro Corp

Seele "A" #3-2

P.O. Box 780208
Wichita Ks 67278

2-11-34 Logan, Ks

Job Ticket: 16211

DST#: 2

ATTN: McCoy Petro Corp

Test Start: 2003.03.23 @ 05:43:13


Tool Information

Drill Pipe:	Length: 3959.00 ft	Diameter: 3.80 inches	Volume: 55.53 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 308.00 ft	Diameter: 2.25 inches	Volume: 1.51 bbl	Weight to Pull Loose: 75000.00 lb
			<u>Total Volume: 57.04 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial 56000.00 lb
Depth to Top Packer:	4264.00 ft			Final 56000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	21.00 ft			
Tool Length:	43.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4243.00	
S.I. Tool	5.00			4248.00	
HMV	5.00			4253.00	
Safety Joint	2.00			4255.00	
Packer	5.00			4260.00	22.00 Bottom Of Top Packer
Packer	4.00			4264.00	
Stubb	1.00			4265.00	
Recorder	0.00	2341	Inside	4265.00	
Perforations	15.00			4280.00	
Recorder	0.00	11058	Outside	4280.00	
Bullnose	5.00			4285.00	21.00 Bottom Packers & Anchor

Total Tool Length: 43.00




CONFIDENTIAL

COPY

KCC

JUN 26 2003

CONFIDENTIAL



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **McCoy Petro Corp**

P.O. Box 780208
Wichita Ks 67278

ATTN: McCoy Petro Corp

2-11-34 Logan,Ks

Seele "A" #3-2

Start Date: 2003.03.24 @ 00:29:47

End Date: 2003.03.24 @ 08:43:45

Job Ticket #: 16212 DST #: 3

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

McCoy Petro Corp


Seele "A" #3-2

2-11-34 Logan,Ks

DST # 3

"J"

2003.03.24



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

McCoy Petro Corp

Seele "A" #3-2

P.O. Box 780208
Wichita Ks 67278

2-11-34 Logan, Ks

Job Ticket: 16212

DST#: 3

ATTN: McCoy Petro Corp

Test Start: 2003.03.24 @ 00:29:47

Tool Information

Drill Pipe:	Length: 3738.00 ft	Diameter: 3.80 inches	Volume: 52.43 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 550.00 ft	Diameter: 2.25 inches	Volume: 2.70 bbl	Weight to Pull Loose: 78000.00 lb
		Total Volume: 55.13 bbl		Tool Chased 0.00 ft
Drill Pipe Above KB:	20.00 ft			String Weight: Initial 57000.00 lb
Depth to Top Packer:	4290.00 ft			Final 58000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	48.00 ft			
Tool Length:	70.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4269.00	
S.I. Tool	5.00			4274.00	
HMV	5.00			4279.00	
Safety Joint	2.00			4281.00	
Packer	5.00			4286.00	22.00 Bottom Of Top Packer
Packer	4.00			4290.00	
Stubb	1.00			4291.00	
Recorder	0.00	2341	Inside	4291.00	
Perforations	10.00			4301.00	
C.O. Sub	1.00			4302.00	
drillpipe	30.00			4332.00	
C.O. Sub	1.00			4333.00	
Recorder	0.00	11058	Outside	4333.00	
Bullnose	5.00			4338.00	48.00 Bottom Packers & Anchor
Total Tool Length:		70.00			

Serial #: 2341


Inside

McCoy Petro Corp

2-11-34 Logan, Ks

DST Test Number: 3

Pressure vs. Time



24 Mon Mar 2003

Trilobite Testing, Inc

Ref. No: 16212

Printed: 2003.04.01 @ 14:00:52 Page 5


CONFIDENTIAL

COPY

KCC

JUN 26 2003

CONFIDENTIAL



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **McCoy Petro Corp**

P.O. Box 780208
Wichita Ks 67278

ATTN: McCoy Petro Corp

2-11-34 Logan, Ks

Seele "A" #3-2

Start Date: 2003.03.24 @ 16:32:39

End Date: 2003.03.25 @ 01:23:37

Job Ticket #: 16213 DST #: 4

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

McCoy Petro Corp


Seele "A" #3-2

2-11-34 Logan, Ks

DST # 4

"K"

2003.03.24



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

McCoy Petro Corp

Seele "A" #3-2

P.O. Box 780208
Wichita Ks 67278

2-11-34 Logan, Ks

Job Ticket: 16213

DST#: 4

ATTN: McCoy Petro Corp

Test Start: 2003.03.24 @ 16:32:39

Tool Information

Drill Pipe:	Length: 3801.00 ft	Diameter: 3.80 inches	Volume: 53.32 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 550.00 ft	Diameter: 2.25 inches	Volume: 2.70 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 56.02 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4342.00 ft			Final 62000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	31.00 ft			
Tool Length:	53.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4321.00	
S.I. Tool	5.00			4326.00	
HMV	5.00			4331.00	
Safety Joint	2.00			4333.00	
Packer	5.00			4338.00	22.00 Bottom Of Top Packer
Packer	4.00			4342.00	
Stubb	1.00			4343.00	
Recorder	0.00	2341	Inside	4343.00	
Perforations	25.00			4368.00	
Recorder	0.00	11058	Outside	4368.00	
Bullnose	5.00			4373.00	31.00 Bottom Packers & Anchor

Total Tool Length: 53.00

Serial #: 2341


Inside

McCoy Petro Corp

2-11-34 Logan, Ks

DST Test Number: 4

Pressure vs. Time




CONFIDENTIAL

KCC

JUN 26 2003

COPY

CONFIDENTIAL



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

Prepared For: **McCoy Petro Corp**

P.O. Box 780208
Wichita Ks 67278

ATTN: McCoy Petro Corp

2-11-34 Logan, Ks

Seele "A" #3-2

Start Date: 2003.03.26 @ 03:59:48

End Date: 2003.03.26 @ 12:42:16

Job Ticket #: 16214 DST #: 5

Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

McCoy Petro Corp


Seele "A" #3-2

2-11-34 Logan, Ks

DST # 5

Johnson

2003.03.26



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

McCoy Petro Corp

Seele "A" #3-2

P.O. Box 780208
Wichita Ks 67278

2-11-34 Logan, Ks

Job Ticket: 16214

DST#: 5

ATTN: McCoy Petro Corp

Test Start: 2003.03.26 @ 03:59:48

Tool Information

Drill Pipe:	Length: 4080.00 ft	Diameter: 3.80 inches	Volume: 57.23 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 550.00 ft	Diameter: 2.25 inches	Volume: 2.70 bbl	Weight to Pull Loose: 85000.00 lb
			<u>Total Volume: 59.93 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 61000.00 lb
Depth to Top Packer:	4630.00 ft			Final 64000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	60.00 ft			
Tool Length:	82.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
C.O. Sub	1.00			4609.00	
S.I. Tool	5.00			4614.00	
HMV	5.00			4619.00	
Safety Joint	2.00			4621.00	
Packer	5.00			4626.00	22.00 Bottom Of Top Packer
Packer	4.00			4630.00	
Stubb	1.00			4631.00	
Recorder	0.00	2341	Inside	4631.00	
Perforations	21.00			4652.00	
C.O. Sub	1.00			4653.00	
drillpipe	31.00			4684.00	
C.O. Sub	1.00			4685.00	
Recorder	0.00	11058	Outside	4685.00	
Bullnose	5.00			4690.00	60.00 Bottom Packers & Anchor

Total Tool Length: 82.00

Serial #: 2341

Inside

McCoy Petro Corp

2-11-34 Logan, Ks

DST Test Number: 5

Pressure vs. Time

