185

COP

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION	API NO. 15- 167-22,978 County Russell East					
WELL COMPLETION FORM						
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	NW SE NE sec. 32 Twp. 12 Rge. 14 XX West					
perator: License #6194	3630' Ft. North from Southeast Corner of Section					
Name: E.S.P. Development, Inc.	990 Ft. West from Southeast Corner of Section					
Address R.R. 1 Box 18	(NOTE: Locate well in section plat below.)					
-	Lease Name Paradise South Well # B #]					
City/State/Zip Paradise, Kansas 67658	Field Name Unknown					
Purchaser:	Producing Formation					
Operator Contact Person: Lewis Eulert	Elevation: Ground 1705' KB 1710'					
Phone (913) 998-4413	Total Depth 3210' PBTD 3500'					
Contractor: Warme: Western Kansas Drilling, Inc.	4950					
4083 REC	4620 4290 3960					
Wellsite Geologist: Randall Kilian	1960 3300					
	2 1991					
X New Well Re-Entry Workover	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Oil SWD Temp. Abd. Wich Gas Inj Delayed Comp. X Dry Other (Core, Water Supply, etc.)	1650					
X Dry Other (Core, Water Supply, etc.)	990					
If OMMO: old well info as follows:	238 8 8 8 8 8 9 9 8 8 8 8 8 8 8 8 8 8 8 8					
Operator:						
Well Name:						
•	Multiple Stage Cementing Collar Used? Yes No					
Drivering Method:X_ Mud Rotary Air Rotary Cable	If yes, show depth setFeet					
6-11-91 6-17-91 6-18-91	If Alternate II completion, cement circulated from					
Spud Date Date Reached TD Completion Date	feet depth to w/sx cmt.					
writing and submitted with the form. See rule 82-3	s of the spud date of any well. Rule 82-3-130, 82-3-107 and be held confidential for a period of 12 months if requested in -107 for confidentiality in excess of 12 months. One copy of all this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 all temporarily abandoned wells. Any recompletion, workover or					
All requirements of the statutes, rules and regulations promu with and the statements herein are complete and correct to	ulgated to regulate the oil and gas industry have been fully complied the best of my knowledge.					
Signature Jana Enley	K.C.C. OFFICE USE ONLY					
Title President Date	F Letter of Confidentiality Attached Vireline Log Received					
Subscribed and sworn to before me this $15t$ day of 1991 .	Distribution					
DON	NNA SUPER KCC SWD/Rep NGPA e of Kansas Other					
te Commission Expires 29-93	(Specify)					



COF

		ienc, in	IC.	_ rease wame	raraurse	South	werr ~ _	D 1/ 1
		7		County		٠.		
. <u>32</u> Twp. <u>12</u> R	ge. <u>14</u>	X West		•				
TRUCTIONS: Show imperval tested, time irostatic pressures, more space is needed	tool open an bottom hole t	d closed, emperatur	flowing and e, fluid reco	shut-in pres	sures, wheth	er shut-in pre	ssure react	n ed stati c level
ill Stem Tests Taken (Attach Additional S					Formation Desc	Description		
mples Sent to Geologi	ical Survey	Yes	X No			□ roa ··⊠	Sample	
res Taken		Tes	X No	Name		Тор	Botto	m
ectric Log Run (Submit Copy.)		Yes	X No	Anhydr	ite	756	+954	
(Submit Copy.)				Topeka		2614	-906	
				Heebne	r	2834	-1134	
				Lansin	g	2898	-1188	
				Base K	с.	3148	-1438	
				Arbuck	.1e	3199	-1489	
				RTD		3210	1500_	
	Size Hole	6:			T			
urpose of String	Drilled		Casing (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
Surface				•			Used	1 ''
	Drilled	Set		Lbs./Ft.	Depth	Cement	Used	Additives
Surface	Dritted 12½" PERFORATIO	8 5/8 N RECORD		19#	Depth 213' Acid,	Cement	Used 135sks	Additives 2%gel 3%cc
Surface	Dritted 12½" PERFORATIO	8 5/8 N RECORD	(In O.D.)	19#	Depth 213' Acid,	Cement 60/40 poz Fracture, Shot	Used 135sks	Additives 2%gel 3%cc
Surface	Dritted 12½" PERFORATIO	8 5/8 N RECORD	(In O.D.)	19#	Depth 213' Acid,	Cement 60/40 poz Fracture, Shot	Used 135sks	Additives 2%gel 3%cc
Surface	Dritted 12½" PERFORATIO	8 5/8 N RECORD	(In O.D.)	19#	Depth 213' Acid,	Cement 60/40 poz Fracture, Shot	Used 135sks	Additives 2%gel 3%cc
Surface	Dritted 12½" PERFORATIO	8 5/8 N RECORD	(In O.D.)	19#	Depth 213' Acid,	Cement 60/40 poz Fracture, Shot	Used 135sks	Additives 2%gel 3%cc
Surface Shots Per Foot	Dritted 12½" PERFORATIO	8 5/8 NW RECORD age of Eac	(In O.D.)	19#	Depth 213' Acid,	Cement 60/40 poz Fracture, Shot nd Kind of Mate	Used 135sks Cement Sorial Used)	Additives 2%gel 3%cc
Shots Per Foot	PERFORATION Specify Foota	Set 8 5/8 Now RECORD age of Eac	h Interval Po	Lbs./Ft. 19# erforated Packer At	Acid, (Amount all	Cement 60/40 poz Fracture, Shoted Kind of Mate	Used 135sks Cement Sorial Used)	Additives 2%gel 3%cc
Surface	PERFORATION Specify Foota	Set 8 5/8 Now RECORD age of Eac	h Interval Po	Lbs./Ft. 19# erforated Packer At	Acid, (Amount all	Cement 60/40 poz Fracture, Shot nd Kind of Mate	Used 135sks Cement Sorial Used) No	Additives 2%gel 3%cc
Surface Shots Per Foot TUBING RECORD Date of First Production	PERFORATION Specify Foota	Set 8 5/8 WH RECORD age of Each	h Interval Po	Lbs./Ft. 19# erforated Packer At	Acid, (Amount ai	Cement 60/40 poz Fracture, Shot nd Kind of Mate	Used 135sks Cement Sorial Used) No	Additives 2%gel 3%cc
Surface Shots Per Foot TUBING RECORD Date of First Production Per 24 Hours	PERFORATION Specify Foota	Set 8 5/8 WH RECORD age of Each	h Interval Po	Packer At Pumping Mcf Wat	Acid, (Amount and Liner Run Gas Lift er Bbls	Cement 60/40 poz Fracture, Shot nd Kind of Mate	Used 135sks Coment Sorial Used) No	Additives 2%gel 3%cc pecze Record Depth Gravity Production Inter

DRILLER'S LOG

32-12-14W

Lime & Shale

Operator:

E.S.P. Development, Inc.

Contractor:

Western Kansas Drilling, Inc.

Well &

Paradise South B #1

Well Description:

NW-SE-NE 32-12-14 Russell County, Kansas

Commenced:

6-11-91

Completed:

6-18-91

Character of Well:

D & A

Elevation:

1705' GL 17

1710' KB

Casing:

Ran 7 jts. of 8 5/8's set @ 213'

Figures Indicate Bottom of Formations

0' - 754'	Sand & Shale	3117' - 3210
754' - 792'	Anhy.	
792' - 1406'	Shale	
1406' - 1880'	Sand & Shale	
1880' - 2278'	Shale	
2278' - 2915'	Lime & Shale	
2915' - 2949'	Lime	
2949' - 3040'	Lime & Shale	
3040' - 3117'	Lime	
State of Kansas		
County of Filia) ss: \	

I Stanley Younger, President of Western Kansas Drilling, Inc. apon oath state that the above and foregoing is a true and correct copy of the log of the Paradise South B #1

RECEIVED

Stanley Younger, President

JUL 0 2 1991

COROLANA SADA Wichija II. Jas