

KANSAS DRILLERS LOG

API No. 15 — 051 — 21272
 County Number

S. 3 T. 12 R. 17 ^E _W
 Loc. 450' SNL, 850' WEL SW
 County Ellis

Operator Jerry W. Williamson Icer Addis, Drawer 8038,

Address 812 - Biring - Bldg. Wichita, Kansas 67202 67208


Well No. #1 Lease Name Windholz

Footage Location
 feet from (N) (S) line feet from (E) (W) line

Principal Contractor H-30, INC. Geologist Richard M. Foley

Spud Date March 12, 1977 Total Depth 3,685' P.B.T.D.

Date Completed March 22, 1977 Oil Purchaser Dry Hole



640 Acres
 N
 Locate well correctly
 Elev.: Gr. 2,129
 DF _____ KB 2,134

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12-1/4"	8-5/8"		206	Common	150	2% Gel, 3% CC

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production Dry Hole Producing method (flowing, pumping, gas lift, etc.) _____

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) _____ Producing interval (s) _____

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator ICER ADDIS		DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.:
Well No. 1	Lease Name Windholz	DRY HOLE
S <u>3</u> T <u>12</u> R <u>17</u> W		


WELL LOG

Show all important zones of porosity and contents thereof; corod intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Anhydrite	1,344			
Topeka	3,081			
Heebner	3,315			
Toronto	3,339			
Lansing	3,363			
Base Kansas City	3,593			
Arbuckle	3,621			
Rotary Total Depth	3,685			
DST #1: Open 60" (30-30-30-30) Weak blow 20"; recovered 3' drilling mud. ISIP 32#, FSIP 20#, IFP 10-10#, FFP 10-10#	3,402	3,425		
DST #2: Open 60" (30-30-30-30) Weak blow 30". Recovered 7' mud, no show. ISIP 10#, FSIP 0, IFP & FFP 0.	3,619	3,628		
DST #3: Open 60" (30-30-30-30) Weak blow 25"; recovered 5' mud, show free oil in top of tool; ISIP 53#, FSIP 33#, IFP 10-10#, FFP 10-10#.	3,618	3,641		
DST #4: Open 90" (30-30-60-30) Weak blow thru test; recovered 1' free oil, 30' thin watery mud. ISIP 877#, FSIP 657#, IFP 31-43#, FFP 53-64#	3,619	3,664		
DST #5: Open 60" (30-30-30-30) Increase to strong blow; recovered 300' water. ISIP 845#, FSIP 762#, IFP 13-106#, FFP 117-160#	3,672	3,685		
No Commercial oil shows				
Plugged and abandoned				

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Date Received	 Icer Addis Signature Owner-Operator Title March 30, 1977 Date
---------------	--

KANSAS GEOLOGICAL SOCIETY API NO. - 15-051-21,272
WICHITA BRANCH KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
KANSAS GEOLOGICAL SOCIETY BUILDING
508 EAST MURDOCK - WICHITA, KANSAS


COMPANY Icer Addis

SEC. 3 T. 12S R. 17W
LOC. 450' SNL & 850' WEL
of SW/4

FARM Windholz NO. 1

COUNTY Ellis

TOTAL DEPTH 3,685'
COMM. March 12, 1977 COMP. March 22, 1977
SHOT OR TREATED
CONTRACTOR H-30, Inc.
ISSUED March 29, 1977



CASING

20 10
15 8 -5/8" 206' cemented w/150 sxs cement ELEVATION 2,134' K.B.
12 6
13 5

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

Surface Soil and Post Rock	70'
Shale	720'
Shale, Sand and Red Bed	1,344'
Anhydrite	1,380'
Shale and Lime	2,100'
Lime and Shale	3,223'
Lime	3,425'
Lime and Shale	3,685'
Rotary Total Depth	3,685'

I hereby certify the above and foregoing to be a true and correct log of the above described well as shown by the drilling reports.

H-30, INC.

Dean Britting
Dean Britting

State of Kansas }
County of Sedgwick } ss:

Subscribed and Sworn to before me a Notary Public