

**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Tomlinson Operating LLC**

7154 W State St PMB 302
Boise ID 83714

ATTN: Sid Tomlinson

18-12-18-Ellis KS

Joy # 18-1

Start Date: 2010.11.06 @ 23:00:44

End Date: 2010.11.07 @ 04:01:29

Job Ticket #: 040953 DST #: 1


RECEIVED
DEC 08 2010
KCC WICHITA

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

ORIGINAL



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040953

DST#: 1

ATTN: Sid Tomlinson

Test Start: 2010.11.06 @ 23:00:44

GENERAL INFORMATION:

Formation: **B-C-D LK**
 Deviated: **No Whipstock:** ft (KB)
 Time Tool Opened: 00:43:44
 Time Test Ended: 04:01:29

Test Type: Conventional Bottom Hole
 Tester: Dan Bangle
 Unit No: 38

Interval: **3487.00 ft (KB) To 3565.00 ft (KB) (TVD)**
 Total Depth: 3565.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Good

Reference Elevations: 2219.00 ft (KB)
 2211.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 8354

Inside


Press@RunDepth: 23.02 psig @ 3490.00 ft (KB)
 Start Date: 2010.11.06 End Date: 2010.11.07
 Start Time: 23:00:45 End Time: 04:01:29

Capacity: 8000.00 psig
 Last Calib.: 2010.11.07
 Time On Btm: 2010.11.07 @ 00:41:44
 Time Off Btm: 2010.11.07 @ 02:45:14

TEST COMMENT: IF-Weak died in 25 min

FF-No blow

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1755.48	97.78	Initial Hydro-static
2	17.63	97.22	Open To Flow (1)
33	20.62	98.40	Shut-In(1)
63	461.21	99.50	End Shut-In(1)
64	20.88	99.39	Open To Flow (2)
93	23.02	100.12	Shut-In(2)
123	361.71	101.02	End Shut-In(2)
124	1634.94	101.80	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	Drig Mud	0.14

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040953

DST#: 1

ATTN: Sid Tomlinson


Test Start: 2010.11.06 @ 23:00:44

Tool Information

Drill Pipe:	Length: 3474.00 ft	Diameter: 3.80 inches	Volume: 48.73 bbl	Tool Weight: 2800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 40000.00 lb
			<u>Total Volume: 48.73 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	15.00 ft			String Weight: Initial 38000.00 lb
Depth to Top Packer:	3487.00 ft			Final 38000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	78.00 ft			
Tool Length:	106.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3460.00	
Shut In Tool	5.00			3465.00	
Hydraulic tool	5.00			3470.00	
Jars	5.00			3475.00	
Safety Joint	3.00			3478.00	
Packer	5.00			3483.00	28.00 Bottom Of Top Packer
Packer	4.00			3487.00	
Stubb	1.00			3488.00	
Perforations	1.00			3489.00	
Change Over Sub	1.00			3490.00	
Recorder	0.00	8354	Inside	3490.00	
Recorder	0.00	8520	Outside	3490.00	
Drill Pipe	62.00			3552.00	
Change Over Sub	1.00			3553.00	
Perforations	9.00			3562.00	
Bullnose	3.00			3565.00	78.00 Bottom Packers & Anchor
Total Tool Length:	106.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-ELLIS KS

Job Ticket: 040953

DST#: 1

ATTN: Sid Tomlinson

Test Start: 2010.11.06 @ 23:00:44

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 46.00 sec/qt

Cushion Volume:

bbf

Water Loss: 8.78 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbf
10.00	Drig Mud	0.140

Total Length: 10.00 ft

Total Volume: 0.140 bbf

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Tomlinson Operating LLC**

7154 W State St PMB 302
Boise ID 83714

ATTN: Sid Tomlinson

18-12-18-Ellis KS

Joy # 18-1

Start Date: 2010.11.07 @ 09:55:29

End Date: 2010.11.07 @ 14:37:44

Job Ticket #: 040954 DST #: 2

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Tomlinson Operating LLC

Joy # 18-1


18-12-18-Ellis KS

DST # 2

E-F

LKC

2010.11.07



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-ELLIS KS

Job Ticket: 040954

DST#: 2

ATTN: Sid Tomlinson

Test Start: 2010.11.07 @ 09:55:29

GENERAL INFORMATION:

Formation: E-F LKC

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 11:23:59

Time Test Ended: 14:37:44

Test Type: Conventional Bottom Hole

Tester: Dan Bangle

Unit No: 38

Interval: 3563.00 ft (KB) To 3586.00 ft (KB) (TVD)

Reference Elevations: 2219.00 ft (KB)

Total Depth: 3586.00 ft (KB) (TVD)

2211.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 8.00 ft

Serial #: 8354

Inside

Press@RunDepth: 19.00 psig @ 3583.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2010.11.07

End Date:

2010.11.07

Last Calib.: 2010.11.07

Start Time: 09:55:30

End Time:

14:37:44


Time On Btm: 2010.11.07 @ 11:21:14

Time Off Btm: 2010.11.07 @ 13:22:29

TEST COMMENT: IF-Weak steady surface blow

FF-Weak steady surface blow

Pressure vs. Time



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1772.54	96.19	Initial Hydro-static
3	20.92	95.96	Open To Flow (1)
34	20.00	96.29	Shut-In(1)
63	33.33	97.17	End Shut-In(1)
63	19.41	97.17	Open To Flow (2)
91	19.00	98.16	Shut-In(2)
120	23.92	99.12	End Shut-In(2)
122	1715.19	100.43	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud w / oil spots	0.07

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040954

DST#: 2

ATTN: Sid Tomlinson

Test Start: 2010.11.07 @ 09:55:29

Tool Information


Drill Pipe:	Length: 3565.00 ft	Diameter: 3.80 inches	Volume: 50.01 bbl	Tool Weight: 2800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 40000.00 lb
			Total Volume: 50.01 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 38000.00 lb
Depth to Top Packer:	3563.00 ft			Final 38000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	23.00 ft			
Tool Length:	51.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3536.00	
Shut In Tool	5.00			3541.00	
Hydraulic tool	5.00			3546.00	
Jars	5.00			3551.00	
Safety Joint	3.00			3554.00	
Packer	5.00			3559.00	28.00 Bottom Of Top Packer
Packer	4.00			3563.00	
Stubb	1.00			3564.00	
Perforations	19.00			3583.00	
Recorder	0.00	8354	Inside	3583.00	
Recorder	0.00	8520	Outside	3583.00	
Bullnose	3.00			3586.00	23.00 Bottom Packers & Anchor

Total Tool Length: 51.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040954

DST#: 2

ATTN: Sid Tomlinson

Test Start: 2010.11.07 @ 09:55:29

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud w/ oil spots	0.070

Total Length: 5.00 ft Total Volume: 0.070 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Tomlinson Operating LLC**

7154 W State St PMB 302
Boise ID 83714

ATTN: Sid Tomlinson

18-12-18-Ellis KS

Joy # 18-1

Start Date: 2010.11.08 @ 05:15:02

End Date: 2010.11.08 @ 09:58:02

Job Ticket #: 040955 DST #: 3

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Tomlinson Operating LLC

Joy # 18-1


18-12-18-Ellis KS

DST # 3

I-J-K

LK

2010.11.08



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Tomlinson Operating LLC
 7154 W State St PMB 302
 Boise ID 83714
 ATTN: Sid Tomlinson

Joy # 18-1
18-12-18-Ellis KS
 Job Ticket: 040955 DST#: 3
 Test Start: 2010.11.08 @ 05:15:02


GENERAL INFORMATION:

Formation: I-J-K LK
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole
 Time Tool Opened: 06:41:02
 Tester: Dan Bangle
 Time Test Ended: 09:58:02
 Unit No: 38
 Interval: 3638.00 ft (KB) To 3720.00 ft (KB) (TVD)
 Reference Elevations: 2219.00 ft (KB)
 Total Depth: 3720.00 ft (KB) (TVD)
 2211.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Good
 KB to GR/CF: 8.00 ft

Serial #: 8354 Inside
 Press@RunDepth: 18.98 psig @ 3641.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2010.11.08 End Date: 2010.11.08 Last Calib.: 2010.11.08
 Start Time: 05:15:03 End Time: 09:58:02 Time On Btm: 2010.11.08 @ 06:40:02
 Time Off Btm: 2010.11.08 @ 08:45:02

TEST COMMENT: IF-Weak died in 20 min
 FF-

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1813.13	98.83	Initial Hydro-static
1	21.88	98.48	Open To Flow (1)
42	20.92	99.79	Shut-In(1)
62	38.86	100.46	End Shut-In(1)
62	18.67	100.47	Open To Flow (2)
99	18.98	101.56	Shut-In(2)
122	29.48	102.21	End Shut-In(2)
125	1751.18	103.46	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud w / oil spots	0.07

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040955

DST#: 3

ATTN: Sid Tomlinson


Test Start: 2010.11.08 @ 05:15:02

Tool Information

Drill Pipe:	Length: 3631.00 ft	Diameter: 3.80 inches	Volume: 50.93 bbl	Tool Weight: 2800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 45000.00 lb
			Total Volume: 50.93 bbl	Tool Chased 0.00 ft
Drill Pipe Above KB:	21.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	3638.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	82.00 ft			
Tool Length:	110.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3611.00	
Shut In Tool	5.00			3616.00	
Hydraulic tool	5.00			3621.00	
Jars	5.00			3626.00	
Safety Joint	3.00			3629.00	
Packer	5.00			3634.00	28.00 Bottom Of Top Packer
Packer	4.00			3638.00	
Stubb	1.00			3639.00	
Perforations	1.00			3640.00	
Change Over Sub	1.00			3641.00	
Recorder	0.00	8354	Inside	3641.00	
Recorder	0.00	8520	Outside	3641.00	
Drill Pipe	62.00			3703.00	
Change Over Sub	1.00			3704.00	
Perforations	13.00			3717.00	
Bullnose	3.00			3720.00	82.00 Bottom Packers & Anchor
Total Tool Length:	110.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040955

DST#: 3

ATTN: Sid Tomlinson

Test Start: 2010.11.08 @ 05:15:02

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.59 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud w / oil spots	0.070

Total Length: 5.00 ft Total Volume: 0.070 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Prepared For: **Tomlinson Operating LLC**

7154 W State St PMB 302
Boise ID 83714

ATTN: Sid Tomlinson

18-12-18-Ellis KS

Joy # 18-1

Start Date: 2010.11.09 @ 00:43:02

End Date: 2010.11.09 @ 05:47:17

Job Ticket #: 040956 DST #: 4

Trilobite Testing, Inc

PO Box 1733 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

Tomlinson Operating LLC


Joy # 18-1

18-12-18-Ellis KS

DST # 4

Congl

2010.11.09



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040956

DST#: 4

ATTN: Sid Tomlinson

Test Start: 2010.11.09 @ 00:43:02

GENERAL INFORMATION:

Formation: **Congl**

Deviated: **No** Whipstock: **ft (KB)**

Time Tool Opened: 02:18:32

Time Test Ended: 05:47:17

Test Type: **Conventional Bottom Hole**

Tester: **Dan Bangle**

Unit No: **38**

Interval: **3751.00 ft (KB) To 3850.00 ft (KB) (TVD)**

Reference Elevations: **2219.00 ft (KB)**

Total Depth: **3850.00 ft (KB) (TVD)**

2211.00 ft (CF)

Hole Diameter: **7.88 inches** Hole Condition: **Good**

KB to GR/CF: **8.00 ft**

Serial #: 8354

Inside

Press@RunDepth: **22.95 psig @ 3754.00 ft (KB)**

Capacity: **8000.00 psig**

Start Date: **2010.11.09**

End Date:

2010.11.09

Last Calib.: **2010.11.09**

Start Time: **00:43:03**

End Time:

05:47:17


Time On Btm: **2010.11.09 @ 02:18:17**

Time Off Btm: **2010.11.09 @ 04:17:32**

TEST COMMENT: IF-Weak died in 15 min

FF-No blow

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1860.70	101.10	Initial Hydro-static
1	16.85	100.08	Open To Flow (1)
30	19.72	101.29	Shut-In(1)
58	221.94	102.05	End Shut-In(1)
59	20.59	101.99	Open To Flow (2)
93	22.95	102.66	Shut-In(2)
119	119.32	103.16	End Shut-In(2)
120	1855.86	103.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud w / oil spots	0.07

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040956

DST#: 4

ATTN: Sid Tomlinson

Test Start: 2010.11.09 @ 00:43:02


Tool Information

Drill Pipe:	Length: 3724.00 ft	Diameter: 3.80 inches	Volume: 52.24 bbl	Tool Weight: 2800.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 45000.00 lb
			<u>Total Volume: 52.24 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	1.00 ft			String Weight: Initial 40000.00 lb
Depth to Top Packer:	3751.00 ft			Final 40000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	98.00 ft			
Tool Length:	126.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3724.00	
Shut In Tool	5.00			3729.00	
Hydraulic tool	5.00			3734.00	
Jars	5.00			3739.00	
Safety Joint	3.00			3742.00	
Packer	5.00			3747.00	28.00 Bottom Of Top Packer
Packer	4.00			3751.00	
Stubb	1.00			3752.00	
Perforations	1.00			3753.00	
Change Over Sub	1.00			3754.00	
Recorder	0.00	8354	Inside	3754.00	
Recorder	0.00	8520	Outside	3754.00	
Drill Pipe	62.00			3816.00	
Change Over Sub	1.00			3817.00	
Perforations	29.00			3846.00	
Bullnose	3.00			3849.00	98.00 Bottom Packers & Anchor
Total Tool Length:	126.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Tomlinson Operating LLC

Joy # 18-1

7154 W State St PMB 302
Boise ID 83714

18-12-18-Ellis KS

Job Ticket: 040956

DST#: 4

ATTN: Sid Tomlinson

Test Start: 2010.11.09 @ 00:43:02

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.79 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 7000.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud w / oil spots	0.070

Total Length: 5.00 ft Total Volume: 0.070 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

