

KANSAS GEOLOGICAL SOCIETY
KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
KANSAS GEOLOGICAL SOCIETY BUILDING
508 EAST MUROCK - WICHITA, KANSAS

COMPANY L. J. Dreiling

SEC. 10 T. 12 R. 18W
 LOC. NE SW SE

FARM Baker

NO. 1

TOTAL DEPTH 3700'

COMM. 10-4-66

COMP. 10-11-66


SHOT OR TREATED

CONTRACTOR L. J. Dreiling

ISSUED 1-7-67

COUNTY Ellis

KANSAS



CASING

20	10	
15	B	5/8" 130' cem w/ 100 SX
12	6	
13	S 1/2"	3696' cem w/ 75 SX

ELEVATION 2174' KB

PRODUCTION 47 BOPD, NW
 (Arb 3696-3700)

FIGURES INDICATE BOTTOM OF FORMATIONS

0'	40'	Surface Soil	Post Rock
40'	85'	Gravel & Sand	
85'	130'	Shale	
130'	750'	Shale & Shells	
750'	875'	Sand	
875'	940'	Shale & Shells	
940'	1095'	Sand	
1095'	1170'	Shale & Shells	
1170'	1425'	Shale & Red bed	
1425'	1472'	Anhy.	
1472'	1770'	Shale & Shells	
1770'	2136'	Shale & Lime	
2136'	2380'	Shale & Lime	
2380'	2605'	Shale & Lime	
2605'	2814'	Shale & Lime	
2814'	2950'	Shale & Lime	
2950'	3210'	Shale & Lime	
3210'	3313'	Lime & Shale	
3313'	3405'	Lime & Shale	
3405'	3470'	Lime	TOPS: SNP
3470'	3501'	Lime	Anhydrite 1425
3501'	3530'	Lime	Heebner 3382
3530'	3591'	Lime	Toronto 3404
3591'	3648'	Lime	Lansing 3427
3648'	3695'	Lime	Ease K C 3661
3695'	3700'	Arb.	Arbuckle 3695

STATE OF KANSAS)
)ss
 COUNTY OF ELLIS)

I, Leo F. Dreiling, of the L. J. Dreiling & Sons, Inc. upon oath states that the above and foregoing is a true and correct copy from the Daily Drilling Report from your Baker.

Leo F. Dreiling
 Leo F. Dreiling

Subscribed and sworn to before me this 11th day of October, 1966.