

12-12-18W 110 PI

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. \_\_\_\_\_

SIDE ONE



(Rules 82-3-130 and 82-3-107)

DOCKET NO. NP \_\_\_\_\_

This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

F \_\_\_\_\_ Letter requesting confidentiality attached.

C  Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)\*\*\*Check here if NO logs were run \_\_\_\_\_.

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

LICENSE # 6931 EXPIRATION DATE 5-31-84

OPERATOR Bowman Oil Company API NO. 15-051,23,781

ADDRESS P.O. Box 17 COUNTY Ellis

Codell, Kansas 67630 FIELD \_\_\_\_\_

\*\* CONTACT PERSON Paul Bowman PROD. FORMATION \_\_\_\_\_

PHONE 913-434-2304 \_\_\_\_\_ Indicate if new pay..

PURCHASER \_\_\_\_\_ LEASE Jensen

ADDRESS \_\_\_\_\_ WELL NO. #1

DRILLING Pioneer Drilling Co., Inc. 330 Ft. from S Line and

CONTRACTOR 308 West Mill 2160 Ft. from E Line of

ADDRESS Plainville, Kansas 67663 the SE (Qtr.) SEC 12 TWP 12 RGE 18 (W).

PLUGGING Pioneer Drilling Co., Inc. (Don Ambruster) WELL PLAT \_\_\_\_\_ (Office Use Only)

CONTRACTOR 308 West Mill

ADDRESS Plainville, Ks 67663

TOTAL DEPTH 3770' PBTD \_\_\_\_\_

SPUD DATE 2-02-84 DATE COMPLETED 2-08-84

ELEV: GR 2158 DF 2161' KB 2163'

DRILLED WITH ~~CASE~~ (ROTARY) ~~TOOLS~~ TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE \_\_\_\_\_

Amount of surface pipe set and cemented 8 5/8" @ 258.59 96V Tool Used? \_\_\_\_\_

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Shut-in Gas, Gas, Dry, Disposal, Injection, Temporarily Abandoned. If OWWO, indicate type of re-completion \_\_\_\_\_. Other completion \_\_\_\_\_. NGPA filing \_\_\_\_\_

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Louis R. Bowman, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Side TWO OPERATOR Bowman Oil Company LEASE NAME Jensen SEC 12 TWP 12 RGE 18 (W) ~~XXXX~~  
 WELL NO #1

FILL IN WELL INFORMATION AS REQUIRED;

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run. <input type="checkbox"/> Check if samples sent Geological Survey.				
sand and shale	0'	243'		
shales	243'	640'		
shales and sands	640'	1400'		
anhydrite	1400'	1440'		
shale and lime	1440'	1540'		
shales	1540'	2009'		
shales	2009'	2189'		
shales and lime	2189'	2445'		
shales	2445'	2663'		
shale	2663'	2870'		
shales and lime	2870'	3097'		
shale and lime	3097'	3264'		
shale and lime	3264'	3370'		
shale and lime	3370'	3478'		
shale and lime	3478'	3572'		
shale and lime	3572'	3660'		
shale and lime	3660'	3770'		
	3770'	R.T.D.		

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc.				CASING RECORD (New) or <del>(Used)</del>			
Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface Casing	12 1/4"	8 5/8"	20#	238.59'	60-40pos	150	2%gel 3%cc

  

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

  

TUBING RECORD		
Size	Setting depth	Pecker set at